Privilege Management Cloud
22.5 API Guide

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

TC:7/5/2022

Table of Contents

Privilege Management Cloud API **6**
Authenticate to the PM Cloud API 6
Privilege Management Cloud Management API 7
Methods 7
AcceptedDomains 10
ActivityAudits 15
AuthorizationRequestAudits 21
Computers 25
File 41
Groups 42
Policies 56
Roles 66
ScimResourceTypes 68
ScimSchemas 70
ScimServiceProviderConfig 74
ScimUsers 75
Tasks 82
Users 83
Models 94
AcceptedDomainDetailModel 96
AcceptedDomainListItemModel 97
ActivityAuditDetailModel 97
ActivityAuditDetailModelPagedResponse 98
ActivityAuditListItemModel 98
ActivityAuditListItemModelPagedResponse 98
AgentHostType 99
ApiClientDataAuditingDetailModel 99
AssignComputersToGroupRequest 99
AssignPolicyRevisionToGroupRequest 100
AssignUserToRoleRequest 100
Attribute 100

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

AuthorizationRequestAuditDetailModel 101
AuthorizationRequestAuditDetailModelPagedResponse 101
AuthorizationRequestAuditListItemModel 101
AuthorizationRequestAuditListItemModelPagedResponse 102
CertificateInformationModel 102
ChangedBy 103
ComputerDataAuditingDetailModel 103
ComputerDetailModel 103
ComputerFilterModel 104
ComputerListItemModel 105
ComputerListItemModelPagedResponse 106
ComputerLogModel 106
ComputerRenewCertificateRequest 107
ComputerRetrieveLogsRequest 107
ComputerRetrieveStatusInfoRequest 107
ComputersAuthoriseRequest 107
ComputersDeactivateRequest 107
ComputersRejectRequest 108
ComputersRemoveRequest 108
CountRange 108
CreateAcceptedDomainRequest 109
CreateGroupRequest 109
CreateUserRequest 109
DateFilterModel 109
EndpointInformationModel 110
GroupDataAuditingDetailModel 111
GroupListItemModel 111
GroupListItemModelPagedResponse 112
InstallationKeyDataAuditingDetailModel 112
ListItemErrorInfoModel 113
ModifyAcceptedDomainRequest 113
ModifyGroupRequest 113
ModifyPolicyRequest 113

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

ModifyUserPreferencesRequest 114
ModifyUserRequest 114
OS 114
OperationValue 114
Operator 115
PolicyDataAudtingDetailModel 115
PolicyGroupsListItemModel 115
PolicyListItemModel 116
PolicyListItemModelPagedResponse 117
PolicyRevisionDataAuditingDetailModel 117
PolicyRevisionModel 117
PolicyRevisionState 117
ProblemDetails 118
RoleElement 118
RoleItemModel 118
RoleListItemModel 119
RoleModel 119
RolePermissionModel 119
SCIMEmail 119
SCIMUserName 120
ScimAuthenticationSchemes 120
ScimBulk 120
ScimOperation 120
ScimResourceMeta 121
ScimResourceResponse 121
ScimResourceResponseScimListResponse 121
ScimSchemaResponse 122
ScimSchemaResponseScimListResponse 122
ScimServiceProviderConfigResponse 122
ScimSupported 123
ScimUserMetaModel 123
ScimUserModel 123
ScimUserModelScimListResponse 124

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

ScimUserPatchRequest 124
SettingDataAuditingDetailModel 124
SortDirection 125
SortModel 125
SubAttribute 125
TaskDetailModel 126
UnassignComputersToGroupRequest 126
UserDataAuditingDetailModel 126
UserDetailModel 127
UserListItemModel 128
UserListItemModelPagedResponse 128
id_AssignComputersByCsv_body 129

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Privilege Management Cloud API

Authenticate to the PM Cloud API

API requests are executed by sending an HTTP request to PM Cloud. Send the request using any HTTPS-capable socket library or scripting language module, URL fetcher such as cURL, or an OAuth library specific to your platform. BeyondTrust's web APIs use OAuth as the authentication method.

To authenticate to the API, you must create an API account on the **Configuration > Settings > API Settings** page. The account must have permission to access the necessary APIs. API requests require a token to be first created and then submitted with each API request.

> *For more information about creating an API account, please see Configure Access to the Management API in the Privilege Management Cloud Administration Guide.*

Create a Token

Create a token by POSTing to the URL of your BeyondTrust site followed by **/oauth/connect/token**:

```
https://example-services.pm.beyondtrustcloud.com/oauth/connect/token
```

Replace "example" with your production sub-domain name, as shown:

```
https://[yourProductionSub-domainName]-services.pm.beyondtrustcloud.com/oauth/connect/token
```

The OAuth client ID and client secret associated with the API account should be included in the POST body:

```
grant_type=client_credentials&client_id=[yourClientId]&client_secret=[yourGeneratedClientSecret]
```

If the request is processed without error, you will get an access token JSON response:

```
{
    "access_token":"<token>",
    "token_type":"Bearer",
    "expires_in":3600,
    "scope":"urn:management:api"
}
```

> ***Note:*** *The client secret cannot be modified, but it can be regenerated on the* ***Configuration > Settings > API Settings*** *page. Regenerating a client secret and then saving the account immediately invalidates any OAuth tokens associated with the account. Any API calls using those tokens will be unable to access the API. A new token must be generated using the new client secret.*

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Request an API Resource

Now that you have an access token, you can make GET/POST requests via HTTPS to the web API:

```
https://example-services.pm.beyondtrustcloud.com/management-api/v1/Groups
```

The obtained token is used for HTTP authentication and must be included in an HTTP authorization header with each request:

```
Authorization: Bearer <token>
```

If the token is valid, you gain access to the requested URL.

Authentication Errors

Requests made to the web API with expired or invalid tokens result in a "HTTP 401 Unauthorized" response.

Privilege Management Cloud Management API

Methods

[Jump to Models]

Table of Contents

AcceptedDomains

- get /v{version}/AcceptedDomains
- delete /v{version}/AcceptedDomains/{id}
- get /v{version}/AcceptedDomains/{id}
- put /v{version}/AcceptedDomains/{id}
- post /v{version}/AcceptedDomains

ActivityAudits

- get /v{version}/ActivityAudits
- get /v{version}/ActivityAudits/{id}

AuthorizationRequestAudits

- get /v{version}/AuthorizationRequestAudits
- get /v{version}/AuthorizationRequestAudits/{id}

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Computers

- post /v{version}/Computers/Authorise
- post /v{version}/Computers/Certificate/Renew
- post /v{version}/Computers/Deactivate
- delete /v{version}/Computers
- post /v{version}/Computers/Details/Request
- get /v{version}/Computers
- get /v{version}/Computers/{id}/CommandLog
- get /v{version}/Computers/{id}
- get /v{version}/Computers/{id}/Logs
- get /v{version}/Computers/Logs/{id}/Content
- post /v{version}/Computers/Logs/Request
- post /v{version}/Computers/Reject

File

- get /v{version}/File/download/GetYamlApiDefinitionFile

Groups

- post /v{version}/Groups/AutoAssignPolicyRevision
- get /v{version}/Groups
- post /v{version}/Groups/{id}/AssignComputersByCsv
- post /v{version}/Groups/{id}/AssignComputers
- post /v{version}/Groups/{id}/AssignPolicyRevision
- patch /v{version}/Groups/{id}/ClearPolicy
- delete /v{version}/Groups/{id}
- get /v{version}/Groups/{id}
- patch /v{version}/Groups/{id}/MarkAsDefault
- post /v{version}/Groups
- put /v{version}/Groups
- post /v{version}/Groups/UnassignComputers

Policies

- get /v{version}/Policies
- get /v{version}/Policies/{id}/AssignedGroups
- get /v{version}/Policies/{id}/Content
- delete /v{version}/Policies/{id}

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

- patch /v{version}/Policies/{id}/DiscardDraft
- get /v{version}/Policies/{id}
- put /v{version}/Policies/{id}
- get /v{version}/Policies/{id}/Revisions
- get /v{version}/Policies/PolicyRevision/{policyRevisionId}/Content

Roles

- get /v{version}/Roles
- get /v{version}/Roles/{id}

ScimResourceTypes

- get /scim/v2/ResourceTypes
- get /scim/v2/ResourceTypes/User

ScimSchemas

- get /scim/v2/Schemas

ScimServiceProviderConfig

- get /scim/v2/ServiceProviderConfig

ScimUsers

- get /scim/v2/Users
- post /scim/v2/Users
- get /scim/v2/Users/{userID}
- patch /scim/v2/Users/{userID}
- put /scim/v2/Users/{userID}

Tasks

- get /v{version}/Tasks/{id}

Users

- get /v{version}/Users
- post /v{version}/Users/{id}/AssignRole
- patch /v{version}/Users/{id}/Disable
- patch /v{version}/Users/{id}/Enable

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

- get /v{version}/Users/{id}
- put /v{version}/Users/{id}/ModifyUserPreferences
- put /v{version}/Users/{id}
- patch /v{version}/Users/{id}/ResendInvite
- post /v{version}/Users

AcceptedDomains

get /v{version}/AcceptedDomains

Retrieves list of Accepted Domains (vversionAcceptedDomainsGet)

Path parameters

version (required)
Path Parameter —

Return type

array[AcceptedDomainListItemModel]

Example data

Content-Type: application/json


```
[ {
  "created" : "2000-01-23T04:56:07.000+00:00",
  "domain" : "domain",
  "errorInfo" : {
    "userAccountName" : "userAccountName",
    "parentTaskName" : "parentTaskName",
    "initiated" : "2000-01-23T04:56:07.000+00:00",
    "errorCode" : 0,
    "userId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
  },
  "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
  "locked" : true
}, {
  "created" : "2000-01-23T04:56:07.000+00:00",
  "domain" : "domain",
  "errorInfo" : {
    "userAccountName" : "userAccountName",
    "parentTaskName" : "parentTaskName",
    "initiated" : "2000-01-23T04:56:07.000+00:00",
    "errorCode" : 0,
    "userId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
  },
  "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
  "locked" : true
} ]
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success

400

Bad Request **ProblemDetails**

401

Unauthorized **ProblemDetails**

500

Server Error

delete /v{version}/AcceptedDomains/{id}

Deletes Accepted Domain (vversionAcceptedDomainsIdDelete)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Responses

204
Success

404
Not Found **ProblemDetails**

409
Conflict **ProblemDetails**

423
Client Error **ProblemDetails**

get /v{version}/AcceptedDomains/{id}

Retrieves Record of Accepted Domain (vversionAcceptedDomainsIdGet)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Return type

AcceptedDomainDetailModel

Example data

Content-Type: application/json

```
{
  "created" : "2000-01-23T04:56:07.000+00:00",
  "domain" : "domain",
  "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

- text/plain
- application/json
- text/json

Responses

200
Success **AcceptedDomainDetailModel**

401
Unauthorized **ProblemDetails**

404
Not Found **ProblemDetails**

`put /v{version}/AcceptedDomains/{id}`

Modifies Accepted Domain (vversionAcceptedDomainsIdPut)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body ModifyAcceptedDomainRequest (optional)
Body Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Responses

204
Success

400
Bad Request **ProblemDetails**

401
Unauthorized **ProblemDetails**

404
Not Found **ProblemDetails**

409
Conflict **ProblemDetails**

423
Client Error **ProblemDetails**

`post /v{version}/AcceptedDomains`

Creates Accepted Domain (vversionAcceptedDomainsPost)

Path parameters

version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body CreateAcceptedDomainRequest (optional)
Body Parameter —

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Return type

UUID

Example data

Content-Type: application/json

```
"046b6c7f-0b8a-43b9-b35d-6489e6daee91"
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

201

Success **UUID**

409

Conflict **ProblemDetails**

ActivityAudits

`get /v{version}/ActivityAudits`

Retrieves list of Activity Audits with pagination (sorting and filtering) (vversionActivityAuditsGet)

Path parameters

version (required)
Path Parameter —

Query parameters

Sorts (optional)
Query Parameter —
Pagination.PageSize (optional)
Query Parameter — The number of records per page, for example 1. Shouldn't exceed 200. format: int32
Pagination.PageNumber (optional)

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Query Parameter — The page number to retrieve from results, for example 1 format: int32
Filter.User (optional)
Query Parameter — Initiated User email or API Client identifier
Filter.Details (optional)
Query Parameter — Details of activity
Filter.Created.Dates (optional)
Query Parameter — Valid date formats for filter - 2020-12-24, 2020-12-24 19:09:47, 2020-12-24 19:09:47.6816562, 2020-12-24 19:09:47.6816562 +00:00 format: date-time
Filter.Created.SelectionMode (optional)
Query Parameter — The selection mode of date criteria e.g single, multiple, range
Filter.Entity (optional)
Query Parameter — Name of Activity Audit entity
Filter.AuditType (optional)
Query Parameter — Audit Type Name
Filter.ChangedBy (optional)
Query Parameter — Audit ChangedBy

Return type

ActivityAuditListItemModelPagedResponse

Example data

Content-Type: application/json


```
{
  "pageCount" : 5,
  "pageNumber" : 0,
  "data" : [ {
    "created" : "2000-01-23T04:56:07.000+00:00",
    "changedBy" : "API",
    "errorInfo" : {
      "userAccountName" : "userAccountName",
      "parentTaskName" : "parentTaskName",
      "initiated" : "2000-01-23T04:56:07.000+00:00",
      "errorCode" : 0,
      "userId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
    },
    "details" : "details",
    "id" : 5,
    "auditType" : "auditType",
    "locked" : true,
    "user" : "user",
    "entity" : "entity"
  }, {
    "created" : "2000-01-23T04:56:07.000+00:00",
    "changedBy" : "API",
    "errorInfo" : {
      "userAccountName" : "userAccountName",
      "parentTaskName" : "parentTaskName",
      "initiated" : "2000-01-23T04:56:07.000+00:00",
      "errorCode" : 0,
      "userId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
      },
      "details" : "details",
      "id" : 5,
      "auditType" : "auditType",
      "locked" : true,
      "user" : "user",
      "entity" : "entity"
    } ],
    "pageSize" : 6,
    "totalRecordCount" : 1
  }
```


Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success **ActivityAuditListItemModelPagedResponse**

400

Bad Request **ProblemDetails**

401

Unauthorized **ProblemDetails**

500

Server Error

`get /v{version}/ActivityAudits/{id}`

Retrieves Record of Activity Audit (vversionActivityAuditsIdGet)

Path parameters

id (required)
Path Parameter — format: int64
version (required)
Path Parameter —

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Return type

ActivityAuditDetailModelPagedResponse

Example data

Content-Type: application/json


```
{
  "pageCount" : 5,
  "pageNumber" : 0,
  "data" : [ {
    "computerDataAuditing" : {
      "deactivatedAgents" : {
        "key" : "deactivatedAgents"
      },
      "newDeletedAgents" : [ "newDeletedAgents", "newDeletedAgents" ],
      "updatedPoliciesOn" : {
        "key" : "updatedPoliciesOn"
      }
    },
    "groupDataAuditing" : {
      "oldDescription" : "oldDescription",
      "addPolicyRevisions" : {
        "key" : "addPolicyRevisions"
      },
      "newName" : "newName",
      "removePolicyRevisions" : {
        "key" : "removePolicyRevisions"
      },
      "oldName" : "oldName",
      "newAgents" : {
        "key" : "newAgents"
      },
      "oldIsDefault" : true,
      "newDescription" : "newDescription",
      "newIsDefault" : true,
      "removeAgents" : {
        "key" : "removeAgents"
      }
    },
    "created" : "2000-01-23T04:56:07.000+00:00",
    "policyDataAuditing" : {
      "oldDescription" : "oldDescription",
      "newName" : "newName",
      "oldName" : "oldName",
      "newDescription" : "newDescription"
    },
    "policyRevisionDataAuditing" : {
      "newGroups" : {
        "key" : "newGroups"
      }
    },
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
    "auditType" : "auditType",
    "userId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "settingsDataAuditing" : {
      "modifyDomainOldValue" : "modifyDomainOldValue",
      "modifyDomainNewValue" : "modifyDomainNewValue",
      "removeDomain" : "removeDomain",
      "addDomain" : "addDomain"
    },
    "apiClientDataAuditing" : {
      "oldDescription" : "oldDescription",
      "newName" : "newName",
      "deleted" : true,
      "secretUpdated" : true,
      "oldName" : "oldName",
      "newDescription" : "newDescription"
    },
    "installationKeyDataAuditing" : {
      "newDisabled" : true,
      "oldDisabled" : true,
      "deleted" : true,
      "newLabel" : "newLabel",
      "oldLabel" : "oldLabel"
    },
    "userDataAuditing" : {
      "newDisabled" : true,
      "oldDisabled" : true,
      "newDateTimeDisplayFormat" : "newDateTimeDisplayFormat",
      "oldOlsonTimeZoneId" : "oldOlsonTimeZoneId",
      "oldEmailAddress" : "oldEmailAddress",
      "oldRole" : "oldRole",
      "newPreferredLanguage" : "newPreferredLanguage",
      "oldPreferredLanguage" : "oldPreferredLanguage",
      "newRole" : "newRole",
      "newOlsonTimeZoneId" : "newOlsonTimeZoneId",
      "oldDateTimeDisplayFormat" : "oldDateTimeDisplayFormat",
      "newEmailAddress" : "newEmailAddress"
    },
    "changedBy" : "API",
    "details" : "details",
    "id" : 5,
    "user" : "user",
    "entity" : "entity"
  }, {
    "computerDataAuditing" : {
      "deactivatedAgents" : {
        "key" : "deactivatedAgents"
      },
      "newDeletedAgents" : [ "newDeletedAgents", "newDeletedAgents" ],
      "updatedPoliciesOn" : {
        "key" : "updatedPoliciesOn"
      }
    },
    "groupDataAuditing" : {
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
      "oldDescription" : "oldDescription",
      "addPolicyRevisions" : {
        "key" : "addPolicyRevisions"
      },
      "newName" : "newName",
      "removePolicyRevisions" : {
        "key" : "removePolicyRevisions"
      },
      "oldName" : "oldName",
      "newAgents" : {
        "key" : "newAgents"
      },
      "oldIsDefault" : true,
      "newDescription" : "newDescription",
      "newIsDefault" : true,
      "removeAgents" : {
        "key" : "removeAgents"
      }
    },
    "created" : "2000-01-23T04:56:07.000+00:00",
    "policyDataAuditing" : {
      "oldDescription" : "oldDescription",
      "newName" : "newName",
      "oldName" : "oldName",
      "newDescription" : "newDescription"
    },
    "policyRevisionDataAuditing" : {
      "newGroups" : {
        "key" : "newGroups"
      }
    },
    "auditType" : "auditType",
    "userId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "settingsDataAuditing" : {
      "modifyDomainOldValue" : "modifyDomainOldValue",
      "modifyDomainNewValue" : "modifyDomainNewValue",
      "removeDomain" : "removeDomain",
      "addDomain" : "addDomain"
    },
    "apiClientDataAuditing" : {
      "oldDescription" : "oldDescription",
      "newName" : "newName",
      "deleted" : true,
      "secretUpdated" : true,
      "oldName" : "oldName",
      "newDescription" : "newDescription"
    },
    "installationKeyDataAuditing" : {
      "newDisabled" : true,
      "oldDisabled" : true,
      "deleted" : true,
      "newLabel" : "newLabel",
      "oldLabel" : "oldLabel"
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
      },
      "userDataAuditing" : {
        "newDisabled" : true,
        "oldDisabled" : true,
        "newDateTimeDisplayFormat" : "newDateTimeDisplayFormat",
        "oldOlsonTimeZoneId" : "oldOlsonTimeZoneId",
        "oldEmailAddress" : "oldEmailAddress",
        "oldRole" : "oldRole",
        "newPreferredLanguage" : "newPreferredLanguage",
        "oldPreferredLanguage" : "oldPreferredLanguage",
        "newRole" : "newRole",
        "newOlsonTimeZoneId" : "newOlsonTimeZoneId",
        "oldDateTimeDisplayFormat" : "oldDateTimeDisplayFormat",
        "newEmailAddress" : "newEmailAddress"
      },
      "changedBy" : "API",
      "details" : "details",
      "id" : 5,
      "user" : "user",
      "entity" : "entity"
    } ],
    "pageSize" : 6,
    "totalRecordCount" : 1
  }
```


Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success **ActivityAuditDetailModelPagedResponse**

401

Unauthorized **ProblemDetails**

404

Not Found **ProblemDetails**

AuthorizationRequestAudits

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

`get /v{version}/AuthorizationRequestAudits`

Retrieves the list of Authorization Request Audit with pagination (sorting and filtering) (vversionAuthorizationRequestAuditsGet)

Path parameters

version (required)
Path Parameter —

Query parameters

Sorts (optional)
Query Parameter —
Pagination.PageSize (optional)
Query Parameter — The number of records per page, for example 1. Shouldn't exceed 200. format: int32
Pagination.PageNumber (optional)
Query Parameter — The page number to retrieve from results, for example 1 format: int32
Filter.TicketId (optional)
Query Parameter —
Filter.User (optional)
Query Parameter —
Filter.ComputerName (optional)
Query Parameter —
Filter.ProductName (optional)
Query Parameter —
Filter.Reason (optional)
Query Parameter —
Filter.DecisionPerformedByUser (optional)
Query Parameter —
Filter.Decision (optional)
Query Parameter —
Filter.TimeOfRequest.Dates (optional)
Query Parameter — Valid date formats for filter - 2020-12-24, 2020-12-24 19:09:47, 2020-12-24 19:09:47.6816562, 2020-12-24 19:09:47.6816562 +00:00 format: date-time
Filter.TimeOfRequest.SelectionMode (optional)
Query Parameter — The selection mode of date criteria e.g single, multiple, range
Filter.DecisionTime.Dates (optional)
Query Parameter — Valid date formats for filter - 2020-12-24, 2020-12-24 19:09:47, 2020-12-24 19:09:47.6816562, 2020-12-24 19:09:47.6816562 +00:00 format: date-time
Filter.DecisionTime.SelectionMode (optional)
Query Parameter — The selection mode of date criteria e.g single, multiple, range
Filter.StartTime.Dates (optional)
Query Parameter — Valid date formats for filter - 2020-12-24, 2020-12-24 19:09:47, 2020-12-24 19:09:47.6816562, 2020-12-24 19:09:47.6816562 +00:00 format: date-time
Filter.StartTime.SelectionMode (optional)
Query Parameter — The selection mode of date criteria e.g single, multiple, range
Filter.Duration (optional)
Query Parameter —

Return type

AuthorizationRequestAuditListItemModelPagedResponse

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Example data

Content-Type: application/json


```
{
  "pageCount" : 5,
  "pageNumber" : 0,
  "data" : [ {
    "duration" : "duration",
    "reason" : "reason",
    "decision" : "decision",
    "computerName" : "computerName",
    "decisionTime" : "2000-01-23T04:56:07.000+00:00",
    "timeOfRequest" : "2000-01-23T04:56:07.000+00:00",
    "startTime" : "2000-01-23T04:56:07.000+00:00",
    "id" : 5,
    "user" : "user",
    "ticketId" : "ticketId",
    "productName" : "productName",
    "decisionPerformedByUser" : "decisionPerformedByUser"
  }, {
    "duration" : "duration",
    "reason" : "reason",
    "decision" : "decision",
    "computerName" : "computerName",
    "decisionTime" : "2000-01-23T04:56:07.000+00:00",
    "timeOfRequest" : "2000-01-23T04:56:07.000+00:00",
    "startTime" : "2000-01-23T04:56:07.000+00:00",
    "id" : 5,
    "user" : "user",
    "ticketId" : "ticketId",
    "productName" : "productName",
    "decisionPerformedByUser" : "decisionPerformedByUser"
  } ],
  "pageSize" : 6,
  "totalRecordCount" : 1
}
```


Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success **AuthorizationRequestAuditListItemModelPagedResponse**

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

400

Bad Request **ProblemDetails**

401

Unauthorized **ProblemDetails**

403

Forbidden **ProblemDetails**

`get /v{version}/AuthorizationRequestAudits/{id}`

Retrieves Record of Authorization Request Audit (vversionAuthorizationRequestAuditsIdGet)

Path parameters

id (required)
Path Parameter — format: int64
version (required)
Path Parameter —

Return type

AuthorizationRequestAuditDetailModelPagedResponse

Example data

Content-Type: application/json


```
{
  "pageCount" : 5,
  "pageNumber" : 0,
  "data" : [ {
    "duration" : "duration",
    "reason" : "reason",
    "decision" : "decision",
    "computerName" : "computerName",
    "decisionTime" : "2000-01-23T04:56:07.000+00:00",
    "timeOfRequest" : "2000-01-23T04:56:07.000+00:00",
    "startTime" : "2000-01-23T04:56:07.000+00:00",
    "id" : 5,
    "user" : "user",
    "ticketId" : "ticketId",
    "productName" : "productName",
    "decisionPerformedByUser" : "decisionPerformedByUser"
  }, {
    "duration" : "duration",
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
      "reason" : "reason",
      "decision" : "decision",
      "computerName" : "computerName",
      "decisionTime" : "2000-01-23T04:56:07.000+00:00",
      "timeOfRequest" : "2000-01-23T04:56:07.000+00:00",
      "startTime" : "2000-01-23T04:56:07.000+00:00",
      "id" : 5,
      "user" : "user",
      "ticketId" : "ticketId",
      "productName" : "productName",
      "decisionPerformedByUser" : "decisionPerformedByUser"
    } ],
    "pageSize" : 6,
    "totalRecordCount" : 1
  }
```


Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success **AuthorizationRequestAuditDetailModelPagedResponse**

401

Unauthorized **ProblemDetails**

403

Forbidden **ProblemDetails**

404

Not Found **ProblemDetails**

Computers

`post /v{version}/Computers/Authorise`

Authorises Computers (vversionComputersAuthorisePost)

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Path parameters

version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- **application/json**
- **text/json**
- **application/*+json**

Request body

body ComputersAuthoriseRequest (optional)
Body Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- **text/plain**
- **application/json**
- **text/json**

Responses

200

Success

201

Success **UUID**

400

Bad Request **ProblemDetails**

401

Unauthorized **ProblemDetails**

404

Not Found **ProblemDetails**

409

Conflict **ProblemDetails**

423

Client Error **ProblemDetails**

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

`post /v{version}/Computers/Certificate/Renew`

Request to Renew Computer Certificate (vversionComputersCertificateRenewPost)

Path parameters

version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body ComputerRenewCertificateRequest (optional)
Body Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

202

Success

400

Bad Request **ProblemDetails**

404

Not Found **ProblemDetails**

409

Conflict **ProblemDetails**

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

`post /v{version}/Computers/Deactivate`

Deactivates Computers (vversionComputersDeactivatePost)

Path parameters

version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body ComputersDeactivateRequest (optional)
Body Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success

201

Success **UUID**

400

Bad Request **ProblemDetails**

401

Unauthorized **ProblemDetails**

404

Not Found **ProblemDetails**

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

409

Conflict **ProblemDetails**

423

Client Error **ProblemDetails**

`delete /v{version}/Computers`

Deletes Computers (vversionComputersDelete)

Path parameters

version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body ComputersRemoveRequest (optional)
Body Parameter — Request containing data to filter Computers to be removed

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success

201

Success **UUID**

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

404
Not Found **ProblemDetails**

409
Conflict **ProblemDetails**

423
Client Error **ProblemDetails**

`post /v{version}/Computers/Details/Request`

Retrieves Computer Status Info (vversionComputersDetailsRequestPost)

Path parameters

version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body ComputerRetrieveStatusInfoRequest (optional)
Body Parameter —

Return type

UUID

Example data

Content-Type: application/json

```
"046b6c7f-0b8a-43b9-b35d-6489e6daee91"
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

- text/plain
- application/json
- text/json

Responses

201
Success **UUID**

400
Bad Request **ProblemDetails**

401
Unauthorized **ProblemDetails**

404
Not Found **ProblemDetails**

409
Conflict **ProblemDetails**

423
Client Error **ProblemDetails**

`get /v{version}/Computers`

Retrieves the list of Computers with pagination (sorting and filtering) (vversionComputersGet)

Path parameters

version (required)
Path Parameter —

Query parameters

Sorts (optional)
Query Parameter —
Pagination.PageSize (optional)
Query Parameter — The number of records per page, for example 1. Shouldn't exceed 200. format: int32
Pagination.PageNumber (optional)
Query Parameter — The page number to retrieve from results, for example 1 format: int32
Filter.ComputerId (optional)
Query Parameter — The Id of the Computer(Guid format), for example - 59A00329-87AC-49EC-BC2C-9B9E26F05185 format: uuid
Filter.Host (optional)

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Query Parameter — The host name of the Computer, for example - Computer1
Filter.HostType (optional)
Query Parameter — The host type of the Computer, for example - MicrosoftWindows, Linux
Filter.AgentVersion (optional)
Query Parameter — The agent version of the Computer, example - 5.6.126.0
Filter.AdapterVersion (optional)
Query Parameter — The adapter version of the Computer, example - 20.5.195.0
Filter.AuthorisationState (optional)
Query Parameter — The state of the Computer, example - Authorised, Pending
Filter.LastConnected.Dates (optional)
Query Parameter — Valid date formats for filter - 2020-12-24, 2020-12-24 19:09:47, 2020-12-24 19:09:47.6816562, 2020-12-24 19:09:47.6816562 +00:00 format: date-time
Filter.LastConnected.SelectionMode (optional)
Query Parameter — The selection mode of date criteria e.g single, multiple, range
Filter.PolicyRevisionStatus (optional)
Query Parameter — Policy Revision Status, example - AwaitingLatestPolicy
Filter.PolicyId (optional)
Query Parameter — Policy Id, example - 59A00329-87AC-49EC-BC2C-9B9E26F05185 format: uuid
Filter.PolicyName (optional)
Query Parameter — Policy Name, example - Policy1
Filter.GroupId (optional)
Query Parameter — Group Id, example - 59A00329-87AC-49EC-BC2C-9B9E26F05185 format: uuid
Filter.GroupName (optional)
Query Parameter — Group Name, example - Group1
Filter.OS (optional)
Query Parameter — OS Name, example - Windows
Filter.Domain (optional)
Query Parameter — Domain Name, example - BeyondTrust
Filter.Created.Dates (optional)
Query Parameter — Valid date formats for filter - 2020-12-24, 2020-12-24 19:09:47, 2020-12-24 19:09:47.6816562, 2020-12-24 19:09:47.6816562 +00:00 format: date-time
Filter.Created.SelectionMode (optional)
Query Parameter — The selection mode of date criteria e.g single, multiple, range
Filter.DuplicateCount.Min (optional)
Query Parameter — Min Value of CountRange, example - 1,2,3 format: int32
Filter.DuplicateCount.Max (optional)
Query Parameter — Max Value of CountRange, example - 1,2,3 format: int32

Return type

ComputerListItemModelPagedResponse

Example data

Content-Type: application/json

```
{
  "pageCount" : 5,
  "pageNumber" : 0,
  "data" : [ {
    "rejected" : true,
    "deactivatedOn" : "2000-01-23T04:56:07.000+00:00",
    "groupId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
    "errorInfo" : {
      "userAccountName" : "userAccountName",
      "parentTaskName" : "parentTaskName",
      "initiated" : "2000-01-23T04:56:07.000+00:00",
      "errorCode" : 0,
      "userId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
    },
    "deactivated" : true,
    "authorisationState" : "authorisationState",
    "lastConnected" : "2000-01-23T04:56:07.000+00:00",
    "hostType" : "Undefined",
    "host" : "host",
    "adapterVersion" : "adapterVersion",
    "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "locked" : true,
    "os" : "os",
    "policyName" : "policyName",
    "created" : "2000-01-23T04:56:07.000+00:00",
    "pendingDeactivation" : true,
    "duplicate" : true,
    "policyRevisionId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "credentialType" : "credentialType",
    "groupName" : "groupName",
    "policyId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "duplicateCount" : 5,
    "domain" : "domain",
    "agentVersion" : "agentVersion",
    "policyRevisionStatus" : "policyRevisionStatus"
  }, {
    "rejected" : true,
    "deactivatedOn" : "2000-01-23T04:56:07.000+00:00",
    "groupId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "errorInfo" : {
      "userAccountName" : "userAccountName",
      "parentTaskName" : "parentTaskName",
      "initiated" : "2000-01-23T04:56:07.000+00:00",
      "errorCode" : 0,
      "userId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
    },
    "deactivated" : true,
    "authorisationState" : "authorisationState",
    "lastConnected" : "2000-01-23T04:56:07.000+00:00",
    "hostType" : "Undefined",
    "host" : "host",
    "adapterVersion" : "adapterVersion",
    "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "locked" : true,
    "os" : "os",
    "policyName" : "policyName",
    "created" : "2000-01-23T04:56:07.000+00:00",
    "pendingDeactivation" : true,
    "duplicate" : true,
    "policyRevisionId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
      "credentialType" : "credentialType",
      "groupName" : "groupName",
      "policyId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
      "duplicateCount" : 5,
      "domain" : "domain",
      "agentVersion" : "agentVersion",
      "policyRevisionStatus" : "policyRevisionStatus"
    } ],
    "pageSize" : 6,
    "totalRecordCount" : 1
  }
```


Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success **ComputerListItemModelPagedResponse**

400

Bad Request **ProblemDetails**

401

Unauthorized **ProblemDetails**

get /v{version}/Computers/{id}/CommandLog

Gets Computer Command Logs List (vversionComputersIdCommandLogGet)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

- text/plain
- application/json
- text/json

Responses

200
Success

404
Not Found **ProblemDetails**

`get /v{version}/Computers/{id}`

Retrieves a detail of the Computer (vversionComputersIdGet)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Return type

ComputerDetailModel

Example data

Content-Type: application/json


```
{
  "deactivatedOn" : "2000-01-23T04:56:07.000+00:00",
  "groupId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
  "hostPolicyName" : "hostPolicyName",
  "policyRevision" : 0,
  "autoDeactivated" : true,
  "agentLogs" : [ {
    "created" : "2000-01-23T04:56:07.000+00:00",
    "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "returned" : "2000-01-23T04:56:07.000+00:00"
  }, {
    "created" : "2000-01-23T04:56:07.000+00:00",
    "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "returned" : "2000-01-23T04:56:07.000+00:00"
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
  } ],
  "deactivated" : true,
  "authorisationState" : "authorisationState",
  "certificateInformation" : {
    "lastIssued" : "2000-01-23T04:56:07.000+00:00",
    "validFrom" : "2000-01-23T04:56:07.000+00:00",
    "validTo" : "2000-01-23T04:56:07.000+00:00"
  },
  "lastConnected" : "2000-01-23T04:56:07.000+00:00",
  "hostType" : "hostType",
  "authorised" : "2000-01-23T04:56:07.000+00:00",
  "adapterVersion" : "adapterVersion",
  "hostLastUpdated" : "2000-01-23T04:56:07.000+00:00",
  "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
  "policyName" : "policyName",
  "created" : "2000-01-23T04:56:07.000+00:00",
  "pendingDeactivation" : true,
  "endpointInformation" : {
    "systemModel" : "systemModel",
    "systemPrimaryOwnerName" : "systemPrimaryOwnerName",
    "osArchitecture" : "osArchitecture",
    "systemSystemType" : "systemSystemType",
    "systemDomain" : "systemDomain",
    "processorManufacturer" : "processorManufacturer",
    "osVersion" : "osVersion",
    "systemName" : "systemName",
    "osVersionString" : "osVersionString",
    "osCaption" : "osCaption",
    "systemManufacturer" : "systemManufacturer",
    "processorName" : "processorName",
    "osCodeSet" : "osCodeSet",
    "osSystemDrive" : "osSystemDrive",
    "osOrganization" : "osOrganization",
    "processorDescription" : "processorDescription",
    "osCountryCode" : "osCountryCode",
    "osInstallDate" : "2000-01-23T04:56:07.000+00:00",
    "osSystemDirectory" : "osSystemDirectory",
    "osComputerDescription" : "osComputerDescription",
    "osSerialNumber" : "osSerialNumber",
    "macAddress" : "macAddress",
    "processorCaption" : "processorCaption",
    "systemDnsHostName" : "systemDnsHostName",
    "osManufacturer" : "osManufacturer",
    "systemWorkgroup" : "systemWorkgroup"
  },
  "connected" : true,
  "credentialType" : "credentialType",
  "groupName" : "groupName",
  "policyId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
  "duplicateCount" : 1,
  "agentVersion" : "agentVersion",
  "hostPolicyId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
  "policyRevisionStatus" : "policyRevisionStatus",
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
  "hostPolicyRevision" : 6
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success **ComputerDetailModel**

400

Bad Request **ProblemDetails**

401

Unauthorized **ProblemDetails**

get /v{version}/Computers/{id}/Logs

Gets Computer Logs (vversionComputersIdLogsGet)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Return type

array[ComputerLogModel]

Example data

Content-Type: application/json

```
[ {
  "created" : "2000-01-23T04:56:07.000+00:00",
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
    "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "returned" : "2000-01-23T04:56:07.000+00:00"
  }, {
    "created" : "2000-01-23T04:56:07.000+00:00",
    "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "returned" : "2000-01-23T04:56:07.000+00:00"
  } ]
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success

400

Bad Request **ProblemDetails**

401

Unauthorized **ProblemDetails**

get /v{version}/Computers/Logs/{id}/Content

Downloads Computer Log (vversionComputersLogsIdContentGet)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Responses

404
Not Found **ProblemDetails**

409
Conflict **ProblemDetails**

`post /v{version}/Computers/Logs/Request`

Retrieves Computer Logs (vversionComputersLogsRequestPost)

Path parameters

version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body ComputerRetrieveLogsRequest (optional)
Body Parameter —

Return type

UUID

Example data

Content-Type: application/json

```
"046b6c7f-0b8a-43b9-b35d-6489e6daee91"
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

- text/json

Responses

201
Success **UUID**

400
Bad Request **ProblemDetails**

401
Unauthorized **ProblemDetails**

404
Not Found **ProblemDetails**

409
Conflict **ProblemDetails**

423
Client Error **ProblemDetails**

`post /v{version}/Computers/Reject`

Rejects Computers (vversionComputersRejectPost)

Path parameters

version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body ComputersRejectRequest (optional)
Body Parameter — Request containing data to filter Computers to be rejected

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success

201

Success **UUID**

404

Not Found **ProblemDetails**

409

Conflict **ProblemDetails**

423

Client Error **ProblemDetails**

File

`get /v{version}/File/download/GetYamlApiDefinitionFile`

Get the API definition file in YAML format (vversionFileDownloadGetYamlApiDefinitionFileGet)

Path parameters

version (required)
Path Parameter —

Return type

String

Example data

Content-Type: application/json

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
""
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success **String**

401

Unauthorized **ProblemDetails**

404

Not Found **ProblemDetails**

Groups

`post /v{version}/Groups/AutoAssignPolicyRevision`

Auto assign policy revision to the group (vversionGroupsAutoAssignPolicyRevisionPost)

Path parameters

version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body AssignPolicyRevisionToGroupRequest (optional)
Body Parameter —

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Return type

UUID

Example data

Content-Type: application/json

```
"046b6c7f-0b8a-43b9-b35d-6489e6daee91"
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success **UUID**

404

Not Found **ProblemDetails**

423

Client Error **ProblemDetails**

get /v{version}/Groups

Retrieves the list of Groups with pagination (sorting and filtering) (vversionGroupsGet)

Path parameters

version (required)
Path Parameter —

Query parameters

Sorts (optional)
Query Parameter —
Pagination.PageSize (optional)
Query Parameter — The number of records per page, for example 1. Shouldn't exceed 200. format: int32

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Pagination.PageNumber (optional)
Query Parameter — The page number to retrieve from results, for example 1 format: int32
Filter.Id (optional)
Query Parameter — The Id of the group(Guid format), for example - 59A00329-87AC-49EC-BC2C-9B9E26F05185 format: uuid
Filter.Name (optional)
Query Parameter — The name of the group
Filter.Description (optional)
Query Parameter — The description of the group
Filter.PolicyName (optional)
Query Parameter — The policy name of the group
Filter.PolicyRevisionStatus (optional)
Query Parameter — The policy revision status of the group
Filter.ComputerCount (optional)
Query Parameter — Number of computers in a group format: int32
Filter.ActiveComputers.Value (optional)
Query Parameter — Integer value for the filter, e.g. 100 format: int32
Filter.ActiveComputers.Operator (optional)
Query Parameter —
Filter.Created.Dates (optional)
Query Parameter — Valid date formats for filter - 2020-12-24, 2020-12-24 19:09:47, 2020-12-24 19:09:47.6816562, 2020-12-24 19:09:47.6816562 +00:00 format: date-time
Filter.Created.SelectionMode (optional)
Query Parameter — The selection mode of date criteria e.g single, multiple, range

Return type

GroupListItemModelPagedResponse

Example data

Content-Type: application/json


```
{
  "pageCount" : 5,
  "pageNumber" : 0,
  "data" : [ {
    "policyName" : "policyName",
    "created" : "2000-01-23T04:56:07.000+00:00",
    "errorInfo" : {
      "userAccountName" : "userAccountName",
      "parentTaskName" : "parentTaskName",
      "initiated" : "2000-01-23T04:56:07.000+00:00",
      "errorCode" : 0,
      "userId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
    },
    "description" : "description",
    "policyRevisionId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "revision" : 7,
    "computerCount" : 5,
    "activeComputers" : 2,
    "default" : true,
    "policyId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "name" : "name",
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
    "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "locked" : true,
    "policyRevisionStatus" : "OnLatestPolicy"
  }, {
    "policyName" : "policyName",
    "created" : "2000-01-23T04:56:07.000+00:00",
    "errorInfo" : {
      "userAccountName" : "userAccountName",
      "parentTaskName" : "parentTaskName",
      "initiated" : "2000-01-23T04:56:07.000+00:00",
      "errorCode" : 0,
      "userId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
    },
    "description" : "description",
    "policyRevisionId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "revision" : 7,
    "computerCount" : 5,
    "activeComputers" : 2,
    "default" : true,
    "policyId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "name" : "name",
    "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "locked" : true,
    "policyRevisionStatus" : "OnLatestPolicy"
  } ],
  "pageSize" : 6,
  "totalRecordCount" : 1
}
```


Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success **GroupListItemModelPagedResponse**

400

Bad Request **ProblemDetails**

401

Unauthorized **ProblemDetails**

500

Server Error

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

`post /v{version}/Groups/{id}/AssignComputersByCsv`

assigns computers to the group by input of csv file (vversionGroupsIdAssignComputersByCsvPost)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- multipart/form-data

Form parameters

csvFile (optional)
Form Parameter — format: binary

Return type

UUID

Example data

Content-Type: application/json

```
"046b6c7f-0b8a-43b9-b35d-6489e6daee91"
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

201

Success **UUID**

404

Not Found **ProblemDetails**

423

Client Error **ProblemDetails**

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

`post /v{version}/Groups/{id}/AssignComputers`

assigns computers to the group (vversionGroupsIdAssignComputersPost)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body AssignComputersToGroupRequest (optional)
Body Parameter —

Return type

UUID

Example data

Content-Type: application/json

```
"046b6c7f-0b8a-43b9-b35d-6489e6daee91"
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

201

Success **UUID**

404

Not Found **ProblemDetails**

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

423

Client Error **ProblemDetails**

`post /v{version}/Groups/{id}/AssignPolicyRevision`

Assigns policy revision to the group (vversionGroupsIdAssignPolicyRevisionPost)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body AssignPolicyRevisionToGroupRequest (optional)
Body Parameter —

Return type

UUID

Example data

Content-Type: application/json

```
"046b6c7f-0b8a-43b9-b35d-6489e6daee91"
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Responses

200
Success **UUID**

404
Not Found **ProblemDetails**

423
Client Error **ProblemDetails**

patch /v{version}/Groups/{id}/ClearPolicy

Clears policy from group (vversionGroupsIdClearPolicyPatch)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Return type

UUID

Example data

Content-Type: application/json

```
"046b6c7f-0b8a-43b9-b35d-6489e6daee91"
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

204
Success **UUID**

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

404

Not Found **ProblemDetails**

423

Client Error **ProblemDetails**

`delete /v{version}/Groups/{id}`

Deletes group (vversionGroupsIdDelete)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Return type

UUID

Example data

Content-Type: application/json

```
"046b6c7f-0b8a-43b9-b35d-6489e6daee91"
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

204

Success **UUID**

404

Not Found **ProblemDetails**

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

409

Conflict **ProblemDetails**

423

Client Error **ProblemDetails**

`get /v{version}/Groups/{id}`

Retrieves a detail of the group (vversionGroupsIdGet)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success

401

Unauthorized **ProblemDetails**

404

Not Found **ProblemDetails**

`patch /v{version}/Groups/{id}/MarkAsDefault`

Marks group as default (vversionGroupsIdMarkAsDefaultPatch)

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Return type

UUID

Example data

Content-Type: application/json

```
"046b6c7f-0b8a-43b9-b35d-6489e6daee91"
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

204

Success **UUID**

404

Not Found **ProblemDetails**

423

Client Error **ProblemDetails**

post /v{version}/Groups

Creates Group (vversionGroupsPost)

Path parameters

version (required)
Path Parameter —

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body CreateGroupRequest (optional)
Body Parameter —

Return type

UUID

Example data

Content-Type: application/json

```
"046b6c7f-0b8a-43b9-b35d-6489e6daee91"
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

201

Success **UUID**

409

Conflict **ProblemDetails**

put /v{version}/Groups

Modifies Group (vversionGroupsPut)

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Path parameters

version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body ModifyGroupRequest (optional)
Body Parameter —

Return type

UUID

Example data

Content-Type: application/json

```
"046b6c7f-0b8a-43b9-b35d-6489e6daee91"
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

204

Success **UUID**

404

Not Found **ProblemDetails**

409

Conflict **ProblemDetails**

423

Client Error **ProblemDetails**

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

post /v{version}/Groups/UnassignComputers

Unassigns computers from the groups (vversionGroupsUnassignComputersPost)

Path parameters

version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body UnassignComputersToGroupRequest (optional)
Body Parameter —

Return type

array[UUID]

Example data

Content-Type: application/json

```
[ "046b6c7f-0b8a-43b9-b35d-6489e6daee91", "046b6c7f-0b8a-43b9-b35d-6489e6daee91" ]
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

202

Success

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

204
Success

404
Not Found **ProblemDetails**

423
Client Error **ProblemDetails**

Policies

`get /v{version}/Policies`

Retrieve list of Policies with pagination (sorting and filtering) (vversionPoliciesGet)

Path parameters

version (required)
Path Parameter —

Query parameters

Sorts (optional)
Query Parameter —
Pagination.PageSize (optional)
Query Parameter — The number of records per page, for example 1. Shouldn't exceed 200. format: int32
Pagination.PageNumber (optional)
Query Parameter — The page number to retrieve from results, for example 1 format: int32
Filter.Name (optional)
Query Parameter — The Name of the Policy, e.g. - Policy1
Filter.Size (optional)
Query Parameter — The Size of the Policy in Kb, e.g. 225 format: int32
Filter.Revision (optional)
Query Parameter — The number of revisions for the Policy, e.g. 5 format: int32
Filter.TotalAssignedRevisions (optional)
Query Parameter — The total number of Groups with the Policy assigned (any Revision), e.g. 10 format: int32
Filter.Created.Dates (optional)
Query Parameter — Valid date formats for filter - 2020-12-24, 2020-12-24 19:09:47, 2020-12-24 19:09:47.6816562, 2020-12-24 19:09:47.6816562 +00:00 format: date-time
Filter.Created.SelectionMode (optional)
Query Parameter — The selection mode of date criteria e.g single, multiple, range
Filter.DraftUser (optional)
Query Parameter — The 'Locked By' user, i.e. the user that created the last draft which has locked the Policy, e.g. jbloggs@email.com

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Return type

PolicyListItemModelPagedResponse

Example data

Content-Type: application/json


```
{
  "pageCount" : 5,
  "pageNumber" : 0,
  "data" : [ {
    "latestAssignedRevisions" : 3,
    "created" : "2000-01-23T04:56:07.000+00:00",
    "errorInfo" : {
      "userAccountName" : "userAccountName",
      "parentTaskName" : "parentTaskName",
      "initiated" : "2000-01-23T04:56:07.000+00:00",
      "errorCode" : 0,
      "userId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
    },
    "description" : "description",
    "hasOpenDraft" : true,
    "periodLocked" : "periodLocked",
    "revision" : 2,
    "totalAssignedRevisions" : 9,
    "totalRevisions" : 7,
    "openDraftId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "checkedOutDate" : "2000-01-23T04:56:07.000+00:00",
    "isAssignedToGroup" : true,
    "size" : 5,
    "draftUserId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "name" : "name",
    "lastModifiedUserId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "lastModifiedUser" : "lastModifiedUser",
    "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "lastModified" : "2000-01-23T04:56:07.000+00:00",
    "draftUser" : "draftUser",
    "locked" : true,
    "lastPolicyToGroupAssignment" : "2000-01-23T04:56:07.000+00:00"
  }, {
    "latestAssignedRevisions" : 3,
    "created" : "2000-01-23T04:56:07.000+00:00",
    "errorInfo" : {
      "userAccountName" : "userAccountName",
      "parentTaskName" : "parentTaskName",
      "initiated" : "2000-01-23T04:56:07.000+00:00",
      "errorCode" : 0,
      "userId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
    },
    "description" : "description",
    "hasOpenDraft" : true,
    "periodLocked" : "periodLocked",
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
    "revision" : 2,
    "totalAssignedRevisions" : 9,
    "totalRevisions" : 7,
    "openDraftId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "checkedOutDate" : "2000-01-23T04:56:07.000+00:00",
    "isAssignedToGroup" : true,
    "size" : 5,
    "draftUserId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "name" : "name",
    "lastModifiedUserId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "lastModifiedUser" : "lastModifiedUser",
    "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "lastModified" : "2000-01-23T04:56:07.000+00:00",
    "draftUser" : "draftUser",
    "locked" : true,
    "lastPolicyToGroupAssignment" : "2000-01-23T04:56:07.000+00:00"
  } ],
  "pageSize" : 6,
  "totalRecordCount" : 1
}
```


Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success **PolicyListItemModelPagedResponse**

400

Bad Request **ProblemDetails**

401

Unauthorized **ProblemDetails**

500

Server Error

get /v{version}/Policies/{id}/AssignedGroups

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Retrieves list of Groups that are assigned to Policy (vversionPoliciesIdAssignedGroupsGet)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Return type

array[PolicyGroupsListItemModel]

Example data

Content-Type: application/json

```
[ {
  "isDefault" : true,
  "policyId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
  "name" : "name",
  "description" : "description",
  "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
  "policyRevisionId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
}, {
  "isDefault" : true,
  "policyId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
  "name" : "name",
  "description" : "description",
  "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
  "policyRevisionId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
} ]
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success

401

Unauthorized **ProblemDetails**

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

404

Not Found **ProblemDetails**

`get /v{version}/Policies/{id}/Content`

Downloads Latest Policy Revision (vversionPoliciesIdContentGet)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

404

Not Found **ProblemDetails**

`delete /v{version}/Policies/{id}`

Deletes policy (vversionPoliciesIdDelete)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Query parameters

forceDelete (optional)
Query Parameter —

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Return type

UUID

Example data

Content-Type: application/json

```
"046b6c7f-0b8a-43b9-b35d-6489e6daee91"
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

201

Success **UUID**

404

Not Found **ProblemDetails**

409

Conflict **ProblemDetails**

423

Client Error **ProblemDetails**

patch /v{version}/Policies/{id}/DiscardDraft

Reverts and discards policy changes (vversionPoliciesIdDiscardDraftPatch)

Path parameters

id (required)
Path Parameter — Policy identifier format: uuid
version (required)
Path Parameter —

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

204

Success

404

Not Found **ProblemDetails**

409

Conflict **ProblemDetails**

423

Client Error **ProblemDetails**

`get /v{version}/Policies/{id}`

Retrieves a detail of the policy (vversionPoliciesIdGet)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Responses

200
Success

401
Unauthorized **ProblemDetails**

404
Not Found **ProblemDetails**

put /v{version}/Policies/{id}

Request to update policy properties (vversionPoliciesIdPut)

Path parameters

id (required)
Path Parameter — PolicyId format: uuid
version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body ModifyPolicyRequest (optional)
Body Parameter — policy properties

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Responses

204
Success

404
Not Found **ProblemDetails**

409
Conflict **ProblemDetails**

423
Client Error **ProblemDetails**

get /v{version}/Policies/{id}/Revisions

Retrieves list of policy revisions (vversionPoliciesIdRevisionsGet)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Return type

array[PolicyRevisionModel]

Example data

Content-Type: application/json

```
[ {
  "size" : 6,
  "created" : "2000-01-23T04:56:07.000+00:00",
  "isAssignedGroup" : true,
  "comment" : "comment",
  "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
  "user" : "user",
  "revision" : 0
}, {
  "size" : 6,
  "created" : "2000-01-23T04:56:07.000+00:00",
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
    "isAssignedGroup" : true,
    "comment" : "comment",
    "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "user" : "user",
    "revision" : 0
  } ]
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success

401

Unauthorized **ProblemDetails**

404

Not Found **ProblemDetails**

get /v{version}/Policies/PolicyRevision/{policyRevisionId}/Content

Downloads Policy Revision (vversionPoliciesPolicyRevisionPolicyRevisionIdContentGet)

Path parameters

policyRevisionId (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Responses

404
Not Found **ProblemDetails**

Roles

`get /v{version}/Roles`

Retrieve list of Roles (vversionRolesGet)

Path parameters

version (required)
Path Parameter —

Return type

array[RoleListItemModel]

Example data

Content-Type: application/json

```
[ {
  "name" : "name",
  "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
  "allowPermissions" : [ {
    "resource" : "resource",
    "action" : "action"
  }, {
    "resource" : "resource",
    "action" : "action"
  } ],
  "denyPermissions" : [ null, null ]
}, {
  "name" : "name",
  "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
  "allowPermissions" : [ {
    "resource" : "resource",
    "action" : "action"
  }, {
    "resource" : "resource",
    "action" : "action"
  } ],
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
  "denyPermissions" : [ null, null ]
} ]
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success

400

Bad Request **ProblemDetails**

401

Unauthorized **ProblemDetails**

500

Server Error

get /v{version}/Roles/{id}

Retrieve role details (vversionRolesIdGet)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Return type

RoleModel

Example data

Content-Type: application/json

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
{
  "name" : "name",
  "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
  "allowPermissions" : [ {
    "resource" : "resource",
    "action" : "action"
  }, {
    "resource" : "resource",
    "action" : "action"
  } ],
  "denyPermissions" : [ null, null ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success **RoleModel**

400

Bad Request **ProblemDetails**

401

Unauthorized **ProblemDetails**

500

Server Error

ScimResourceTypes

get /scim/v2/ResourceTypes

gets types of resources available (scimV2ResourceTypesGet)

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Return type

ScimResourceResponseScimListResponse

Example data

Content-Type: application/json

```
{
  "totalResults" : 0,
  "startIndex" : 6,
  "itemsPerPage" : 1,
  "schemas" : [ "schemas", "schemas" ],
  "Resources" : [ {
    "schema" : "schema",
    "endpoint" : "endpoint",
    "meta" : {
      "resourceType" : "resourceType"
    },
    "schemas" : [ "schemas", "schemas" ],
    "name" : "name",
    "description" : "description"
  }, {
    "schema" : "schema",
    "endpoint" : "endpoint",
    "meta" : {
      "resourceType" : "resourceType"
    },
    "schemas" : [ "schemas", "schemas" ],
    "name" : "name",
    "description" : "description"
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success **ScimResourceResponseScimListResponse**

get /scim/v2/ResourceTypes/User

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

gets types of resources available (scimV2ResourceTypesUserGet)

Return type

ScimResourceResponse

Example data

Content-Type: application/json

```
{
  "schema" : "schema",
  "endpoint" : "endpoint",
  "meta" : {
    "resourceType" : "resourceType"
  },
  "schemas" : [ "schemas", "schemas" ],
  "name" : "name",
  "description" : "description"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success **ScimResourceResponse**

ScimSchemas

`get /scim/v2/Schemas`

Get the Schema supported by the SCIM Api (scimV2SchemasGet)

Return type

ScimSchemaResponseScimListResponse

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Example data

Content-Type: application/json


```
{
  "totalResults" : 0,
  "startIndex" : 6,
  "itemsPerPage" : 1,
  "schemas" : [ "schemas", "schemas" ],
  "Resources" : [ {
    "meta" : {
      "resourceType" : "resourceType"
    },
    "schemas" : [ "schemas", "schemas" ],
    "name" : "name",
    "description" : "description",
    "attributes" : [ {
      "uniqueness" : "uniqueness",
      "name" : "name",
      "description" : "description",
      "mutability" : "mutability",
      "type" : "type",
      "caseExact" : true,
      "multiValued" : true,
      "returned" : "returned",
      "required" : true,
      "subAttributes" : [ {
        "uniqueness" : "uniqueness",
        "name" : "name",
        "description" : "description",
        "canonicalValues" : [ "canonicalValues", "canonicalValues" ],
        "mutability" : "mutability",
        "type" : "type",
        "caseExact" : true,
        "multiValued" : true,
        "returned" : "returned",
        "required" : true
      }, {
        "uniqueness" : "uniqueness",
        "name" : "name",
        "description" : "description",
        "canonicalValues" : [ "canonicalValues", "canonicalValues" ],
        "mutability" : "mutability",
        "type" : "type",
        "caseExact" : true,
        "multiValued" : true,
        "returned" : "returned",
        "required" : true
      } ]
    }, {
      "uniqueness" : "uniqueness",
      "name" : "name",
      "description" : "description",
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
      "mutability" : "mutability",
      "type" : "type",
      "caseExact" : true,
      "multiValued" : true,
      "returned" : "returned",
      "required" : true,
      "subAttributes" : [ {
        "uniqueness" : "uniqueness",
        "name" : "name",
        "description" : "description",
        "canonicalValues" : [ "canonicalValues", "canonicalValues" ],
        "mutability" : "mutability",
        "type" : "type",
        "caseExact" : true,
        "multiValued" : true,
        "returned" : "returned",
        "required" : true
      }, {
        "uniqueness" : "uniqueness",
        "name" : "name",
        "description" : "description",
        "canonicalValues" : [ "canonicalValues", "canonicalValues" ],
        "mutability" : "mutability",
        "type" : "type",
        "caseExact" : true,
        "multiValued" : true,
        "returned" : "returned",
        "required" : true
      } ]
    } ],
    "id" : "id"
  }, {
    "meta" : {
      "resourceType" : "resourceType"
    },
    "schemas" : [ "schemas", "schemas" ],
    "name" : "name",
    "description" : "description",
    "attributes" : [ {
      "uniqueness" : "uniqueness",
      "name" : "name",
      "description" : "description",
      "mutability" : "mutability",
      "type" : "type",
      "caseExact" : true,
      "multiValued" : true,
      "returned" : "returned",
      "required" : true,
      "subAttributes" : [ {
        "uniqueness" : "uniqueness",
        "name" : "name",
        "description" : "description",
        "canonicalValues" : [ "canonicalValues", "canonicalValues" ],
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
        "mutability" : "mutability",
        "type" : "type",
        "caseExact" : true,
        "multiValued" : true,
        "returned" : "returned",
        "required" : true
      }, {
        "uniqueness" : "uniqueness",
        "name" : "name",
        "description" : "description",
        "canonicalValues" : [ "canonicalValues", "canonicalValues" ],
        "mutability" : "mutability",
        "type" : "type",
        "caseExact" : true,
        "multiValued" : true,
        "returned" : "returned",
        "required" : true
      } ]
    }, {
      "uniqueness" : "uniqueness",
      "name" : "name",
      "description" : "description",
      "mutability" : "mutability",
      "type" : "type",
      "caseExact" : true,
      "multiValued" : true,
      "returned" : "returned",
      "required" : true,
      "subAttributes" : [ {
        "uniqueness" : "uniqueness",
        "name" : "name",
        "description" : "description",
        "canonicalValues" : [ "canonicalValues", "canonicalValues" ],
        "mutability" : "mutability",
        "type" : "type",
        "caseExact" : true,
        "multiValued" : true,
        "returned" : "returned",
        "required" : true
      }, {
        "uniqueness" : "uniqueness",
        "name" : "name",
        "description" : "description",
        "canonicalValues" : [ "canonicalValues", "canonicalValues" ],
        "mutability" : "mutability",
        "type" : "type",
        "caseExact" : true,
        "multiValued" : true,
        "returned" : "returned",
        "required" : true
      } ]
    } ],
    "id" : "id"
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
    } ]
  }
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success **ScimSchemaResponseScimListResponse**

ScimServiceProviderConfig

`get /scim/v2/ServiceProviderConfig`

gets the Json structure available (scimV2ServiceProviderConfigGet)

Return type

ScimServiceProviderConfigResponse

Example data

Content-Type: application/json

```
{
  "patch" : {
    "supported" : true
  },
  "authenticationSchemes" : {
    "name" : "name",
    "description" : "description",
    "type" : "type",
    "primary" : true
  },
  "meta" : {
    "resourceType" : "resourceType"
  },
  "schemas" : [ "schemas", "schemas" ],
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
  "bulk" : {
    "maxPayloadSize" : 6,
    "maxOperations" : 0,
    "supported" : true
  }
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success **ScimServiceProviderConfigResponse**

ScimUsers

get /scim/v2/Users

(scimV2UsersGet)

Query parameters

filter (optional)
Query Parameter —
startIndex (optional)
Query Parameter — format: int32
count (optional)
Query Parameter — format: int32

Return type

ScimUserModelScimListResponse

Example data

Content-Type: application/json

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
{
  "totalResults" : 0,
  "startIndex" : 6,
  "itemsPerPage" : 1,
  "schemas" : [ "schemas", "schemas" ],
  "Resources" : [ {
    "displayName" : "displayName",
    "timezone" : "timezone",
    "roles" : [ {
      "value" : "value",
      "primary" : true
    }, {
      "value" : "value",
      "primary" : true
    } ],
    "externalId" : "externalId",
    "groups" : [ "", "" ],
    "active" : true,
    "userName" : "userName",
    "locale" : "locale",
    "emails" : [ {
      "type" : "type",
      "value" : "value",
      "primary" : true
    }, {
      "type" : "type",
      "value" : "value",
      "primary" : true
    } ],
    "password" : "password",
    "dateTimeFormat" : "dateTimeFormat",
    "meta" : {
      "created" : "2000-01-23T04:56:07.000+00:00",
      "resourceType" : "resourceType"
    },
    "schemas" : [ "schemas", "schemas" ],
    "name" : {
      "givenName" : "givenName",
      "familyName" : "familyName",
      "middleName" : "middleName"
    },
    "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
  }, {
    "displayName" : "displayName",
    "timezone" : "timezone",
    "roles" : [ {
      "value" : "value",
      "primary" : true
    }, {
      "value" : "value",
      "primary" : true
    } ],
    "externalId" : "externalId",
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
      "groups" : [ "", "" ],
      "active" : true,
      "userName" : "userName",
      "locale" : "locale",
      "emails" : [ {
        "type" : "type",
        "value" : "value",
        "primary" : true
      }, {
        "type" : "type",
        "value" : "value",
        "primary" : true
      } ],
      "password" : "password",
      "dateTimeFormat" : "dateTimeFormat",
      "meta" : {
        "created" : "2000-01-23T04:56:07.000+00:00",
        "resourceType" : "resourceType"
      },
      "schemas" : [ "schemas", "schemas" ],
      "name" : {
        "givenName" : "givenName",
        "familyName" : "familyName",
        "middleName" : "middleName"
      },
      "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
    } ]
  }
```


Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success **ScimUserModelScimListResponse**

post /scim/v2/Users

(scimV2UsersPost)

Consumes

This API call consumes the following media types via the Content-Type request header:

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

- application/json
- text/json
- application/*+json

Request body

body ScimUserModel (optional)
Body Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

201

Success

404

Not Found **ProblemDetails**

409

Conflict **ProblemDetails**

`get /scim/v2/Users/{userID}`

(scimV2UsersUserIDGet)

Path parameters

userID (required)
Path Parameter — format: uuid

Return type

ScimUserModel

Example data

Content-Type: application/json

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
{
  "displayName" : "displayName",
  "timezone" : "timezone",
  "roles" : [ {
    "value" : "value",
    "primary" : true
  }, {
    "value" : "value",
    "primary" : true
  } ],
  "externalId" : "externalId",
  "groups" : [ "", "" ],
  "active" : true,
  "userName" : "userName",
  "locale" : "locale",
  "emails" : [ {
    "type" : "type",
    "value" : "value",
    "primary" : true
  }, {
    "type" : "type",
    "value" : "value",
    "primary" : true
  } ],
  "password" : "password",
  "dateTimeFormat" : "dateTimeFormat",
  "meta" : {
    "created" : "2000-01-23T04:56:07.000+00:00",
    "resourceType" : "resourceType"
  },
  "schemas" : [ "schemas", "schemas" ],
  "name" : {
    "givenName" : "givenName",
    "familyName" : "familyName",
    "middleName" : "middleName"
  },
  "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
}
```


Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success **ScimUserModel**

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

404

Not Found **ProblemDetails**

`patch /scim/v2/Users/{userID}`

Patch operation (scimV2UsersUserIDPatch)

Path parameters

userID (required)
Path Parameter — format: uuid

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body ScimUserPatchRequest (optional)
Body Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success

404

Not Found **ProblemDetails**

423

Client Error **ProblemDetails**

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

`put /scim/v2/Users/{userID}`

Modify a user (scimV2UsersUserIDPut)

Path parameters

userID (required)
Path Parameter — format: uuid

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body ScimUserModel (optional)
Body Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success

404

Not Found **ProblemDetails**

409

Conflict **ProblemDetails**

423

Client Error **ProblemDetails**

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Tasks

get /v{version}/Tasks/{id}

Retrieves a detail of the Task (vversionTasksIdGet)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Return type

TaskDetailModel

Example data

Content-Type: application/json

```
{
  "initiated" : "2000-01-23T04:56:07.000+00:00",
  "messageParameters" : [ {
    "key" : "messageParameters"
  }, {
    "key" : "messageParameters"
  } ],
  "stateName" : "stateName",
  "tenantId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
  "name" : "name",
  "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
  "state" : 0,
  "completed" : "2000-01-23T04:56:07.000+00:00",
  "completedWithErrors" : true,
  "userId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
  "user" : "user"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Responses

200
Success **TaskDetailModel**

400
Bad Request **ProblemDetails**

401
Unauthorized **ProblemDetails**

404
Not Found **ProblemDetails**

Users

`get /v{version}/Users`

Retrieves the list of Users with pagination (sorting and filtering) (vversionUsersGet)

Path parameters

version (required)
Path Parameter —

Query parameters

Sorts (optional)
Query Parameter —
Pagination.PageSize (optional)
Query Parameter — The number of records per page, for example 1. Shouldn't exceed 200. format: int32
Pagination.PageNumber (optional)
Query Parameter — The page number to retrieve from results, for example 1 format: int32
Filter.EmailAddress (optional)
Query Parameter — Email
Filter.RoleId (optional)
Query Parameter — Role identifier format: uuid
Filter.LastSignedIn.Dates (optional)
Query Parameter — Valid date formats for filter - 2020-12-24, 2020-12-24 19:09:47, 2020-12-24 19:09:47.6816562, 2020-12-24 19:09:47.6816562 +00:00 format: date-time
Filter.LastSignedIn.SelectionMode (optional)
Query Parameter — The selection mode of date criteria e.g single, multiple, range
Filter.Disabled (optional)
Query Parameter — Is user disabled
Filter.Language (optional)

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Query Parameter — Language

Return type

UserListItemModelPagedResponse

Example data

Content-Type: application/json


```
{
  "pageCount" : 5,
  "pageNumber" : 0,
  "data" : [ {
    "accountName" : "accountName",
    "created" : "2000-01-23T04:56:07.000+00:00",
    "roles" : [ {
      "name" : "name",
      "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
    }, {
      "name" : "name",
      "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
    } ],
    "errorInfo" : {
      "userAccountName" : "userAccountName",
      "parentTaskName" : "parentTaskName",
      "initiated" : "2000-01-23T04:56:07.000+00:00",
      "errorCode" : 0,
      "userId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
    },
    "language" : "language",
    "emailAddress" : "emailAddress",
    "olsonTimeZoneId" : "olsonTimeZoneId",
    "roleName" : "roleName",
    "disabled" : true,
    "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "locked" : true,
    "dateTimeDisplayFormat" : "dateTimeDisplayFormat",
    "lastSignedIn" : "2000-01-23T04:56:07.000+00:00"
  }, {
    "accountName" : "accountName",
    "created" : "2000-01-23T04:56:07.000+00:00",
    "roles" : [ {
      "name" : "name",
      "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
    }, {
      "name" : "name",
      "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
    } ],
    "errorInfo" : {
      "userAccountName" : "userAccountName",
      "parentTaskName" : "parentTaskName",
      "initiated" : "2000-01-23T04:56:07.000+00:00",
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
      "errorCode" : 0,
      "userId" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91"
    },
    "language" : "language",
    "emailAddress" : "emailAddress",
    "olsonTimeZoneId" : "olsonTimeZoneId",
    "roleName" : "roleName",
    "disabled" : true,
    "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "locked" : true,
    "dateTimeDisplayFormat" : "dateTimeDisplayFormat",
    "lastSignedIn" : "2000-01-23T04:56:07.000+00:00"
  } ],
  "pageSize" : 6,
  "totalRecordCount" : 1
}
```


Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success **UserListItemModelPagedResponse**

400

Bad Request **ProblemDetails**

401

Unauthorized **ProblemDetails**

500

Server Error

post /v{version}/Users/{id}/AssignRole

Assigns Role to User (vversionUsersIdAssignRolePost)

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Path parameters

id (required)
Path Parameter — UserId format: uuid
version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body AssignUserToRoleRequest (optional)
Body Parameter — Role assignment request containing Role identifier

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

204

Success

404

Not Found **ProblemDetails**

409

Conflict **ProblemDetails**

423

Client Error **ProblemDetails**

`patch /v{version}/Users/{id}/Disable`

Disables User (vversionUsersIdDisablePatch)

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Path parameters

id (required)
Path Parameter — UserId format: uuid
version (required)
Path Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

204

Success

404

Not Found **ProblemDetails**

409

Conflict **ProblemDetails**

423

Client Error **ProblemDetails**

patch /v{version}/Users/{id}/Enable

Enables User (vversionUsersIdEnablePatch)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

- text/plain
- application/json
- text/json

Responses

204
Success

401
Unauthorized **ProblemDetails**

404
Not Found **ProblemDetails**

423
Client Error **ProblemDetails**

get /v{version}/Users/{id}

Retrieves a detail of the User (vversionUsersIdGet)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Return type

UserDetailModel

Example data

Content-Type: application/json

```
{
  "emailAddress" : "emailAddress",
  "accountName" : "accountName",
  "created" : "2000-01-23T04:56:07.000+00:00",
  "olsonTimeZoneId" : "olsonTimeZoneId",
  "roles" : [ {
```


©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

```
    "name" : "name",
    "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "allowPermissions" : [ {
      "resource" : "resource",
      "action" : "action"
    }, {
      "resource" : "resource",
      "action" : "action"
    } ],
    "denyPermissions" : [ null, null ]
  }, {
    "name" : "name",
    "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
    "allowPermissions" : [ {
      "resource" : "resource",
      "action" : "action"
    }, {
      "resource" : "resource",
      "action" : "action"
    } ],
    "denyPermissions" : [ null, null ]
  } ],
  "isFirstSignIn" : true,
  "disabled" : true,
  "language" : "language",
  "allowInvites" : true,
  "id" : "046b6c7f-0b8a-43b9-b35d-6489e6daee91",
  "dateTimeDisplayFormat" : "dateTimeDisplayFormat",
  "lastSignedIn" : "2000-01-23T04:56:07.000+00:00"
}
```


Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

200

Success **UserDetailModel**

400

Bad Request **ProblemDetails**

401

Unauthorized **ProblemDetails**

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

404

Not Found **ProblemDetails**

`put /v{version}/Users/{id}/ModifyUserPreferences`

Modifies User Preferences (vversionUsersIdModifyUserPreferencesPut)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body ModifyUserPreferencesRequest (optional)
Body Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

204

Success

400

Bad Request **ProblemDetails**

401

Unauthorized **ProblemDetails**

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

404

Not Found **ProblemDetails**

409

Conflict **ProblemDetails**

423

Client Error **ProblemDetails**

`put /v{version}/Users/{id}`

Modifies User (vversionUsersIdPut)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body ModifyUserRequest (optional)
Body Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

204

Success

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

400

Bad Request **ProblemDetails**

401

Unauthorized **ProblemDetails**

404

Not Found **ProblemDetails**

409

Conflict **ProblemDetails**

423

Client Error **ProblemDetails**

`patch /v{version}/Users/{id}/ResendInvite`

Resends invitation email to User (vversionUsersIdResendInvitePatch)

Path parameters

id (required)
Path Parameter — format: uuid
version (required)
Path Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

Responses

204

Success

401

Unauthorized **ProblemDetails**

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

404
Not Found **ProblemDetails**

`post /v{version}/Users`

Creates User (vversionUsersPost)

Path parameters

version (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/*+json

Request body

body CreateUserRequest (optional)
Body Parameter —

Return type

UUID

Example data

Content-Type: application/json

```
"046b6c7f-0b8a-43b9-b35d-6489e6daee91"
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain
- application/json
- text/json

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Responses

201
Success **UUID**

400
Bad Request **ProblemDetails**

401
Unauthorized **ProblemDetails**

409
Conflict **ProblemDetails**

Models

[Jump to Methods]

Table of Contents

1. AcceptedDomainDetailModel
2. AcceptedDomainListItemModel
3. ActivityAuditDetailModel
4. ActivityAuditDetailModelPagedResponse
5. ActivityAuditListItemModel
6. ActivityAuditListItemModelPagedResponse
7. AgentHostType
8. ApiClientDataAuditingDetailModel
9. AssignComputersToGroupRequest
10. AssignPolicyRevisionToGroupRequest
11. AssignUserToRoleRequest
12. Attribute
13. AuthorizationRequestAuditDetailModel
14. AuthorizationRequestAuditDetailModelPagedResponse
15. AuthorizationRequestAuditListItemModel
16. AuthorizationRequestAuditListItemModelPagedResponse
17. CertificateInformationModel
18. ChangedBy
19. ComputerDataAuditingDetailModel
20. ComputerDetailModel

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

21. ComputerFilterModel
22. ComputerListItemModel
23. ComputerListItemModelPagedResponse
24. ComputerLogModel
25. ComputerRenewCertificateRequest
26. ComputerRetrieveLogsRequest
27. ComputerRetrieveStatusInfoRequest
28. ComputersAuthoriseRequest
29. ComputersDeactivateRequest
30. ComputersRejectRequest
31. ComputersRemoveRequest
32. CountRange
33. CreateAcceptedDomainRequest
34. CreateGroupRequest
35. CreateUserRequest
36. DateFilterModel
37. DateSelectionMode
38. EndpointInformationModel
39. GroupDataAuditingDetailModel
40. GroupListItemModel
41. GroupListItemModelPagedResponse
42. InstallationKeyDataAuditingDetailModel
43. ListItemErrorInfoModel
44. ModifyAcceptedDomainRequest
45. ModifyGroupRequest
46. ModifyPolicyRequest
47. ModifyUserPreferencesRequest
48. ModifyUserRequest
49. OS
50. OperationValue
51. Operator
52. PolicyDataAudtingDetailModel
53. PolicyGroupsListItemModel
54. PolicyListItemModel
55. PolicyListItemModelPagedResponse
56. PolicyRevisionDataAuditingDetailModel
57. PolicyRevisionModel
58. PolicyRevisionState
59. ProblemDetails
60. RoleElement

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

61. RoleItemModel
62. RoleListItemModel
63. RoleModel
64. RolePermissionModel
65. SCIMEmail
66. SCIMUserName
67. ScimAuthenticationSchemes
68. ScimBulk
69. ScimOperation
70. ScimResourceMeta
71. ScimResourceResponse
72. ScimResourceResponseScimListResponse
73. ScimSchemaResponse
74. ScimSchemaResponseScimListResponse
75. ScimServiceProviderConfigResponse
76. ScimSupported
77. ScimUserMetaModel
78. ScimUserModel
79. ScimUserModelScimListResponse
80. ScimUserPatchRequest
81. SettingDataAuditingDetailModel
82. SortDirection
83. SortModel
84. SubAttribute
85. TaskDetailModel
86. UnassignComputersToGroupRequest
87. UserDataAuditingDetailModel
88. UserDetailModel
89. UserListItemModel
90. UserListItemModelPagedResponse
91. id_AssignComputersByCsv_body

AcceptedDomainDetailModel

id (optional)
UUID Accepted Domain Id format: uuid
domain (optional)
String Accepted Domain name
created (optional)
Date Created date format: date-time

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

AcceptedDomainListItemModel

Model of Accepted Domain list item
id (optional)
UUID The Id (Guid format), for example - 59A00329-87AC-49EC-BC2C-9B9E26F05185 format: uuid
locked (optional)
Boolean
errorInfo (optional)
ListItemErrorInfoModel
domain (optional)
String Accepted Domain name
created (optional)
Date Created date format: date-time

ActivityAuditDetailModel

id (optional)
Long format: int64
details (optional)
String
userId (optional)
UUID format: uuid
user (optional)
String
entity (optional)
String
auditType (optional)
String
created (optional)
Date format: date-time
changedBy (optional)
ChangedBy
apiClientDataAuditing (optional)
ApiClientDataAuditingDetailModel
computerDataAuditing (optional)
ComputerDataAuditingDetailModel
groupDataAuditing (optional)
GroupDataAuditingDetailModel
installationKeyDataAuditing (optional)
InstallationKeyDataAuditingDetailModel
policyDataAuditing (optional)
PolicyDataAudtingDetailModel
policyRevisionDataAuditing (optional)
PolicyRevisionDataAuditingDetailModel
settingsDataAuditing (optional)
SettingDataAuditingDetailModel
userDataAuditing (optional)

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

UserDataAuditingDetailModel

ActivityAuditDetailModelPagedResponse

pageNumber (optional)
Integer format: int32
pageSize (optional)
Integer format: int32
totalRecordCount (optional)
Integer format: int32
pageCount (optional)
Integer format: int32
data (optional)
array[ActivityAuditDetailModel]

ActivityAuditListItemModel

Model of Activity Audit list item
id (optional)
Long Activity Audit identifier format: int64
locked (optional)
Boolean
errorInfo (optional)
ListItemErrorInfoModel
details (optional)
String Activity Audit Details
user (optional)
String Initiated User email or API Client identifier
created (optional)
Date Created date format: date-time
entity (optional)
String Name of Activity Audit entity
auditType (optional)
String Audit Type Name
changedBy (optional)
ChangedBy

ActivityAuditListItemModelPagedResponse

pageNumber (optional)
Integer format: int32
pageSize (optional)

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Integer format: int32
totalRecordCount (optional)
Integer format: int32
pageCount (optional)
Integer format: int32
data (optional)
array[ActivityAuditListItemModel]

AgentHostType

enum
String

- Undefined
- MicrosoftWindows
- AppleMacOS
- Linux

ApiClientDataAuditingDetailModel

newName (optional)
String
oldName (optional)
String
newDescription (optional)
String
oldDescription (optional)
String
secretUpdated (optional)
Boolean
deleted (optional)
Boolean

AssignComputersToGroupRequest

computerIds (optional)
array[UUID] computer ids which will be assigned to the group format: uuid
excludedComputerIds (optional)
array[UUID] computer ids which will not be assigned to group format: uuid
filter (optional)
ComputerFilterModel

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

allComputers (optional)
Boolean assigns all computers to the group

AssignPolicyRevisionToGroupRequest

policyRevisionId (optional)
UUID format: uuid

AssignUserToRoleRequest

Model for assigning role to user
roleId
UUID Role identifier format: uuid

Attribute

attributes of schemas
name (optional)
String name of attribute
description (optional)
String description of attribute
type (optional)
String type of attribute
caseExact (optional)
Boolean Flag for whether or not the attribute's casing should be exact
multiValued (optional)
Boolean Flag for whether or not the attribute has multi values
mutability (optional)
String Mutability of the attribute
required (optional)
Boolean Flag for whether or not the attribute is required
returned (optional)
String how the attribute is returned
uniqueness (optional)
String Is the value unique
subAttributes (optional)
array[SubAttribute] List of subattributes

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

AuthorizationRequestAuditDetailModel

id (optional)
Long format: int64
ticketId (optional)
String
productName (optional)
String
user (optional)
String
computerName (optional)
String
reason (optional)
String
decisionPerformedByUser (optional)
String
timeOfRequest (optional)
Date format: date-time
decisionTime (optional)
Date format: date-time
decision (optional)
String
startTime (optional)
Date format: date-time
duration (optional)
String

AuthorizationRequestAuditDetailModelPagedResponse

pageNumber (optional)
Integer format: int32
pageSize (optional)
Integer format: int32
totalRecordCount (optional)
Integer format: int32
pageCount (optional)
Integer format: int32
data (optional)
array[AuthorizationRequestAuditDetailModel]

AuthorizationRequestAuditListItemModel

id (optional)

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Long format: int64
ticketId (optional)
String
productName (optional)
String
user (optional)
String
computerName (optional)
String
reason (optional)
String
decisionPerformedByUser (optional)
String
timeOfRequest (optional)
Date format: date-time
decisionTime (optional)
Date format: date-time
decision (optional)
String
duration (optional)
String
startTime (optional)
Date format: date-time

AuthorizationRequestAuditListItemModelPagedResponse

pageNumber (optional)
Integer format: int32
pageSize (optional)
Integer format: int32
totalRecordCount (optional)
Integer format: int32
pageCount (optional)
Integer format: int32
data (optional)
array[AuthorizationRequestAuditListItemModel]

CertificateInformationModel

validFrom (optional)
Date format: date-time
validTo (optional)
Date format: date-time
lastIssued (optional)
Date format: date-time

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

ChangedBy

enum
String

- API
- Portal

ComputerDataAuditingDetailModel

updatedPoliciesOn (optional)
map[String, String]
deactivatedAgents (optional)
map[String, String]
newDeletedAgents (optional)
array[String]

ComputerDetailModel

id (optional)
UUID format: uuid
hostType (optional)
String
created (optional)
Date format: date-time
adapterVersion (optional)
String
agentVersion (optional)
String
authorisationState (optional)
String
authorised (optional)
Date format: date-time
connected (optional)
Boolean
lastConnected (optional)
Date format: date-time
deactivated (optional)
Boolean
autoDeactivated (optional)
Boolean
pendingDeactivation (optional)
Boolean

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

deactivatedOn (optional)
Date format: date-time
groupId (optional)
UUID format: uuid
groupName (optional)
String
policyId (optional)
UUID format: uuid
policyName (optional)
String
policyRevision (optional)
Integer format: int32
policyRevisionStatus (optional)
String
endpointInformation (optional)
EndpointInformationModel
certificateInformation (optional)
CertificateInformationModel
hostPolicyId (optional)
UUID format: uuid
hostPolicyName (optional)
String
hostPolicyRevision (optional)
Integer format: int32
hostLastUpdated (optional)
Date format: date-time
agentLogs (optional)
array[ComputerLogModel]
duplicateCount (optional)
Integer format: int32
credentialType (optional)
String

ComputerFilterModel

computerId (optional)
UUID The Id of the Computer(Guid format), for example - 59A00329-87AC-49EC-BC2C-9B9E26F05185 format: uuid
host (optional)
String The host name of the Computer, for example - Computer1
hostType (optional)
AgentHostType
agentVersion (optional)
String The agent version of the Computer, example - 5.6.126.0
adapterVersion (optional)
String The adapter version of the Computer, example - 20.5.195.0
authorisationState (optional)
String The state of the Computer, example - Authorised, Pending
lastConnected (optional)
DateFilterModel
policyRevisionStatus (optional)

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

String Policy Revision Status, example - AwaitingLatestPolicy
policyId (optional)
UUID Policy Id, example - 59A00329-87AC-49EC-BC2C-9B9E26F05185 format: uuid
policyName (optional)
String Policy Name, example - Policy1
groupId (optional)
UUID Group Id, example - 59A00329-87AC-49EC-BC2C-9B9E26F05185 format: uuid
groupName (optional)
String Group Name, example - Group1
os (optional)
OS
domain (optional)
String Domain Name, example - BeyondTrust
created (optional)
DateFilterModel
duplicateCount (optional)
CountRange

ComputerListItemModel

id (optional)
UUID The Id (Guid format), for example - 59A00329-87AC-49EC-BC2C-9B9E26F05185 format: uuid
locked (optional)
Boolean
errorInfo (optional)
ListItemErrorInfoModel
created (optional)
Date Created Date of the computer, example - 2020-12-24 19:09:47, 2020-12-24 19:09:47.6816562 format: date-time
host (optional)
String The host name of the Computer, for example - Computer1
hostType (optional)
AgentHostType
os (optional)
String OS Name, example - Windows
domain (optional)
String Domain Name, example - BeyondTrust
adapterVersion (optional)
String The adapter version of the Computer, example - 20.5.195.0
agentVersion (optional)
String The agent version of the Computer, example - 5.6.126.0
authorisationState (optional)
String The state of the Computer, example - Authorised, Pending
lastConnected (optional)
Date Date when computer is last connected, example - 2020-12-24 19:09:47, 2020-12-24 19:09:47.6816562 format: date-time
deactivated (optional)
Boolean if computer is deactivated, example - false
deactivatedOn (optional)
Date Date when computer turned into deactivation state, example - 2020-12-24 19:09:47, 2020-12-24 19:09:47.6816562 format: date-time
pendingDeactivation (optional)

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Boolean if computer is in PendingDeactivation state, example - false
rejected (optional)
Boolean if computer is deactivated, example - false
duplicate (optional)
Boolean if computer has/is duplicate, example - false
duplicateCount (optional)
Integer Computer duplicate count, Min and Max Ranges, example - 1,2,3 format: int32
policyRevisionId (optional)
UUID format: uuid
policyId (optional)
UUID Policy Id, example - 59A00329-87AC-49EC-BC2C-9B9E26F05185 format: uuid
policyName (optional)
String Policy Name, example - Policy1
policyRevisionStatus (optional)
String
groupId (optional)
UUID Group Id, example - 59A00329-87AC-49EC-BC2C-9B9E26F05185 format: uuid
groupName (optional)
String Group Name, example - Group1
credentialType (optional)
String

ComputerListItemModelPagedResponse

pageNumber (optional)
Integer format: int32
pageSize (optional)
Integer format: int32
totalRecordCount (optional)
Integer format: int32
pageCount (optional)
Integer format: int32
data (optional)
array[ComputerListItemModel]

ComputerLogModel

id (optional)
UUID format: uuid
created (optional)
Date format: date-time
returned (optional)
Date format: date-time

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

ComputerRenewCertificateRequest

computerId (optional)
UUID format: uuid

ComputerRetrieveLogsRequest

computerId (optional)
UUID format: uuid

ComputerRetrieveStatusInfoRequest

computerId (optional)
UUID format: uuid

ComputersAuthoriseRequest

computerIds (optional)
array[UUID] format: uuid
excludedComputerIds (optional)
array[UUID] format: uuid
filter (optional)
ComputerFilterModel
allComputers (optional)
Boolean
groupId (optional)
UUID format: uuid

ComputersDeactivateRequest

computerIds (optional)
array[UUID] format: uuid
excludedComputerIds (optional)
array[UUID] format: uuid
filter (optional)

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

ComputerFilterModel
allComputers (optional)
Boolean

ComputersRejectRequest

Request to reject Computer(s)
computerIds (optional)
array[UUID] List of Computers identifiers to be rejected format: uuid
excludedComputerIds (optional)
array[UUID] List of Computers identifiers to be excluded from the rejection list format: uuid
filter (optional)
ComputerFilterModel
allComputers (optional)
Boolean Is all Computers matching BT.Common.ManagementApi.Computer.ComputerFilterModel and ExcludedComputerIds should be rejected

ComputersRemoveRequest

Request to remove Computer(s)
computerIds (optional)
array[UUID] List of Computers identifiers to be removed format: uuid
excludedComputerIds (optional)
array[UUID] List of Computers identifiers to be excluded from the deletion list format: uuid
filter (optional)
ComputerFilterModel
allComputers (optional)
Boolean Is all Computers matching BT.Common.ManagementApi.Computer.ComputerFilterModel and ExcludedComputerIds should be removed

CountRange

min (optional)
Integer Min Value of CountRange, example - 1,2,3 format: int32
max (optional)
Integer Max Value of CountRange, example - 1,2,3 format: int32

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

CreateAcceptedDomainRequest

Create Accepted Domain Model
domainName (optional)
String Accepted Domain Name

CreateGroupRequest

name (optional)
String name of the group, for example - Alianse Group
description (optional)
String description of the group, for example - Alianse Group Description
isDefault (optional)
Boolean

CreateUserRequest

emailAddress (optional)
String
olsonTimeZoneId (optional)
String
dateTimeDisplayFormat (optional)
String
roleId (optional)
UUID format: uuid
language (optional)
String
enabled (optional)
Boolean

DateFilterModel

dates (optional)
array[Date] Valid date formats for filter - 2020-12-24, 2020-12-24 19:09:47, 2020-12-24 19:09:47.6816562, 2020-12-24 19:09:47.6816562 +00:00 format: date-time
selectionMode (optional)
DateSelectionMode

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

DateSelectionMode

enum
String

- Undefined
- MicrosoftWindows
- AppleMacOS
- Linux

EndpointInformationModel

macAddress (optional)
String
osArchitecture (optional)
String
osCaption (optional)
String
osCodeSet (optional)
String
osComputerDescription (optional)
String
osCountryCode (optional)
String
osInstallDate (optional)
Date format: date-time
osManufacturer (optional)
String
osOrganization (optional)
String
osSerialNumber (optional)
String
osSystemDirectory (optional)
String
osSystemDrive (optional)
String
osVersion (optional)
String
osVersionString (optional)
String
processorCaption (optional)
String
processorDescription (optional)
String
processorManufacturer (optional)
String
processorName (optional)
String
systemDnsHostName (optional)
String

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

systemDomain (optional)
String
systemManufacturer (optional)
String
systemModel (optional)
String
systemName (optional)
String
systemPrimaryOwnerName (optional)
String
systemSystemType (optional)
String
systemWorkgroup (optional)
String

GroupDataAuditingDetailModel

newName (optional)
String
oldName (optional)
String
newDescription (optional)
String
oldDescription (optional)
String
newIsDefault (optional)
Boolean
oldIsDefault (optional)
Boolean
addPolicyRevisions (optional)
map[String, String]
removePolicyRevisions (optional)
map[String, String]
newAgents (optional)
map[String, String]
removeAgents (optional)
map[String, String]

GroupListItemModel

locked (optional)
Boolean
errorInfo (optional)
ListItemErrorInfoModel
id (optional)
UUID The Id of the group(Guid format), for example - 59A00329-87AC-49EC-BC2C-9B9E26F05185 format: uuid

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

name (optional)
String The name of the group
description (optional)
String The description of the group
computerCount (optional)
Integer The Computer count of the group format: int32
activeComputers (optional)
Integer Active Computers in the Group format: int32
created (optional)
Date The created date of resource e.g 2020-12-24 19:09:47, 2020-12-24 19:09:47.6816562, 2020-12-24 19:09:47.6816562 +00:00 format: date-time
policyRevisionId (optional)
UUID format: uuid
policyId (optional)
UUID format: uuid
policyRevisionStatus (optional)
PolicyRevisionState
policyName (optional)
String
revision (optional)
Integer format: int32
default (optional)
Boolean

GroupListItemModelPagedResponse

pageNumber (optional)
Integer format: int32
pageSize (optional)
Integer format: int32
totalRecordCount (optional)
Integer format: int32
pageCount (optional)
Integer format: int32
data (optional)
array[GroupListItemModel]

InstallationKeyDataAuditingDetailModel

oldLabel (optional)
String
newLabel (optional)
String
newDisabled (optional)
Boolean
oldDisabled (optional)

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

Boolean
deleted (optional)
Boolean

ListItemErrorInfoModel

parentTaskName (optional)
String
errorCode (optional)
Integer format: int32
userId (optional)
UUID format: uuid
userAccountName (optional)
String
initiated (optional)
Date format: date-time

ModifyAcceptedDomainRequest

domain (optional)
String

ModifyGroupRequest

id (optional)
UUID id of the group, for example - 59A00329-87AC-49EC-BC2C-9B9E26F05185 format: uuid
name (optional)
String name of the group, for example - Alianse Group
description (optional)
String description of the group, for example - Alianse Group desc

ModifyPolicyRequest

name (optional)
String
description (optional)
String

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

ModifyUserPreferencesRequest

olsonTimeZoneId (optional)
String
dateTimeDisplayFormat (optional)
String
preferredLanguage (optional)
String

ModifyUserRequest

emailAddress (optional)
String
olsonTimeZoneId (optional)
String
dateTimeDisplayFormat (optional)
String
language (optional)
String

OS

enum
String

- Windows
- Mac

OperationValue

Storing the values of the scim operation
value (optional)
String Generic string value location if no specifc field is specified.
valueBoolean (optional)
Boolean Generic boolean value if no specific field is specifed.
active (optional)
Boolean Active value of a user
timezone (optional)
String Timezone value of a user

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

locale (optional)
String Locale/language value of a user
email (optional)
String Email of a user
role (optional)
String Role of a user

Operator

enum
String

- EqualTo
- LessThan
- GreaterThan
- LessThanOrEqualTo
- GreaterThanOrEqualTo

PolicyDataAudtingDetailModel

newName (optional)
String
oldName (optional)
String
newDescription (optional)
String
oldDescription (optional)
String

PolicyGroupsListItemModel

id (optional)
UUID format: uuid
name (optional)
String
description (optional)
String
policyRevisionId (optional)
UUID format: uuid
policyId (optional)
UUID format: uuid

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

isDefault (optional)
Boolean

PolicyListItemModel

id (optional)
UUID The Id (Guid format), for example - 59A00329-87AC-49EC-BC2C-9B9E26F05185 format: uuid
locked (optional)
Boolean
errorInfo (optional)
ListItemErrorInfoModel
name (optional)
String
size (optional)
Integer format: int32
revision (optional)
Integer format: int32
totalRevisions (optional)
Integer format: int32
totalAssignedRevisions (optional)
Integer format: int32
latestAssignedRevisions (optional)
Integer format: int32
created (optional)
Date format: date-time
lastModified (optional)
Date format: date-time
lastModifiedUserId (optional)
UUID format: uuid
lastModifiedUser (optional)
String
hasOpenDraft (optional)
Boolean
openDraftId (optional)
UUID format: uuid
isAssignedToGroup (optional)
Boolean
draftUserId (optional)
UUID format: uuid
draftUser (optional)
String
lastPolicyToGroupAssignment (optional)
Date format: date-time
checkedOutDate (optional)
Date format: date-time
description (optional)
String
periodLocked (optional)
String

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

PolicyListItemModelPagedResponse

pageNumber (optional)
Integer format: int32
pageSize (optional)
Integer format: int32
totalRecordCount (optional)
Integer format: int32
pageCount (optional)
Integer format: int32
data (optional)
array[PolicyListItemModel]

PolicyRevisionDataAuditingDetailModel

newGroups (optional)
map[String, String]

PolicyRevisionModel

id (optional)
UUID format: uuid
created (optional)
Date format: date-time
revision (optional)
Integer format: int32
size (optional)
Integer format: int32
comment (optional)
String
user (optional)
String
isAssignedGroup (optional)
Boolean

PolicyRevisionState

enum
String

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

- OnLatestPolicy
- OnAnEarlierPolicy
- NoPolicy
- AwaitingLatestPolicy
- AwaitingAnEarlierPolicy

ProblemDetails

type (optional)
String
title (optional)
String
status (optional)
Integer format: int32
detail (optional)
String
instance (optional)
String

RoleElement

role object
primary (optional)
Boolean boolena flag for whether or not this is the primary role
value (optional)
String User role value

RoleItemModel

Model of role list item
id (optional)
UUID Identifier format: uuid
name (optional)
String Name

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

RoleListItemModel

id (optional)
UUID format: uuid
name (optional)
String
allowPermissions (optional)
array[RolePermissionModel]
denyPermissions (optional)
array[RolePermissionModel]

RoleModel

id (optional)
UUID format: uuid
name (optional)
String
allowPermissions (optional)
array[RolePermissionModel]
denyPermissions (optional)
array[RolePermissionModel]

RolePermissionModel

resource (optional)
String
action (optional)
String

SCIMEmail

primary (optional)
Boolean
value (optional)
String
type (optional)
String

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

SCIMUserName

givenName (optional)
String
familyName (optional)
String
middleName (optional)
String

ScimAuthenticationSchemes

authentication schemes for scim
name (optional)
String name of authentication
description (optional)
String description of authentication
type (optional)
String type of authentiation
primary (optional)
Boolean flag for whether or not the authentication scheme is the primary

ScimBulk

flag to see if scim bulk operations is supported
maxOperations (optional)
Integer max operations format: int32
maxPayloadSize (optional)
Integer max payload size format: int32
supported (optional)
Boolean flag for bulk operations

ScimOperation

SCIM Operations going to be performed on a user
op (optional)
String Operation to be performed on a user. add or replace
path (optional)
String Which field the operation should affect. optional
value (optional)

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

array[OperationValue] Values of the fields going that are going to be changed

ScimResourceMeta

resource type meta data
resourceType (optional)
String resource type meta data

ScimResourceResponse

Json structure for resource type response
schemas (optional)
array[String] schema
name (optional)
String name of resource type
description (optional)
String description of resource type
endpoint (optional)
String endpoint
schema (optional)
String schema
meta (optional)
ScimResourceMeta

ScimResourceResponseScimListResponse

schemas (optional)
array[String]
totalResults (optional)
Integer format: int32
startIndex (optional)
Integer format: int32
itemsPerPage (optional)
Integer format: int32
Resources (optional)
array[ScimResourceResponse]

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

ScimSchemaResponse

Structure of the schema response
schemas (optional)
array[String] schema
id (optional)
String id of schema
name (optional)
String name of schema
description (optional)
String description of schema
attributes (optional)
array[Attribute] available attributes
meta (optional)
ScimResourceMeta

ScimSchemaResponseScimListResponse

schemas (optional)
array[String]
totalResults (optional)
Integer format: int32
startIndex (optional)
Integer format: int32
itemsPerPage (optional)
Integer format: int32
Resources (optional)
array[ScimSchemaResponse]

ScimServiceProviderConfigResponse

schemas (optional)
array[String] service provider config schema
patch (optional)
ScimSupported
bulk (optional)
ScimBulk
filter (optional)
ScimSupported
changePassword (optional)
ScimSupported
sort (optional)
ScimSupported

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

etag (optional)
ScimSupported
authenticationSchemes (optional)
ScimAuthenticationSchemes
meta (optional)
ScimResourceMeta

ScimSupported

Flag to see if scim feature if supported
supported (optional)
Boolean flag to see if scim feature is supported

ScimUserMetaModel

resourceType (optional)
String
created (optional)
Date format: date-time

ScimUserModel

schemas (optional)
array[String]
id (optional)
UUID format: uuid
userName (optional)
String
name (optional)
SCIMUserName
emails (optional)
array[SCIMEmail]
displayName (optional)
String
locale (optional)
String
timezone (optional)
String
externalId (optional)
String
dateTimeFormat (optional)
String

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

groups (optional)
array[null]
password (optional)
String
active (optional)
Boolean boolean flag of whether or not a user is active
roles (optional)
array[RoleElement] A complex role object for scim
meta (optional)
ScimUserMetaModel

ScimUserModelScimListResponse

schemas (optional)
array[String]
totalResults (optional)
Integer format: int32
startIndex (optional)
Integer format: int32
itemsPerPage (optional)
Integer format: int32
Resources (optional)
array[ScimUserModel]

ScimUserPatchRequest

Patch request used to update a user through SCIM
schemas (optional)
array[String] Schema of the request, should be urn:ietf:params:scim:api:messages:2.0:PatchOp
operations (optional)
array[ScimOperation] SCIM Operations going to be performed on a user

SettingDataAuditingDetailModel

addDomain (optional)
String
removeDomain (optional)
String
modifyDomainOldValue (optional)
String
modifyDomainNewValue (optional)
String

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

SortDirection

enum
String

- Asc
- Desc

SortModel

by (optional)
String The property on which to sort e.g. name
order (optional)
SortDirection

SubAttribute

Schema for subattributes
name (optional)
String name of attribute
description (optional)
String description of attribute
type (optional)
String type of attribute
canonicalValues (optional)
array[String] list of canonical values
caseExact (optional)
Boolean Flag for whether or not the attribute's casing should be exact
multiValued (optional)
Boolean Flag for whether or not the attribute has multi values
mutability (optional)
String Mutability of the attribute
required (optional)
Boolean Flag for whether or not the attribute is required
returned (optional)
String how the attribute is returned
uniqueness (optional)
String Is the value unique

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

TaskDetailModel

id (optional)
UUID format: uuid
tenantId (optional)
UUID format: uuid
name (optional)
String
state (optional)
Integer format: int32
stateName (optional)
String
initiated (optional)
Date format: date-time
completed (optional)
Date format: date-time
userId (optional)
UUID format: uuid
user (optional)
String
completedWithErrors (optional)
Boolean
messageParameters (optional)
array[map[String, String]]

UnassignComputersToGroupRequest

allComputers (optional)
Boolean
filter (optional)
ComputerFilterModel
excludedComputerIds (optional)
array[UUID] format: uuid
selectionComputerIds (optional)
array[UUID] selection computers ids will work when "allComputers" : false format: uuid

UserDataAuditingDetailModel

newEmailAddress (optional)
String
oldEmailAddress (optional)
String
newOlsonTimeZoneId (optional)

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

String
oldOlsonTimeZoneId (optional)
String
newDateTimeDisplayFormat (optional)
String
oldDateTimeDisplayFormat (optional)
String
newPreferredLanguage (optional)
String
oldPreferredLanguage (optional)
String
newDisabled (optional)
Boolean
oldDisabled (optional)
Boolean
newRole (optional)
String
oldRole (optional)
String

UserDetailModel

id (optional)
UUID format: uuid
accountName (optional)
String
emailAddress (optional)
String
created (optional)
Date format: date-time
isFirstSignIn (optional)
Boolean
lastSignedIn (optional)
Date format: date-time
disabled (optional)
Boolean
roles (optional)
array[RoleModel]
olsonTimeZoneId (optional)
String
dateTimeDisplayFormat (optional)
String
language (optional)
String
allowInvites (optional)
Boolean

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

UserListItemModel

Model of user list item
locked (optional)
Boolean
errorInfo (optional)
ListItemErrorInfoModel
id (optional)
UUID User identifier format: uuid
accountName (optional)
String Account name
emailAddress (optional)
String Email
created (optional)
Date Creation date format: date-time
lastSignedIn (optional)
Date Last logged in date format: date-time
disabled (optional)
Boolean Is user disabled
roles (optional)
array[RoleItemModel] List of user roles
roleName (optional)
String Role name
olsonTimeZoneId (optional)
String Time zone
dateTimeDisplayFormat (optional)
String Date and time display format
language (optional)
String Preferred language

UserListItemModelPagedResponse

pageNumber (optional)
Integer format: int32
pageSize (optional)
Integer format: int32
totalRecordCount (optional)
Integer format: int32
pageCount (optional)
Integer format: int32
data (optional)
array[UserListItemModel]

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.

id_AssignComputersByCsv_body

csvFile (optional)
byte[] format: binary

©2003-2022 BeyondTrust Corporation. All Rights Reserved. Other trademarks identified on this page are owned by their respective owners. BeyondTrust is not a chartered bank or trust company, or depository institution. It is not authorized to accept deposits or trust accounts and is not licensed or regulated by any state or federal banking authority.