

## **Privileged Remote Access 22.4 Features Compatibility**

Access Console Features	Windows	Мас	Linux	Android	Apple iOS	Web Console
Amazon Web Services (AWS) Deployment Option	~	<b>✓</b>	~	~	<b>✓</b>	<b>✓</b>
3D Touch Support	×	×	×	×	<b>✓</b>	×
Atlas Cluster Technology	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	×	×
Atlas – Jump Client Traffic Node Connectivity	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	X	×
Access Console	<b>✓</b>	<b>✓</b>	<b>✓</b>	~	<b>✓</b>	<b>✓</b>
Access Console Device Verification	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Access Console Usability Improvements	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Access Invite	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	<b>✓</b>	<b>✓</b>
Administrative Dashboard	<b>✓</b>	<b>✓</b>	~	×	iPad	×
Advanced Web Access	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
API - CLI Tool	<b>✓</b>	<b>✓</b>	~	~	<b>✓</b>	<b>✓</b>
Annotations	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	×	×
Bring Your Own Tools - RDP With MS SQL	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Bring Your Own Tools - SSH With Multi-Factor Prompts	<b>✓</b>	<b>~</b>	<b>✓</b>	×	×	×
BeyondTrust Access Extender	<b>✓</b>	×	×	×	×	×
BeyondTrust SUDO Manager	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Canned Scripts	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>	<b>✓</b>	<b>✓</b>
Command Filtering	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Command Shell	<b>✓</b>	<b>✓</b>	<b>✓</b>	~	<b>✓</b>	<b>✓</b>
Bring Your Own Tools – Jump Clients (Command Shell)	<b>✓</b>	<b>✓</b>	<b>~</b>	×	×	×
Configuration APIs with Sample Scripts	<b>~</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Copy and Paste With Web Jump	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	×	<b>✓</b>
Copy Jump Items	<b>✓</b>	<b>✓</b>	<b>✓</b>	~	<b>✓</b>	<b>✓</b>
Credential Injection	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Custom Links	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	×	X



Access Console Features	Windows	Мас	Linux	Android	Apple iOS	Web Console
Dark Mode - Desktop Access Console	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	×	×
Dark Mode - Privileged Web Access Console	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	×	×
Delegate Onboarding and User Management	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Endpoint Credential Manager	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	×	×
Endpoint Restrictions (Disable Display, Mouse, and Keyboard)	<b>✓</b>	<b>✓</b>	×	<b>~</b>	<b>✓</b>	<b>✓</b>
Extended Availability	<b>✓</b>	<b>✓</b>	<b>~</b>	<b>✓</b>	<b>~</b>	<b>/</b>
External Endpoint Search - Password Safe Integration	<b>✓</b>	<b>✓</b>	<b>~</b>	<b>~</b>	<b>✓</b>	<b>✓</b>
File Transfer With ICAP Scanning	<b>✓</b>	<b>✓</b>	<b>~</b>	×	×	<b>✓</b>
Group Policy Access Permissions API	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	×
Group Policy/Jump Group Search	<b>~</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	×
Jump Item Authorization <sup>1</sup>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Jump Item Notification	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Jump Item Reporting	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Jump via Jumpoint	<b>~</b>	<b>✓</b>	<b>~</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Let's Encrypt Support	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Linux Jumpoint – Protocol Tunneling	<b>~</b>	<b>✓</b>	<b>✓</b>	×	×	×
Linux Update From Own Install Location			<b>✓</b>			
Login to Access Console via Password Managers	×	×	×	×	<b>✓</b>	×
Login via LDAP, RADIUS, Kerberos, or SAML	<b>✓</b>	<b>✓</b>	<b>✓</b>	LDAP, RADIUS, SAML	LDAP, RADIUS, SAML	<b>~</b>
Most Recently Used Jump Items	<b>~</b>	<b>✓</b>	<b>~</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Multi-Monitor Support	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Outbound Proxy Support (events and APIs)	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>/</b>	<b>✓</b>	<b>✓</b>
Peer-to-Peer Sessions	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	×	×
Reboot / Reconnect	<b>✓</b>	<b>/</b>	~	<b>/</b>	<b>✓</b>	<b>/</b>

<sup>&</sup>lt;sup>1</sup>A Jump Item authorization request can be made only from Windows, Mac, or Linux. Once authorization has been granted, the Jump Item can be accessed from any access console.



Access Console Features	Windows	Мас	Linux	Android	Apple iOS	Web Console
Remote Desktop Protocol (RDP) Integration	<b>~</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
RDP Jump Item Association	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
RDP Session Forensics	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
RDP File Transfer -Privileged Web Access Console						
Remote Registry Editor	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	×	×
Remote Screen Shot	<b>✓</b>	<b>✓</b>	<b>~</b>	×	×	×
Remote System Control	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Screen Sharing	<b>~</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Session Policies for All Jump Items	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	×	×
Session Recording	<b>✓</b>	<b>✓</b>	<b>✓</b>	~	<b>✓</b>	<b>✓</b>
Session Sharing	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Shell Jump	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	×	<b>✓</b>
Smart Card Support	<b>✓</b>	×	×	×	×	×
Special Actions	<b>✓</b>	<b>✓</b>	<b>✓</b>	~	<b>✓</b>	<b>✓</b>
Spell Check for Chat	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	×
Support for Virtualized Environments	<b>✓</b>	×	<b>✓</b>	×	×	×
System Information	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	×
Syslog Access in Reports	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	×
System Information Actions	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	×	×
Team Chat	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	×
Touch ID Authentication	×	×	×	×	<b>✓</b>	×
TLS (Transportation Level Security) 1.3	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	~	<b>✓</b>
UAC Handling	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	X	×
User Login Schedule	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
User-to-User Screen Sharing	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	×	×
User Team Chat History	<b>✓</b>	<b>/</b>	<b>✓</b>	×	×	×
BeyondTrust Vault	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Web and Login Console UI Updates	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	×	<b>✓</b>



Access Console Features	Windows	Мас	Linux	Android	Apple iOS	Web Console
Vault Account Groups	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>	<b>✓</b>
Vault Configurable Password Length	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	×
Vault - Credential Store Search	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	×	×
Vault - Jump Item Association	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	×	×
Vault Scheduled Credential Rotation	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Vault Personal Accounts	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Vault - Windows Service Account Rotation	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	×
Virtual Pointer	<b>/</b>	<b>✓</b>	<b>~</b>	×	×	×
Wake-on-LAN	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	×	×

Endpoint Client Features	Windows	Мас	Linux
Endpoint Client	<b>~</b>	<b>✓</b>	<b>✓</b>
Annotations	<b>✓</b>	<b>✓</b>	×
Application Sharing Restrictions	<b>~</b>	×	×
Automated Credential Handling <sup>1</sup>	<b>✓</b>	×	<b>✓</b>
BeyondTrust SUDO Manager	×	×	<b>✓</b>
Command Shell	<b>✓</b>	<b>✓</b>	<b>✓</b>
Command Shell Display Settings	~	<b>✓</b>	<b>✓</b>
Credential Injection	<b>✓</b>	×	×
Custom Special Actions	<b>~</b>	<b>✓</b>	<b>✓</b>
Elevation to Administrative Rights	<b>✓</b>	<b>✓</b>	×
Endpoint Restrictions (Privacy Screen)	<b>~</b>	<b>✓</b>	×
File Transfer	<b>✓</b>	<b>✓</b>	<b>✓</b>
File Transfer (RDP)- Privileged Web Access Console	~	<b>✓</b>	<b>✓</b>
Jump Client	<b>✓</b>	<b>✓</b>	<b>✓</b>
macOS Mojave Support	×	<b>✓</b>	×
MFA Credential Injection with Web Jump	<b>✓</b>	<b>✓</b>	<b>✓</b>

 $<sup>{}^{1}\</sup>text{On Windows, Automated Credential Handling is available only for Windows Vista or higher.}\\$ 



Endpoint Client Features	Windows	Мас	Linux
Native Apple Silicon Support	×	<b>/</b>	×
Password Injection with Password Safe	<b>✓</b>	<b>✓</b>	<b>✓</b>
Peer-to-Peer Sessions	<b>✓</b>	<b>✓</b>	<b>✓</b>
Post-Session Lock	<b>✓</b>	×	×
RDP Integration	<b>~</b>	×	×
Reboot/Reconnect	<b>✓</b>	×	<b>✓</b>
Remote Registry Editor	<b>✓</b>	×	×
Remote Screenshot	<b>✓</b>	<b>✓</b>	<b>✓</b>
Remote System Control	<b>✓</b>	<b>✓</b>	<b>✓</b>
Screen Sharing	<b>✓</b>	<b>✓</b>	<b>✓</b>
Session Recording	<b>✓</b>	<b>✓</b>	<b>✓</b>
Special Actions	<b>✓</b>	<b>✓</b>	<b>✓</b>
System Information	<b>✓</b>	<b>✓</b>	<b>✓</b>
System Information Actions	<b>✓</b>	<b>✓</b>	<b>✓</b>
Vault Accounts Automatically Associated to Endpoints	<b>~</b>	<b>✓</b>	<b>✓</b>
Vault – Auto Update Stale Data	<b>✓</b>	<b>✓</b>	<b>✓</b>
Virtual Pointer	<b>✓</b>	<b>/</b>	<b>✓</b>
Wake-on-LAN	<b>✓</b>	<b>✓</b>	<b>✓</b>