


Privileged Remote Access 23.3 Available Features



For more information on platform support, please see the [Features Compatibility guide](https://www.beyondtrust.com/docs/privileged-remote-access/updates/features-compatibility.htm) at <https://www.beyondtrust.com/docs/privileged-remote-access/updates/features-compatibility.htm>.

Features for Access Console Users

Multi-Platform Support

Platform	Endpoint	Access Console
ENHANCED! Windows	Windows 7 SP1 Windows 10 (21H1 and 21H2) Windows 11 (21H2 and 22H2) Windows Server 2016 - 2022 ARM-based Windows systems	Windows 10 (1909 and earlier) Windows 10 (2004 and 20H2) Windows 11 (21H2 and 21H2) Windows Server 2016 - 2022 ARM-based Windows systems
macOS	macOS 10.14 - 11 macOS 11 (Big Sur) x86 and xApple macOS 12 (Monterey) x86 and xApple macOS 13 (Ventura) x86 and xApple macOS 14 (Sonoma) x86 and xApple	macOS 10.14 - 10.15 macOS 11 (Big Sur) x86 and xApple macOS 12 (Monterey) x86 and xApple macOS 13 (Ventura) x86 and xApple macOS 14 (Sonoma) x86 and xApple
	 Note: PRA clients for macOS can run natively on Apple Silicon without relying on Rosetta 2.	
Linux	Fedora 37-38 RHEL 8.7 and 8.8 RHEL 9.1 and 9.2 Ubuntu 20.04 and 22.04 LTS	RHEL 8.7 and 8.8 RHEL 9.1 and 9.2 Ubuntu 20.04 and 22.04 LTS
Mobile Devices	N/A	Apple iOS 14.0+
	N/A	Android 8.0+
Virtual Machines	N/A	Citrix XenDesktop 7 VMWare Horizon 8 Citrix XenApp 6.5
PRA Virtual Appliance	vSphere 6.7 - 7.0 Azure AWS - AMI Sharing Hyper-V Nutanix	
Unattended Systems	Laptops, Desktops, Servers, ATMs, Kiosks, POS Systems, Raspberry Pi, etc.	
Cloud Access Controls	Securely connect to and manage your cloud infrastructure, including Windows, Red Hat, CentOS, and Ubuntu Linux VMs powered by AWS, Azure, VMware, and other IaaS providers. Headless Linux configurations are also supported.	

Platform	Endpoint	Access Console
Cloud Access AWS KMS Support	AWS Key Management Service (KMS) makes it easy to create and manage cryptographic keys and control their use in AWS services and applications. AWS KMS is a secure and resilient service that uses hardware security modules.	
Network Devices	Routers, Switches and Devices via SSH/Telnet	
Multi-Language Support	View BeyondTrust applications and interfaces in English, Dutch, French, German, Italian, Japanese, Russian, Simplified Chinese, Polish, and Traditional Chinese. BeyondTrust supports international character sets.	

Access Console Toolset

Use advanced access tools to interact with remote systems.

Feature Name	Description
3D Touch Support for iOS	The BeyondTrust mobile access console uses iOS 3D Touch Support capabilities offered by the iPhone 6S and 6S Plus devices to start sessions faster and more efficiently. By tapping and holding the BeyondTrust Access Console icon on your iOS device, you can quickly access the three most viewed Jump Items, and you can seamlessly transition between active sessions.
Access Console	Access remote endpoints by connecting to them through the B Series Appliance.
Advanced Web Access	Advanced Web Access enables administrators to appropriately manage privileged access controls over assets that utilize modern web technology in a secure, scalable, and controlled manner. The auditing capability gives your organization the visibility it needs to adhere to both internal security policies and any applicable industry compliance requirements.
Annotations	While screen sharing, use annotation tools to draw on the remote screen. Drawing tools, including a free-form pen and scalable shapes, can aid in collaborating with other users.
BeyondTrust Access Extender	BeyondTrust Protocol Tunneling extends the remote connectivity and auditing capabilities of proprietary and/or 3rd party applications, such as integration control systems or custom database tools. BeyondTrust simplifies this complex task into a consumable process that removes the need for an intricate VPN solution.
BeyondTrust SUDO Manager	Shell Jump credential injection can be used in conjunction with SUDO.
Vault	<p>BeyondTrust Vault is an on-appliance credential store that enables your users to access privileged credentials and inject them directly into an endpoint. Eliminate the need for users to memorize or manually track passwords, increasing productivity and security. Add privileged credentials to Vault manually, or try the built-in Discovery tool to automatically find and protect AD and local credentials.</p> <p>The Vault Accounts tab in the Access Console enables users to check in and out Vault accounts that the administrator has defined. This enables users to leverage Vault accounts for session activity or locally on their own device, improving user experience and productivity by enabling access to Jump Items and Vault accounts from one location.</p>
Cancel Access Request	Users can cancel pending Jump Access authorization requests from the Web Console, providing more flexibility and control over the authorization process, extending the existing functionality of the desktop Access Console.
Canned Scripts	Use pre-written scripts from either the Command Shell interface or the Screen Sharing interface, increasing session efficiency by automating common processes.

Feature Name	Description
Command Filtering	Protect against common user mistakes during SSH sessions by applying basic filtering to the input at the command line. For devices or B Series Appliances where agents are not practical or possible, command filtering provides an extra layer of control for administrators who need to provide access to that endpoint.
Command Shell	Directly access the command shell for system diagnostics, network troubleshooting, or low-bandwidth access, without screen sharing.
Command Shell Display Settings	Command shell settings allow for changing the font, color, and size of the displayed text within the access console. Unicode characters are supported within a command shell.
Copy and Paste with Web Jump	Users can now utilize the Copy/Paste functionality during a Web Jump session, enabling users to continue to utilize their current processes while using the Web Jump feature.
Credential Injection	When accessing a Windows-based Jump Client, perform credential injection into the login screen as well as the Run As special action. Additionally, gain access to SQL Server using credentials from your endpoint credential manager.
Credential Injection with Web Jump	Users can now inject a vaulted account with MFA enabled during a Web Jump Access session, enabling users to utilize the same credential injection experience they are used to using in the other access methods.
Credential Store Search	Vault users can now search the credential list when Jumping into a remote system. To leverage this new functionality, a user must only begin typing an account name and the Credential Store presents the matching credentials to the user. This search functionality is limited to credentials that are available in the access console.
Custom Links	From within a session, click a button to open your browser to an associated CRM record.
Custom Special Actions	Create access console special action shortcuts for tasks specific to your environment, streamlining the effort for your team to complete repetitive tasks.
Customizable Notifications	Configure which events trigger alerts in the access console and upload custom audio files.
Dark Mode – Desktop Access Console	Users can select Use Dark Mode in the desktop console, letting those who prefer to avoid bright screens and reduce eye strain enjoy the updated colors and icons optimized for this theme.
Dark Mode – WEB Access Console	Users can select Use Dark Mode in the privileged web access console, letting those who prefer to avoid bright screens and reduce eye strain enjoy the updated colors and icons optimized for this theme.
Elevate Endpoint Client	Elevate the endpoint client to have administrative rights. Special actions can be run in the current user context or in system context.
Endpoint Credential Management	<p>Use credentials stored in a password vault for nearly all session types. Credentials from the endpoint credential manager can be used for RDP login, Run As from special actions, performing Remote Push, and Shell Jump initiation (SSH). Install multiple endpoint credential managers on different systems to avoid downtime.</p> <p>You can define which Vault users can inject credentials while in a session, and which Vault users can view credentials when checked out in /login.</p> <p>Endpoint Credential Managers can be mapped to Jump Groups. This optional functionality allows administrators using multiple disconnected credential providers, such as Managed Service Providers, to support disconnected environments while leveraging the internal credential providers on those networks for the associated Jump Group. This functionality is not standard; for more information please reach out to BeyondTrust Technical Support.</p>
File Transfer	Transfer files to and from the remote file system. Appliances now can be enabled for an integration with an ICAP server for in transit file scanning adding additional layers to allowing and securing how files are transferred.

Feature Name	Description
Most Recently Used Jump Items	Most Recently Used Jump Items provides an easy way to find your most frequently accessed Jump Items which saves time by not having to search for frequently accessed endpoints.
Multi-Monitor Support	View multiple monitors on the remote desktop.
ENHANCED! Multi-Session Support	Run multiple simultaneous sessions. A new Simultaneous Access Setting enables administrators to define which Jump Clients can be accessed by multiple users from different Jump Groups.
Password Injection with Password Safe	Password Injection with BeyondTrust Password Safe is available for Privileged Remote Access, enabling your users to securely use passwords during access sessions with the click of a button. In addition, it provides an integrated approach to secure third-party vendor access.
Peer-to-Peer Sessions	Network and protocol enhancements allow for direct peer-to-peer connections. A direct connection between a user and an endpoint bypasses the B Series Appliance, thus enhancing the performance of screen sharing, file transfer, and remote shell.
Privacy Screen	The Privacy Screen feature of Privileged Remote Access has been updated to support Windows 10 20H1+ and Windows 11, without the need for a secondary driver.
Privileged Web Access Console	A web-based BeyondTrust Access Console that uses HTML5 to provide access to endpoints. The privileged web access console removes the requirement of having to download and install the BeyondTrust access console client.
Privileged Web Access Console - System Information	System Information is now available for sessions within the privileged web access console. This functionality was previously limited to the desktop access console.
-Privileged Web Access Console Access Invite	Users can invite external users or vendors into their existing session for collaboration from the privileged web access console. This functionality was previously limited to the desktop access console.
Privileged Web Access Console Authentication Improvements	The privileged web access console's authentication is now separate from the /login interface. This enhancement also prevents users from being logged out of /login while using the /console interface.
Privileged Web Access Console RDP File Transfer	Users can send and receive files in RDP sessions from the privileged web access console.
Reboot/Auto-Reconnect¹	Reboot and automatically reconnect to the remote computer.
Remote Registry Editor	Access and edit the remote Windows registry without requiring screen sharing.
Remote Screenshot	Capture a screenshot of the remote system.
Restrict Endpoint Interaction²	Disable the endpoint's mouse and keyboard input and conceal the screen to avoid interference and ensure privacy while you are working.
Smart Card Support	In a session, use authentication credentials contained on a smart card that physically resides on the user's system. This feature has been enhanced to support Extended APDU.
Special Actions	Access common actions such as Registry Editor, Event Viewer, System Restore, etc. Perform actions in User or System context. With the Run As special action on a Windows system, you may select credentials from an endpoint credential manager.
Syslog Access in Reports	Users can download the available syslog files directly from the /login interface. To download the syslog files, you must have the new permission Allowed to View Syslog Reports . This setting is available in both the User and Group Policy pages of the /login interface.

¹Reboot/Auto-Reconnect is not supported on Mac computers.

²Restrict Endpoint Interaction is limited to disabling the mouse and keyboard on Windows 8 and above.

Feature Name	Description
System Information	View in-depth system information in an easily navigable interface. Interact with services and processes and uninstall software without requiring screen sharing.
Touch ID Authentication for iOS	Authenticate to the access console via the iOS device's built-in Touch ID capability.
Virtual Pointer	Display a pointer on the remote screen, helpful when collaborating with another user.
Wake-on-LAN	Remotely access computers, even when they are turned off. Send Wake-on-LAN packets to a Jump Client host to turn on that computer, if the capability is enabled on the computer and its network.

Collaboration

Work with other users and experts to resolve support cases.

Feature Name	Description
Access Invite	Invite anyone – internal or external – into a shared session with one-time, limited access.
Extended Availability	Users can be in notification mode. If invited to share a session, you will receive an email notification.
Portal Branding	Upload an image of your company logo to display on the public-facing web pages of your Privileged Remote Access site. This logo is visible when someone accepts an access invite, goes to the public recording page, responds to an extended availability message, or responds to a request for Jump approval.
Session Sharing	Collaborate with other users by sharing a session with a team member.
Teams	Collaborate with other users who share similar skill sets or areas of expertise.
User-to-User Screen Sharing	Collaborate with other users by instantly sharing your screen with a team member.

Jump Technology

Access unattended remote desktops, servers, and other systems.

Feature Name	Description
NEW! Jump Item in Use Status	The Jump Item list in the Desktop Console now displays which other users are currently in session on endpoints. This provides enhanced visibility into what is occurring on their estate, allowing the user to choose to either join a session in progress to offer additional help or choose another available Jump Item to do their work.
Atlas - Jump Client Traffic Node Connectivity	Customers using the Atlas configuration can route Jump Clients to route through an Atlas traffic node, enabling greater scalability and geospecific connections.
Copy Jump Items	You can copy Jump Items and assign them to multiple Jump Groups. This allows setting separate policies and group permissions without requiring additional client installations on the endpoint. Users with appropriate permissions can right click individual or multiple Jump Items to copy them.
External Endpoint Search - Password Safe Integration	Privileged Remote Access users can search for and remotely access Password Safe-Managed RDP and Shell Jump systems that are accessible with a Jumpoint.
Group Policy/Jump Group Search	The Group Policy and Jump Group lists in /login provide a search field to make it easier to find the item you're looking for.

Feature Name	Description
Headless Linux Jump Client & Jumpoint Persistence	The headless Linux Jump Client and Linux Jumpoint include an optional systemd template file to enable easier system service creation on various Linux distributions.
Jump Authorization Requests	As soon as it is not needed, an active authorization request can now be revoked by the user who made the request, as can any approver.
Linux Jumpoint – VNC support	The Linux Jumpoint supports VNC Jump Shortcuts.
Privileged Remote Access Users Can Approve Jump Requests	Jump requests can be approved by selected Privileged Remote Access users in addition to emails. This allows for better tracking and auditing of who approved a given request.
Jump Client	Access any Windows, Mac, or Linux system. Centrally manage and report on all deployed Jump Clients. Where permitted by the endpoint's platform, elevated functionality including File Transfer, Command Shell, and Registry Access can be allowed by the administrator.
Jump Client Headless Support for Raspberry Pi OS	Enables Raspberry Pi secure access to allow privileged users to connect to more types of unattended systems, perform administrative actions, and secure who has access to manage these devices. May work on any Raspberry Pi device that runs Raspberry Pi OS, but only certified against Pi 3B+ and Pi 4B. Supported Operating Systems: <ul style="list-style-type: none"> • Raspberry Pi OS Desktop (2020-08-20-raspios-buster-armhf) • Raspberry Pi OS Lite (2020-08-20-raspios-buster-armhf-lite)
Jump Client Upgrade Flexibility	Administrators can control when their Jump Clients upgrade after upgrading their site to a newer version. Administrators can also test the upgrades of a few endpoints before rolling out the new version to the rest of their environment.
Jumpoint	Access unattended Windows systems on a network, with no pre-installed client. Connect through proxy servers by storing credentials. Unattended Linux systems, with a Jump Point agent, can also be accessed through RDP and SSH sessions.
Jump Policies Approval – Time Overlap	Jump Policy approvals can overlap, granting access to different users to the same Jump Item simultaneously.
Linux Jumpoint – Protocol Tunneling	The Linux Jumpoint supports the creation of Protocol Tunnel Jump Shortcuts.
Bring Your Own Tools – Jump Clients (Command Shell)	This functionality enables users to leverage their existing native terminal for Jump Client sessions without needing to use the solution's built-in functionality. A setting is available in the access console to configure this extension of the BYOT functionality. It is available for the access console only.
ENHANCED! Bring Your Own Tools – RDP	<p>The Bring Your Own Tools functionality enables you to leverage your existing native RDP tool for Remote RDP Jump Shortcuts, while maintaining the benefits of the audit trail and session recordings. This setting enables Remote RDP Jump Shortcuts to include existing native RDP functionality, expanding Jump Item capabilities and improving user experience.</p> <p>We have improved security and user experience when accessing non-domain linked endpoints via RDP. This new functionality allows administrators to directly associate non-domain linked accounts discovered via Jump Clients to RDP Jump Items for that endpoint. The associated API functionality for this feature is also available, allowing administrators to more easily scale and automate the associated administrative tasks.</p> <p>Users can select their external tool of choice when initiating an RDP or Shell Jump session. Additionally, users can now set the order of their preferred tools for easy selection.</p>

Feature Name	Description
Bring Your Own Tools – SSH	The Bring Your Own Tools functionality enables you to leverage your existing native SSH tool for SSH Jump Items, while maintaining the benefits of the audit trail and session recordings. This new setting enables SSH Jump Items to include existing native SSH functionality, expanding Jump Item capabilities and improving user experience. This functionality is available in the access console as a setting that can be enabled or disabled. Administrators can control access to this feature using a global setting in the /login interface located under Jump > Jump Items > Jump Item Settings .
RDP Multi-Monitor Support	View multiple monitors on the remote desktop. Traditional Remote RDP Jump Shortcuts support more native RDP screen sizing and scaling of a session across multiple monitors.
Jump Zone Proxy	Use a Jumpoint as a proxy on a remote network to access systems that do not have a native Internet connection. This feature has been enhanced to allow Linux systems to be used as proxy servers. This functionality is no longer limited to Windows Jumpoints.
Microsoft Remote Desktop Protocol (RDP) Integration	Conduct remote desktop protocol (RDP) sessions through BeyondTrust. Users can collaborate in sessions, and sessions can be automatically audited and recorded. Settings in the access console allow users to connect with the resolution best suited for their working environment.
Protocol Tunnel Jump Item API	The Configuration API allows the creation, deletion, and modification of Protocol Tunnel Jump Items within the system.
Scripted Jump	Automatically start a session from an external program by initiating a Jump Item via a script.
Shell Jump	Connect to SSH/telnet-enabled network devices through a deployed Jumpoint. SSH sessions can now support in-line multi-factor prompts following the user authentication for added security to remotely access those systems requiring additional multi-factor controls for more native functionality.
Web Jump	Web Jump has been enhanced to support Linux Jumpoints.
Web Jump – Multi-tab Improvements	The multiple-tab support for Web Jump sessions has been enhanced to allow users to open additional tabs using a + click on the link. This is Ctrl+Click on Windows and Linux and ⌘ +Click on macOS. Additionally, users can specify whether the new tab opens in the foreground or background.
VNC Integration	Connect to VNC servers through BeyondTrust. Users can collaborate in sessions, and sessions can be automatically audited and recorded.

Chat

Communicate easily with teammates both in and out of shared sessions.

Feature Name	Description
Session Chat	Chat with other users in a shared session.
Spell Check	Catch misspellings and view suggested corrections.
Team Chat	Chat with all users on a team or with an individual. The Team Chat feature within the access console has been enhanced to now preserve the chat history. This allows users to pick up the conversations between other team members so that the history is available when they log back into the console. The administrator can configure a minimum time that this information is replayed in the access console.

Features for Managers

User Management

Centrally manage users and groups.

Feature Name	Description
ENHANCED! FIDO2 Login	Support and manage login to the administrative interface and consoles using registered passwordless authenticators.
Access Console Device Verification	Enforce the networks on which your access consoles may be used, or require two factor authentication to log into the access console.
Access Invite	Create profiles so that users can invite anyone – internal or external – into a shared session with one-time, limited access.
Administrative Dashboard	Oversee team activity, monitor users' access consoles, and join or take over sessions owned by someone else.
Amazon Web Services (AWS) Deployment Option	Matching customers' needs with different deployment options, the B Series Appliance is now available in Amazon Web Services. Whether you are a new Privileged Remote Access customer or an existing customer that has an initiative to move your on-premises B Series Appliance to AWS, AWS deployment provides more options for your preferred deployment.
Application Sharing Restrictions	Limit access to specified applications on the remote Windows or Linux system by either allowing or denying a list of executables. You may also choose to allow or deny desktop access.
BYOT Database Proxy	Privileged Remote Access can now proxy the Microsoft SQL Server protocol, enabling credential injection and improved auditing capabilities for Privileged Remote Access customers. There is a new setting under Protocol Tunnel Jump items for Database Tunneling.
CLI Tool for APIs	Privileged Remote Access customers now have a simpler method to leverage and interact with the Configuration APIs using a new CLI tool provided by BeyondTrust. When bundled with our expanded documentation, this new tool makes it easier to integrate your Privileged Remote Access instance with cloud environments or other infrastructure. It is available in the API Management section of /login.
Configuration APIs	<p>This set of APIs enables Privileged Remote Access administrators to automate and orchestrate administrative tasks within /login and the Access Console. There are specific methods exposed via an API that enable a programmatic way to create, list, update, and delete certain configuration items in Privileged Remote Access. For example, administrators can use the API to create local user accounts or delete Jump Clients that have been offline for a specified number of days. Other enabled use cases include tasks for managing Jump Groups, Jump Items, Vendor Groups and Users, Group Policies, Vault Accounts, Vault Account Groups, and Personal Vault Accounts.</p> <p>The Group Policy Configuration APIs (GET, POST, and PATCH) have been enhanced to allow administrators to read and set the access permission settings.</p> <p>The Configuration API documentation can be found under /login > Management > API Configuration.</p> <p>Privileged Remote Access administrators can now benefit more easily from the automation and onboarding improvements that come with the usage of existing Configuration APIs. In this release, these administrators now have prebuilt scripts that enable automation use cases more simply for specific situations, particularly Jump Item management and automation with AWS, AD, and Azure.</p>

Feature Name	Description
Configurable Login Banner	<p>Configure a banner to display before users can log into either the /login interface or the /appliance interface. If the banner is enabled, then users attempting to access either /login or /appliance must agree to the rules and restrictions you specify before being allowed to log in.</p> <p>The Login Agreement can be presented as part of the access console as a granular setting. Administrators can choose where this agreement is displayed, and the same message is presented when launching the access console or accessing the web administration interface.</p>
Delegate Password Administration	<p>Delegate the task of resetting local users' passwords to privileged users, without also granting full administrator permissions.</p>
Delegate User Management	<p>Administrators can create a group policy type to onboard and manage vendors and other users. An assigned vendor admin for a policy can manage onboarding and offboarding of managed users for that policy.</p> <p>Administrators can define up to 150 vendor groups.</p>
HTTP Outbound Event Enhancements	<p>Administrators can view the latest status of existing HTTP outbound recipients and have visibility into the number of events queued for each configured recipient.</p>
Vendor Onboarding	<p>Improved the user interface for vendor groups, providing more visibility and a streamlined workflow for vendor management. Administrators can see users requiring immediate action, and Vendor User expiration information can be displayed for each user.</p>
Vendor Onboarding - User Registration Portal	<p>Administrators can enable Vendor Users to request or sign up for access through a customizable portal page. This functionality is an addition to the Vendor Groups section on the Users & Security > Vendors page. Administrators can create and customize portal pages for specific vendors, allowing users to register for the access they need, when they need it. The Vendor Portal can be restricted to specific email domains as well as existing network restrictions for the vendor group. Vendor User self-registration through the Vendor Portal always requires approval for user creation by the defined administrator of the vendor group.</p>
Vendor Group Increase	<p>The vendor group limit is 150.</p>
Vendors - PRA Admin Granularity	<p>PRA administrators have the option to delegate all notifications and workflow approvals to any PRA user in an associated vendor group. PRA administrator privileges are still required to change security and configuration settings for the vendor group. Previously, all vendor groups required a full PRA administrator to be the recipient of notifications and approvals.</p>
Vendor User Expiration Notification	<p>Vendor Users can be notified of an upcoming expiration date as well as a notification of expiration. The PRA administrator or the PRA user overseeing the vendor group can extend a Vendor User's expiration date before it is expired. Additionally, vendor administrators can reactivate expired Vendor Users. User activation was limited to the PRA administrator overseeing the vendor group in previous versions.</p>
Vendor User Password Reset	<p>Vendor Users can now receive a password reset link. Anyone who can edit the Vendor User page can click the Email Password Reset Link button.</p>
Notification and Approval Workflows	<p>Notification and approval workflows are available for user onboarding. This decreases manual administration of vendor management and allows faster access for new users.</p>
Message Broadcast	<p>Send a pop-up message to all users logged into the access console.</p>
Multi-Factor Authentication	<p>Gain the security of multi-factor authentication for your local and LDAP user accounts by enabling time-based, one-time passwords. When logging into BeyondTrust, users must provide a one-time password generated by a separate device or authentication app.</p>
Multiple /appliance User Accounts	<p>Create multiple user accounts for the /appliance interface. Set rules regarding account lockouts and password requirements. SAML can also be used to log directly into /appliance.</p>

Feature Name	Description
Search Functionality in /login	Users can search for specific sections and settings throughout the administrative interface. This functionality allows easier discovery and access to various information and configuration that would have previously been more difficult to find. This functionality is available everywhere in the /login interface.
Scheduled Discovery	The Vault administrator can define a preset day and time to automatically run Vault domain discovery jobs. This feature can provide continuous visibility for administrators regarding domain accounts, endpoints, and local accounts associated with discovery jobs. Accounts and endpoints found in the new discovery job can then be imported into Vault for management.
Service Account Management	Vault can discover and import Windows service accounts for management. Administrators can leverage this new discovery functionality to gain visibility into the service accounts in the domains managed by Vault, as well as the descriptions and associated services for the accounts.
Session Permission Policies	Customize session permissions to fit specific scenarios, not just specific users. You can change the permissions allowed in a session based on the specific endpoint being supported. Session permission policies provide flexibility in building the security model for each specific scenario.
Session Policies for All Jump Items	Administrators can assign session policies to all Jump Items, enabling additional granularity for Jump Item policies.
Teams	Create teams based on skill set or experience level.
Team Collaboration	Define how multiple teams may interact.
Templates	Copy an existing security provider, session policy, or group policy to create a new object with similar settings. You also can export a session policy or group policy and import those permissions into a policy on another site.
User Accounts	Create an unlimited number of named user accounts.
User Account Details Reporting	Export account information about your user accounts for auditing purposes.
User Collaboration	Define session sharing options.
User Login Schedule	Exert control over access console availability to specific users by restricting when users are able to log in.
Vault Account Groups	Vault administrators can organize Vault accounts into account groups, providing a better management experience for Vault admins. Admins can assign account groups to group policies, rather than only individual Vault accounts, and Vault accounts can be assigned to an account group during the import process.
Vault Accounts associated with Endpoints	Vault accounts are automatically associated with endpoints, providing a better user experience when injecting credentials into Privileged Remote Access sessions. Admins use the Vault Discovery and Import functions to bring accounts and endpoints under Vault management. Once under Vault management, the credential-to-endpoint association automatically occurs for the relevant Jump Items. Users are presented with the associated Vault accounts when injecting during session initiation.
Vault – Auto Update Stale Data	Discovery jobs can automatically detect and update stale read-only attributes on accounts, endpoints, or services that have been onboarded into Vault.
Vault Bulk Rotation	Users and administrators can select groups of Vault credentials and perform a password rotation on all credentials in the selected group, with just one click. This functionality provides administrators with a simple and efficient method to rotate user-selected groups of credentials or all Vault credentials at once, making it simpler to manage large numbers of credentials with Vault, while eliminating the need for time-consuming manual rotation of individual credentials.

Feature Name	Description
Vault – Account Policies	Vault account policies can be assigned to Vault accounts or Vault account groups, providing administrators with additional granularity regarding Vault account settings. Vault account policies can define whether the account is included in scheduled password rotation, the account's maximum password age, automatic rotation after check-in, and whether the account is available for simultaneous checkout.
Vault - Account Rotation Azure AD Domain Services	Privileged Remote Access enables organizations to properly manage and inject credentials managed by Azure AD Domain Services. Administrators can now leverage the Vault to rotate account credentials managed by Azure Active Directory Domain Services. This new functionality is an addition to the existing ability to discover credentials managed by Azure AD Domain Services.
Vault Configuration APIs	List Vault accounts with the Vault Configuration API. Vault administrators can also create generic username/password and username/SSH key accounts using the API. This provides a programmatic way to onboard Vault accounts that can't be automatically discovered through Domain Discovery (Active Directory).
Vault - Configurable Columns	Vault administrators can customize and configure the columns which are shown on the Vault Accounts page.
Vault-Configurable Password Length	Vault administrators can define the password length requirements for Windows local, domain, and Azure AD accounts currently managed by Vault. Administrators can define these requirements by navigating to the /login > Vault > Options page.
Vault Domain Filtering	Users can traverse Organizational Units (OUs) within the targeted Active Directory Domain when using the Vault Discovery functionality. Vault Discovery allows administrators to discover credentials in the specified network. Administrators can then import credentials into Vault, enabling users to inject and use the discovered credentials within Privileged Remote Access sessions. Being able to traverse the OU's provides greater flexibility, while saving time and resources. Instead of running a general discovery to the domain, admins can specifically target the OUs of the teams and credentials that they wish to manage with Vault, decreasing the amount of managed credentials in Vault, and making it easier to use and control the most important credentials.
Vault – Jump Item Association	Administrators can limit the credentials available for injection in a Jump session by associating Vault accounts and Vault account groups with Jump Items. Associations can be direct or dynamic with the help of match criteria based on Jump Item properties.
Vault Personal Accounts	All Privileged Remote Access users can create private generic accounts in their own private Vault. This functionality allows users to manage their own Vault accounts privately for use during Privileged Remote Access sessions. The maximum number of personal accounts per user is 50.
Vault - Search Discovery Results	The Vault Discovery Results page in /login provides a search field to make it easier to find the endpoint, account, or service you're looking for. The discovery results also include two additional endpoint columns: Distinguished Name and Operating System name.
Vault Scalability	Vault can now import, rotate, and manage up to 60,000 accounts.
Vault - Windows Service Account Rotation	Vault can rotate Windows service accounts (local and domain). In addition to account rotation, Vault can restart any services associated with the service account. This feature provides Vault administrators with visibility and control over Windows services and service accounts, improving their security posture and quality of service. Service cluster password rotation is not supported in this release.

Feature Name	Description
NEW! SSH Certificate Authority for Vault	The SSH Certificate Authority for Vault provides a new solution to secure and manage SSH keys. By providing a unique short-lived private key for each SSH request, the user never receives the actual private key that is trusted by the endpoint.
Jump Client Discovery and Rotation	Jump Clients can perform discovery and rotation of local credentials (Windows only). This functionality allows administrators to manage machines individually and set who has access to those machines without the need to set up a local or shared account on the remote system. This feature is to complement the use of Jumpoints in the network for domain-based rotation but also allow for more singular control over smaller groups of machines.

Access Console Toolset

Equip your users with the specific access tools they need.

Feature Name	Description
Canned Scripts and Custom Special Actions	Create command shell scripts and custom special actions for users to run during sessions, increasing efficiency by automating common processes.
Centralized Access Console Settings	Define the access console settings for your entire organization. Enforce settings to ensure a consistent experience.
Jump Technology	<p>Create Jump Item Roles to easily assign sets of Jump Item permissions to users.</p> <p>Collect Jump Items into Jump Groups, granting members varying levels of access to those items.</p> <p>Set expiration dates for Jumpoints.</p> <p>Create Jump Policies to enforce when Jump Items can be accessed, if a notification of access is sent, or if approval must be granted prior to access.</p> <p>Jump Clients unable to connect to the B Series Appliance are automatically marked as lost, allowing an administrator to diagnose the reason for the lost connection. Both the lost date and the date at which a Jump Item is deleted can be configured.</p> <p>After a software update, Jump Clients update automatically. Users can see which Jump Clients have completed upgrade and can access them right away. While a Jump Client is awaiting upgrade, users can still modify properties without having to wait for the upgrade to complete.</p>
Post Session Lock	Set the endpoint client to automatically lock or log out the remote Windows computer when an elevated session ends.
User Permissions	Restrict or enable toolset components (ex., View or Control, File Transfer, System Information, etc.)

Reports

Report on all session activity; customize, filter and export reports.

Feature Name	Description
Report Sort Order Changed	Items listed on the Reporting pages are ordered from newest to oldest.
Endpoint Surface Analyzer	Know and control how critical endpoints are accessed throughout your organization. Be aware of the listening network port exposure for systems that you manage. Report and keep a running log of critical endpoint network exposure.

Feature Name	Description
Policy-Based Recordings	Disable recordings at the Jump Policy level. If this option is checked, sessions started with this Jump Policy are not recorded, even if recordings are enabled on the Configuration > Options page. This affects screen sharing, user recordings for Protocol Tunnel Jump, and command shell recordings.
License Reporting and Auditing	Keep track of the number of endpoint licenses used. You can download a zip file containing detailed information on your BeyondTrust license use. This file contains a list of all Jump Items (not counting uninstalled Jump Clients), daily counts for Jump Item operations and license usage, and a summary for the B Series Appliance and its endpoint license usage and churn.
RDP Session Forensics	A setting for RDP Jump Items provides administrators with additional logging details for RDP Jump sessions. Users can leverage this functionality by enabling the Session Forensics setting in the RDP Jump Item properties. This feature captures additional session events, such as Focused Window Changed Even and Mouse Click Event . RDP Session Forensics enhances security by providing administrators with RDP Jump session details that previously were only supported in Jump Client sessions.
Reporting Permissions	Manage each user's reporting privileges.
Jump Item Reporting	Administrators can now leverage a new report type specific to the administration and configuration of Jump Items. For example, reports can be run for historical Jump Item events, such as creation, deletion, copy, move, etc.
Session Forensics	Session Forensics is a powerful feature that allows you to search across all sessions based on session events. The feature empowers administrators to quickly and effectively identify critical security events, and aids in the prevention of potential security breaches, as well as evidence discovery. Searchable events include chat messages, file transfer, registry editor, session foreground window changed, and shell recordings. Successful matches in stored shell recordings automatically take the user to that point in time in the recording.
Session Reports	View details of each session. Session reports include basic session information along with links to session details, chat transcripts, and video recordings. Also included are details regarding the Access Approver Name, Email Address, and Comments for sessions that require approval. Additionally, the session report contains the Request Reason for sessions that require users to specify a reason for their access request.
Session Recording Videos	Record and view annotated videos of sessions and command shell sessions, including command shell sessions.
Summary Reports	See an overview of user activity over time.
ENHANCED! Team Activity Reports	View details of activity within a team, including login and logout times, team chats, and files shared. Can be filtered by user.
GDPR Pseudonymization Support	Allow your organization to meet its GDPR initiatives with pseudonymization and consent support in BeyondTrust. BeyondTrust administrators can respond to Right to Erasure requests by searching for specific criteria supplied by the requester. Once reviewed, the results can be anonymized with an automatically generated term or a custom replacement.
Session Anonymization Improvement	Administrators using the anonymization functionality can now run additional anonymization jobs on the same session reports in case a detail was missed in the initial effort. This helps administrators honor a user's right to erasure requests more quickly.

Updates

Feature Name	Description
Auto-Update Process for Hardened Linux	During the update process, clients now download the update to their own install location and begin the update from there. By executing from the same location, the proper permissions are already in place and allow the update process for hardened Linux systems to be more seamless for Privileged Remote Access administrators.

Features for System Administrators

Mass Deployment

Install BeyondTrust applications on multiple systems simultaneously.

Feature Name	Description
Extractable Access Console	Download a mass-deployable access console to distribute to users prior to or in parallel with upgrading the B Series Appliance.
Mass Deployment Installers	Create mass deployable installer packages for access consoles and Jump Clients.
Mass Import of Endpoints	When creating a large number of Jump shortcuts, you can import them via a spreadsheet in the /login interface or via the API. Importing Jump Items saves time and effort over manually adding each one in the access console.

Identity Management

Define BeyondTrust accounts using existing data on directory servers.

Feature Name	Description
LDAP/Active Directory	Use LDAP/Active Directory to manage BeyondTrust users.
RADIUS [Multifactor]	Use RADIUS for authentication.
Kerberos [Single Sign-on]	Use Kerberos for single sign-on.
Let's Encrypt Support	Let's Encrypt is a service provided by the Internet Security Research Group (ISRG). It is a free, automated, and open certificate authority (CA). In /appliance, you can request and automatically renew SSL/TLS certificates used by your B Series Appliance. Let's Encrypt is configured in the SSL/TLS Configuration section in /appliance for on-premises deployments and the Appliance tab for Cloud deployments.
SAML [Single Sign-on]	Use SAML with an Identity Provider to authenticate BeyondTrust users. Admins can set launching the /login or the /console interfaces after using an IdP. SAML can also be used to log directly into /appliance.
SAML Security Provider API	The Configuration API can enable updates to the available group names within a SAML provider. This facilitates automating the onboarding of new user groups.
Password Managers	Use a password manager such as 1Password or LastPass to log into a mobile access console.
SCIM [Provisioning]	Use SCIM for user provisioning.

Feature Name	Description
TLS 1.3 Protocol	Transportation Layer Security protocol 1.3 is used to ensure secure communication between browsers and webservers. Symmetric cryptography is used to encrypt the data transmitted. The keys are uniquely generated for each connection and are based on a shared secret negotiated at the beginning of the session.
Outbound Proxy Support	A proxy server can be used to send outbound events to a single destination rather than multiple applications. This feature allows administrators to control dataflow from B Series Appliances for outbound events and APIs. This feature allows you to test the connection to verify your settings are correct.

Backup and Redundancy

Monitor and back up the B Series Appliance

Feature Name	Description
Backup Integration Client	Schedule automatic retrieval and storage of software backups.
B Series Appliance Failover	Define and automate redundancy and failover options.
BeyondTrust Atlas Cluster Technology	Atlas technology is available for Privileged Remote Access. With Atlas technology, organizations can manage multiple B Series Appliances across the globe from a single administration interface.
NIC Teaming	Combine your system's physical network interface controllers (NICs) into a single logical interface, adding an additional layer of fault tolerance for your B Series Appliance.

Appliance Migration

Migrate from one appliance type to another.

Feature Name	Description
Appliance Migration Tool	Administrators can use the application migration tool to move from an on-premises appliance to a cloud-based appliance, as well as migrate from a physical appliance deployment to a different deployment type. This functionality can be set up under the new section at /login > Management > Software > Site Migration . It allows API-based communication between the appliances and supports migrations from version 19.2.4 to current.

Integration

Integrate BeyondTrust with external systems.

Feature Name	Description
NEW! App Switcher	If you have the BeyondTrust Identity Security Insights application, you can seamlessly switch between Privileged Remote Access and Identity Security Insights, and any other BeyondTrust applications, with a single click.
BeyondInsight Integration: Reporting and Session Details	Administrators can leverage the BeyondInsight platform for session details and reports of Privileged Remote Access sessions. This integration includes a Dashboard view for Privileged Remote Access sessions, which users can access in the BeyondInsight interface. Administrators who utilize the existing reporting functionality of /login can continue to view session details, reports, and session recordings in the /login interface.

Feature Name	Description
Change Management Workflow Integrations	BeyondTrust access requests can now require a Ticket ID to be entered as part of the request process. Once entered, the request is sent to your change management system where it can programmatically be denied or allowed using the BeyondTrust API.
Custom Links	Configure custom links to include a variable for a session's external key, pointing the URL to an associated CRM record. A user can access this link from within a session.
API	Integrate with external systems and set API permissions.
Custom Fields	Create custom API fields to gather information about the endpoint, enabling you to more deeply integrate BeyondTrust into your organization. You can also make fields and their values visible in the access console.
Password Safe Integration – External Jump Group – Multiple Jumpoints	The External Jump Groups integration with BeyondTrust Password Safe provides users with a simple workflow to extend access capabilities to systems managed by BeyondTrust Password Safe via RDP and SSH. Administrators can define multiple Jumpoints for flexible access to managed systems within Password Safe. It also includes reporting enhancements related to credential injection events.
SNMP Monitoring	Monitor the B Series Appliance using Simple Network Management Protocol (SNMP). You can set up SNMP v3 and v2 on the /appliance interface.
Syslog Integration	Send log messages to an external syslog server.
Integration Client	Transfer session logs, session recordings, and software backups from the B Series Appliance to an external system. Supported systems are Windows-based file systems and Microsoft SQL server. Schedule data transfers to take place automatically.
Governance Integration	Utilize SCIM 2.0 REST Endpoints to provision users and groups to the available security providers.

Additional Integration Options

Additional integration options are available to BeyondTrust customers. Some integrations must be purchased separately from the BeyondTrust software. Contact BeyondTrust Sales for details.

Integration Option	Requirements
Service Desk/Systems Management Integrations Automate your integration of BeyondTrust with various service desk and systems management tools by requesting pre-packaged integration adapters, drastically reducing integration time.	Contact BeyondTrust Sales.
CRM/Ticketing Integration Use the BeyondTrust API to create a simple integration between your CRM and BeyondTrust, allowing users to access a CRM record directly from the BeyondTrust access console.	BeyondTrust API 1.19.0+ For a list of which API versions correspond with which BeyondTrust software versions, see www.beyondtrust.com/docs/privileged-remote-access/how-to/integrations/api/api-version-reference.htm
3rd Party Professional Integration Services Because BeyondTrust's API and Integration Client conform to industry protocols, it is possible for customers to contract with a third-party professional services provider to outsource integration needs.	Contact BeyondTrust Sales for references.

Integration Option	Requirements
BeyondTrust Professional Services Contract with BeyondTrust for custom integration needs.	Contact BeyondTrust Sales.
Security Products Programmatically import BeyondTrust access control logs into your SIEM tool and leverage your password management solution for privileged endpoints.	Contact BeyondTrust Sales.