



BeyondTrust

Network Security Scanner
OS Detection List
Powered By Retina

BeyondTrust Network Security Scanner OS Detection

Network Security Scanner version 6.6.0

Below is a list of operating systems that the Network Security Scanner can discover. The list is broken down by which methods the scanner is able to detect each operating system.

- **Via Credential Access**

- All Windows Operating Systems
- The following Linux-based Operating Systems: Red Hat, Oracle, Amazon Linux, GE Healthcare HELiOS, Scientific Linux, VMware Linux, EMC Celerra, CentOS, Fedora, Solera, Gentoo, Mandrake, Debian, Ubuntu, Linux Mint, OpenSUSE, SuSE Enterprise, GE Healthcare cseLX, Connectiva, Corel, Slackware, and Pacific HiTech Turbo Linux.
- The following Unix-based Operating Systems: AXI, HP Tru64, HP-UX, HP OpenVMS, FreeBSD, OpenBSD, NetBSD, SGI Irix, Juniper JunOS, macOSX, Solaris, and VMware Unix.
- Cisco Appliances: Application Control System, Adaptive Security Appliance, Intrusion Prevention System, PIX Firewall, iOS, CatOS, NX-OS, and SansOS.
- Other Devices: Alcatel/Lucent OmniSwitch, Citrix NetScaler, Brocade Fabric OS, Juniper Router, Juniper Firewall/VPM, EMC Celerra, EMC Clariion, and NetApp.

- **Via Application/NetBIOS Banners (non-credentialed)**

- Windows NT, Windows 2000, Windows XP, Windows Server 2003, Windows Vista, Windows 7, Windows Server 2008, Windows Server 2008R2, Windows 8, Windows 8.1, Windows Server 2012, Windows Server 2012 R2, Windows 10, Windows Server 2016, and Windows Server 2019.
- The following Linux-based Operating Systems: RedHat, Fedora, Mandrake, Ubuntu, Debian, SuSE Enterprise, OpenSuSE, Solaris, FreeBSD, NetBSD, NetApp, HP Integrated Lights-Out, HP OpenVMS, and HP Tru64.

- **Via ODBC**

- Microsoft SQL Server, MySQL, Oracle and Sybase

- **Via SNMP (non-credentialed)**

- Windows, Cisco devices and printers that identify themselves via SNMP

- **Via VMware SOAP API (non-credentialed)**

- VMware ESX

- **Via NMap (non-credentialed)**

- 2N Helios IP VoIP doorbell
- 2Wire BT2700HG-V ADSL modem
- 2Wire 1701HG wireless ADSL modem
- 2Wire 1701HG, 2700HG, 2700HG-B, 2701HG-B, RG2701HG, or 3800HGV-B wireless ADSL modem
- 2Wire 2700HG-B wireless ADSL modem
- 2Wire 2701HG wireless ADSL modem
- 2Wire 2701HG-B wireless ADSL modem
- 2Wire Shasta wireless broadband router
- 3com OfficeConnect 812 ADSL router
- 3Com X5 Unified Security Platform firewall
- 3Com 3016 router

- 3Com OfficeConnect 3CR858-91 router
- 3Com 3924 switch
- 3Com 4200G or Huawei Quidway S5600 switch
- 3Com 4210, or Huawei Quidway S3928P-EI or S5624F switch (VRP 3.10)
- 3Com 4500G switch
- 3Com 5500-EI switch
- 3Com 8810 switch
- 3Com Baseline Switch 2226-SFP Plus
- 3Com Baseline Switch 2250-SFP Plus
- 3Com Baseline Switch 2924-SFP or Cisco ESW-520 switch or Allied Telesis AT-8000 series switch
- 3Com SuperStack 3 Switch 3300
- 3Com SuperStack 3 Switch 3300 TM
- 3Com SuperStack 3 Switch 3300 XM
- 3Com SuperStack 3 Switch 3300 XM, 4200, or 4400 SE
- 3Com SuperStack 3 Switch 3812
- 3Com SuperStack 3 Switch 3870
- 3Com SuperStack 3 Switch 4200 or 4226T
- 3Com SuperStack 3 Switch 4400
- 3Com SuperStack 3 Switch 4400 SE
- 3Com SuperStack 3 Switch 4500
- 3Com SuperStack 3 Switch 4500 or Huawei Quidway AR 18-32 ADSL router
- 3Com SuperStack II Switch 3300
- 3Com SuperStack II Switch 3900-36
- 3Com SuperStack Switch 4200
- 3Com Switch 4200
- 3Com Switch 4200G
- 3Com 7760 WAP
- 3Com OfficeConnect 3CRWDR100A-72 wireless ADSL modem
- 3Com OfficeConnect 3CRWE554G72T wireless broadband router
- 3Com OfficeConnect 3CRWER100-75 wireless broadband router
- 3Com OfficeConnect 3CRWER100-75 wireless router
- 3Com WX1200 Wireless LAN Switch
- 3Com WX2200, Enterasys RBT-8400, or Trapeze Networks MX WAP
- Wireless broadband router (3Com OfficeConnect 3CRWDR100A-72, Philips SNB6500, Sinus 154, SMC SMCWEBT-G, or SMC SMCWBR14-G2)
- 3M CT-30 thermostat
- 3M Filtrete 3M-50 thermostat
- 4G Systems XSBoxGO+ WAP
- A-Tec MS347S or Mapower KC31N NAS device
- Aastra AIP6500 interface card

- Aastra 480i IP Phone or Sun Remote System Control (RSC)
- Aastra 57i VoIP phone
- Aastra 6731i VoIP phone or Apple AirPort Express WAP
- Aastra 6739i VoIP phone
- Aastra A510 VoIP phone
- Aastra Dialog 4425 IP phone
- Aastra RFP L32 IP DECT WAP
- Aceex BR41 broadband router
- Acer S5200 projector
- Acme Packet Net-Net 4250 VoIP session border controller
- Acorp W400G or W422G wireless ADSL modem (MontaVista embedded Linux 2.4.17)
- Actiontec GT701 DSL modem
- Actiontec MI424WR-GEN3I WAP
- Actiontec R3010UW wireless broadband router
- Adaptec RAID 4000 I/O controller
- Adaptec Snap Server 100 NAS device
- Adaptec Snap Server 100 NAS device
- ADIC Scalar 1000 tape library remote management unit
- Adtran NetVanta switch (AOS 10.4 - 10.9)
- Adtran AOS 18.02.01.00.E
- Adtran NetVanta 1224R or 3430 router
- Adtran NetVanta 3200 or Total Access 908 ADSL router
- Adtran Total Access 5000 router
- Adtran Total Access 624 router
- Adtran Total Access 904 router
- Adtran 424RG FTTH gateway
- Adtran MX2800 multiplexer
- Advanced Illumination DCS-100E lighting controller
- Aerohive HiveOS 3.4
- Aerohive HiveOS 5.1
- Aerohive HiveOS 6.1
- Aerohive HiveOS 6.8
- Aerohive HiveOS 7.1
- Aethra Starvoice 1042 ADSL router
- Aethra Vega X3 teleconference system
- Agfa DryStar 5500 printer
- Airaya AI108-4958-O-300 wireless Ethernet bridge
- Airlink101 APS MFP210 multi-functional print server
- AirLive WT-2000R, D-Link DI-524 or DI-604, SMC SMC7004VBR, or ZYXEL Prestige 320W broadband router

- AirMagnet SmartEdge wireless sensor; or Foscam FI8904W, FI8910W, or FI8918W, or Instar IN-3010 surveillance camera (Linux 2.4)
- AirSpan ProST WiMAX access point
- Airvana C1-600-RT signal booster (Linux 2.6.21)
- AKCP sensorProbe2 remote sensor device
- Alaxala AX2400S-series switch
- Alcatel SpeedTouch 510 DSL modem
- Alcatel SpeedTouch Pro ADSL Modem
- Alcatel 4400 PBX (Chorus MiX V.3.2 r4.1.5 COMP-386)
- Alcatel OmniStack 6024 or Enterasys Vertical Horizon VH-2402S2 switch, or Dell 1815dn or Samsung SCX-6x22 printer
- Alcatel OmniSwitch 7000
- Alcatel 4035 VoIP phone
- Alcatel OneTouch Y580D Wireless hotspot
- Alcatel-Lucent OmniPCX Enterprise A4400 PBX
- Alcatel-Lucent OmniPCX Enterprise PBX (Linux 2.4.17)
- Alcatel-Lucent OmniPCX GD3 PBX (Linux 2.6.23)
- Alcatel-Lucent OmniSwitch 6000 switch (firmware 6.3.1)
- Alcatel-Lucent OmniSwitch 6000 switch or Quantum DXi8500 NAS device
- Alcatel-Lucent OmniSwitch 6850 switch
- Alcatel-Lucent 7750 Service Router (SR OS 9.0.R9)
- Sirio by Alice VoIP phone
- Allen Bradley MicroLogix 1100 PLC
- Allen-Bradley 1756 ControlLogix programmable automation controller
- Allen-Bradley 1756-EN2T/C programmable logic controller
- Allen-Bradley PLC-5 programmable logic controller
- Broadband router (Allied Data CopperJet, Belkin F5D7632-4, Intracom Jetspeed 500i, or Iskratel Sinope568 or Proteus932); or Adva Optical FSP 150CC-825 router
- Allied Telesis AlliedWare version 54291-05
- Allied Telesis AT-8000S; Dell PowerConnect 2824, 3448, 5316M, or 5324; Linksys SFE2000P, SRW2024, SRW2048, or SRW224G4; or TP-LINK TL-SL3428 switch
- Allied Telesis AT-9000 switch
- Allied Telesis AT-9000, AT-FS750, or GS950 switch
- Allied Telesyn AT-AR300L CentreCOM router
- Allied Telesyn AT-AR410 router
- Allied Telesyn AT-AR750s router
- Allied Telesyn 8326GB switch
- Allied Telesyn AT-8326GB or AT8350GB switch.
- Allied Telesyn AT-8350GB switch
- Allied Telesyn AT-9006SX/SC switch
- Allied Telesyn AT-9448Ts/XP switch

- Allied Telesyn AT-GS950 Gigabit Ethernet Switch
- Allied Telesyn AT-GS950 or D-Link DES-3226L switch or D-Link DSL-2750U router
- Allied Telesyn Rapier 24i switch
- Allied Telesyn Rapier G6 switch
- Allnet 2210 webcam, Cisco MDS 9124 or 9216i switch (SAN-OS 3.1 - 3.2), or Nortel IP
- Phone 1535
- Allworx 9212 VoIP phone
- Alvarion BreezeACCESS II broadband wireless access system 4.5.17
- Alvarion CPE-Si-E-2.3 BreezeMAX WiMAX WAP
- Amazon Kindle Paperwhite
- Ambit DOCSIS 2.0 cable modem, or Xerox Phaser 6250N, 6350DT, or 8560MFP printer
- Ambit U10C018 or Cisco EPC3925 cable modem, or Tandberg video conferencing system
- AmigaOS 3.1 - 3.9
- AmigaOS 3.9 BB2
- AMX AVB-RX-DXLINK-HDMI audio/video receiver
- Anue X/GEM ethernet network simulator
- APC power distribution unit (AOS 2.7.0)
- APC AP7851 power distribution unit (AOS 2.7.0)
- APC AP7920 rack PDU (AOS 2.7.0)
- APC AP9606 Network Management Card (AOS 2.5.4 - 3.2.6)
- APC 7940 or 7723 Network Management Card (AOS 3.7.3 - 3.7.4)
- APC 9340 Network Management Card (AOS 3.5.7)
- APC AOS 3.7.4
- APC AP7900-series power distribution unit (AOS 3.x)
- APC AP7930 power distribution unit (AOS 3.3.4)
- APC AP9619 Network Management Card (AOS 3.3.1 - 3.6.1)
- APC MasterSwitch power distribution unit (AOS 3.0.3)
- APC Network Management Card
- APC Network Management Card (AOS 3.3.4 - 3.5.5)
- APC Network Management Card (AOS 3.5.7 - 3.5.8)
- APC Smart-UPS (AOS 3.3.4)
- APC AOS 5
- APC Smart-UPS (AOS 5)
- APC Smart-UPS (AOS 5.1.1)
- APC NetBotz 200 rack monitor
- APC Silicon DP320E UPS
- APC Smart-UPS 3000 RM UPS
- APC Smart-UPS RT 8000 RM XL UPS
- APC AP9319 Environmental Monitoring Unit or Smart-UPS 1000 RM UPS
- Apple A/UX 3.0.1 - 3.1.1 SVR2

- Apple A/UX 3.1.1 SVR2
- Apple TV 5
- Apple TV 5.2.1 or 5.3
- Apple AirPort Extreme WAP or Time Capsule NAS device (NetBSD)
- Apple Time Capsule NAS device
- Apple AirPort Express WAP or AMX NI-3100 controller (VxWorks)
- Apple AirPort Extreme 802.11ac WAP or Time Capsule NAS device or NetBSD 6.1
- Apple AirPort Extreme WAP
- Apple AirPort Extreme WAP or Time Capsule NAS device
- Apple AirPort Extreme WAP or Time Capsule NAS device (NetBSD 4.99)
- Apple iOS 10
- Apple iOS 11.0
- Apple iOS 4.3.3
- Apple iPad tablet computer (iOS 4)
- Apple iPad tablet computer (iOS 4.3.2)
- Apple iPad tablet computer (iOS 4.3.3)
- Apple macOS X 10.7.3 (Lion) or iOS 4.2.1 - 4.3.4 (Darwin 10.4.0 - 11.3.0)
- Apple iOS 4.0
- Apple iOS 4.1 - 4.2.1
- Apple iOS 4.3.1 - 4.3.5
- Apple iPad tablet computer or iPhone mobile phone (iOS 4.0 - 4.1)
- Apple iPhone 4 mobile phone (iOS 4.1)
- Apple iPhone mobile phone (iOS 4.3.2)
- Apple iPhone mobile phone (iOS 4.3.3)
- Apple macOS X 10.5 (Leopard) - 10.6.8 (Snow Leopard) or iOS 4.0 - 4.2.1 (Darwin 9.0.0b5 - 10.8.0)
- Apple iOS 5.0
- Apple iOS 5.0.1
- Apple iOS 5.0.1 - 5.1.1
- Apple iOS 5.1.1
- Apple iOS 5.1.1 - 6.1
- Apple OS X 10.8 (Mountain Lion) - 10.9 (Mavericks) or iOS 5.0.1 - 5.1.1 (Darwin 11.0.0 - 13.2.0)
- Apple iOS 6
- Apple iOS 6.1.3
- Apple iOS 6.0.1
- Apple iOS 6.1.2
- Apple iOS 6.1.4 (Darwin 13.0.0)
- Apple iOS 7
- Apple iOS 7.1 or 9.3 (Darwin 14.0.0 - 15.4.0)
- Apple iOS 7.1.1
- Apple iOS 8.0 - 8.1 (Darwin 14.0.0)

- Apple iOS 8.1.2 (Darwin 14.0.0)
- Apple iOS 8.3 (Darwin 14.0.0)
- Apple iOS 8.4 - 9.3 (Darwin 14.0.0 - 15.6.0)
- Apple OS X 10.10 (Yosemite) or iOS 8.3 - 9.0.1 (Darwin 14.0.0 - 15.0.0)
- Apple iOS 9 (Darwin 15.0.0)
- Apple iOS 9.0 (Darwin 15.0.0)
- Apple iOS 9.3.2 (Darwin 15.5.0)
- Apple iPod touch audio player (iPhone OS 1.1.2 - 1.1.4, Darwin 9.0.0d1)
- Apple iPod touch audio player (iPhone OS 1.1.3, Darwin 9.0.0d1)
- Apple iPhone mobile phone (iPhone OS 2.1)
- Apple iPhone mobile phone or iPod touch audio player (iPhone OS 1.0.2 - 1.1.3, Darwin 9.0.0d1)
- Apple iPhone mobile phone (iPhone OS 2.1 - 2.2, Darwin 9.4.1)
- Apple iPod touch audio player (iPhone OS 2.1)
- Apple iPod touch audio player (iPhone OS 2.2)
- Apple iPhone mobile phone (iPhone OS 2.0.2)
- Apple iPhone mobile phone (iPhone OS 2.1)
- Apple iPhone mobile phone (iPhone OS 2.2)
- Apple iPhone mobile phone (iPhone OS 2.2.1)
- Apple iPhone mobile phone (iPhone OS)
- Apple iPhone mobile phone or iPod touch audio player (iPhone OS 2.0.1 - 2.0.2, Darwin 9.3.1)
- Apple iPhone mobile phone or iPod touch media player (iPhone OS 2.1 - 2.2.2, Darwin 9.4.1)
- Apple iPod touch media player (iPhone OS 2.1)
- Apple iPad tablet computer (iPhone OS 3.2)
- Apple iPhone mobile phone or iPod touch media player (iPhone OS 3.0 - 3.1.2)
- Apple iPhone 3GS mobile phone (iPhone OS 3.2)
- Apple iPhone mobile phone (iPhone OS 3.0 - 3.1.2)
- Apple iPhone mobile phone (iPhone OS 3.0 - iOS 4.2.1)
- Apple iPhone mobile phone or iPod touch media player (iPhone OS 3.0 - 3.2, Darwin 10.0.0d3)
- Apple iPhone OS 3
- Apple iPhone OS 3.0.1
- Apple iPhone OS 3.1.2
- Apple iPhone OS 3.1.2 - iOS 4.2.1
- Apple iPhone mobile phone (iPhone OS, Darwin 9.3.1)
- Apple macOS X Server 10.1 (Darwin 5.5)
- Apple macOS 10.12.1 (Sierra) (Darwin 16.1.0)
- Apple macOS X Server 10.2.8 (Jaguar) (Darwin 6.8, PowerPC)
- Apple macOS X 10.3.9 (Panther) (Darwin 7.9.0, PowerPC)
- Apple macOS X 10.3.9 (Panther) - 10.4.5 (Tiger) (Darwin 7.9.0 - 8.5.0, PowerPC)
- Apple macOS X 10.3.9 (Panther) - 10.4.7 (Tiger) (Darwin 7.9.0 - 8.7.8, PowerPC)
- Apple macOS X Server 10.3.9 (Panther) (Darwin 7.9.0, PowerPC)

- Apple macOS X 10.4 (Tiger) (Darwin 8.0.0)
- Apple macOS X 10.4 (Tiger) (Darwin 8.11.0)
- Apple macOS X 10.4.10 (Tiger) (Darwin 8.10.0, PowerPC)
- Apple macOS X 10.4.10 (Tiger) (Darwin 8.10.1)
- Apple macOS X 10.4.10 - 10.4.11 (Tiger) (Darwin 8.10.0 - 8.11.1)
- Apple macOS X 10.4.11 (Tiger) (Darwin 8.11.0)
- Apple macOS X 10.4.11 (Tiger) (Darwin 8.11.0, PowerPC)
- Apple macOS X 10.4.8 - 10.4.11 (Tiger) (Darwin 8.8.0 - 8.11.0)
- Apple macOS X 10.4.8 - 10.4.11 (Tiger) (Darwin 8.8.0 - 8.11.0, PowerPC)
- Apple macOS X 10.4.8 - 10.4.11 (Tiger) (Darwin 8.8.0 - 8.11.1)
- Apple macOS X 10.4.8 - 10.4.9 (Tiger) (Darwin 8.8.0 - 8.9.0, PowerPC)
- Apple macOS X 10.4.9 (Tiger) (PowerPC)
- Apple macOS X 10.4.9 - 10.4.10 (Tiger) (Darwin 8.11.0 - 8.11.1, PowerPC)
- Apple macOS X 10.5 (Leopard) (Darwin 9.0.0)
- Apple macOS X 10.5 (Leopard) (Darwin 9.0.0b4, x86)
- Apple macOS X 10.5 (Leopard) (Darwin 9.2.2, x86)
- Apple macOS X 10.5 (Leopard) - 10.6.7 (Snow Leopard) (Darwin 9.0.0 - 10.7.0)
- Apple macOS X 10.5.2 (Leopard) - 10.6.7 (Snow Leopard) or iOS 4.0.1 - 4.2.1 (Darwin 9.2.0 - 10.7.0)
- Apple macOS X 10.5.3 (Leopard) (Darwin 9.3.0)
- Apple macOS X 10.5.3 - 10.5.4 (Leopard) (Darwin 9.3.0 - 9.4.0)
- Apple macOS X 10.5.4 (Leopard) (Darwin 9.4.0)
- Apple macOS X 10.5.4 (Leopard) (Darwin 9.4.0)
- Apple macOS X 10.5.5 (Leopard) (Darwin 9.5.0)
- Apple macOS X 10.5.5 (Leopard) - 10.6.6 (Snow Leopard) (Darwin 9.5.0 - 10.6.0)
- Apple macOS X 10.5.6 (Leopard) (Darwin 9.5.0)
- Apple macOS X 10.5.6 (Leopard) (Darwin 9.6.0)
- Apple macOS X 10.5.6 (Leopard) - 10.6.2 (Snow Leopard) (Darwin 9.6.0 - 10.2.0)
- Apple macOS X 10.5.7 (Leopard) (Darwin 9.7.0)
- Apple macOS X 10.5.8 (Leopard) (Darwin 9.8.0)
- Apple macOS X Server 10.5 (Leopard) pre-release build 9A284
- Apple macOS X Server 10.5.1 (Leopard) (Darwin 9.1.0)
- Apple macOS X 10.5.8 (Leopard) - 10.6.4 (Snow Leopard) (Darwin 9.8.0 - 10.4.0)
- Apple macOS X 10.6 (Snow Leopard) (Darwin 10.0.0)
- Apple macOS X 10.6.2 (Snow Leopard) (Darwin 10.2.0)
- Apple macOS X 10.6.3 (Snow Leopard) (Darwin 10.3.0)
- Apple macOS X 10.6.4 (Snow Leopard) (Darwin 10.4.0)
- Apple macOS X 10.6.5 (Snow Leopard) (Darwin 10.5.0)
- Apple macOS X 10.6.6 (Snow Leopard) (Darwin 10.6.0)
- Apple macOS X 10.6.7 (Snow Leopard) (Darwin 10.7.0)
- Apple macOS X 10.6.8 (Darwin 10.8.0)

- Apple macOS X 10.6.8 (Leopard) (Darwin 10.8.0)
- Apple macOS X 10.6.8 (Snow Leopard) (Darwin 10.8.0)
- Apple macOS X 10.7.0 (Lion) - 10.12 (Sierra) or iOS 4.1 - 9.3.3 (Darwin 10.0.0 - 16.4.0)
- Apple macOS X 10.7.0 - 10.7.3 (Lion) (Darwin 11.0.0 - 11.3.0)
- Apple macOS X 10.7.0 - 10.7.4 (Lion) (Darwin 11.0.0 - 11.3.0)
- Apple macOS X 10.7.0 - 10.7.4 (Lion) (Darwin 11.0.0 - 11.4.0) or iPhone mobile phone (iOS 4.3.2)
- Apple macOS X 10.7.0 - 10.7.5 (Lion) (Darwin 11.0.0 - 11.4.2)
- Apple macOS X 10.7.2 (Lion) (Darwin 11.2.0)
- Apple macOS X 10.7.2 (Lion) (Darwin 11.2.0) or iOS 4.3.3 - 4.3.5
- Apple macOS X 10.7.2 - 10.7.3 (Lion) (Darwin 11.2.0 - 11.3.0)
- Apple macOS X 10.7.3 (Lion) (Darwin 11.3.0)
- Apple macOS X 10.7.4 (Lion) (Darwin 11.4.0)
- Apple macOS X 10.7.4 (Lion) (Darwin 11.4.0) or Apple TV (iOS 4.3)
- Apple macOS X 10.7.4 (Lion) (Darwin 11.4.2)
- Apple macOS X 10.7.4 - 10.7.5 (Lion) (Darwin 11.4.2)
- Apple macOS X 10.7.5 (Lion) (Darwin 11.4.2)
- Apple macOS X 10.7.5 (Lion) (Darwin 11.4.2)
- Apple macOS X 10.7.5 (Mountain Lion) (Darwin 11.4.2)
- Apple macOS X 10.7.0 - 10.7.5 (Lion) or iOS 4.2 - 5.0.1 (Darwin 10.4.0 - 11.4.2)
- Apple macOS 8.1 - 8.6
- Apple macOS 9.0.4 - 9.2
- Apple macOS 9.2
- Apple macOS 10.12 (Sierra) (Darwin 16.0.0 - 16.6.0)
- Apple macOS 10.12 (Sierra) (Darwin 16.1.0)
- Apple macOS 10.12 (Sierra) (Darwin 16.4.0)
- Apple macOS 10.12 (Sierra) (Darwin 16.6.0)
- Apple macOS 10.12.5 (Sierra)
- Apple macOS 10.13 (High Sierra) (Darwin 17.0.0)
- Apple AirPort Express WAP (NetBSD)
- Apple AirPort Extreme WAP (NetBSD 4.99)
- Apple Time Capsule NAS device (NetBSD 4.99)
- Apple AirPort Extreme WAP or Time Capsule NAS device (NetBSD 4.99), or QNX RTOS 6.5.0
- Apple AirPort Extreme WAP (version 7.7.3)
- Apple AirPort Extreme WAP (version 7.7.3)
- Apple OS X 10.10 (Yosemite) (Darwin 14.0.0)
- Apple OS X 10.10 (Yosemite) - 10.11 (El Capitan) (Darwin 14.0.0 - 15.0.0)
- Apple OS X 10.10 (Yosemite) - 10.11 (El Capitan) (Darwin 14.0.0 - 15.0.0)
- Apple OS X 10.10 (Yosemite) - 10.12 (Sierra) (Darwin 14.0.0 - 16.1.0)
- Apple OS X 10.10.2 (Yosemite) (Darwin 14.1.0)
- Apple OS X 10.10.2 (Yosemite) - 10.11.1 (El Capitan) or iOS 9 (Darwin 14.1.0 - 15.0.0)

- Apple OS X 10.10.3 (Yosemite) - 10.11.0 (El Capitan) (Darwin 14.3.0 - 15.0.0)
- Apple OS X 10.10.5 (Darwin 14.5.0)
- Apple OS X 10.11 (El Capitan) (Darwin 15.0.0)
- Apple OS X 10.11.2 (El Capitan) (Darwin 15.2.0)
- Apple OS X 10.11 (El Capitan) - 10.12 (Sierra) or iOS 10.1 - 10.2 (Darwin 15.4.0 - 16.6.0)
- Apple OS X 10.8 (Mountain Lion)
- Apple OS X 10.8 (Mountain Lion) (Darwin 12.4.0)
- Apple OS X 10.8 (Mountain Lion) - 10.9 (Mavericks) (Darwin 12.0.0 - 13.4.0) or iOS 5.0.1
- Apple OS X 10.8 (Mountain Lion) - 10.9 (Mavericks) or iOS 5.1.1 - 6.1.5 (Darwin 12.0.0 - 13.4.0)
- Apple OS X 10.8 (Mountain Lion) - 10.9.5 (Mavericks) (Darwin 12.0.0 - 13.4.0)
- Apple OS X 10.8 - 10.8.1 (Mountain Lion) (Darwin 12.0.0 - 12.1.0)
- Apple OS X 10.8.2 (Mountain Lion) (Darwin 12.2.0)
- Apple OS X 10.9 (Mavericks) (Darwin 13.0.0 - 13.0.2)
- Apple OS X 10.9 (Mavericks) (Darwin 13.0.0 - 13.2.0)
- Apple OS X 10.9 (Mavericks) (Darwin 13.0.0)
- Apple OS X 10.9.3 (Mavericks) (Darwin 13.2.0)
- Arcor-Easy Box A 300 WLAN wireless ADSL router
- Areca ARC-1212 or ARC-1222 RAID controller or Siemens HiPath 3500 PBX
- Argon iNet3+ internet radio
- Argon iNet3+ internet radio
- Argosy HD363N NAS device
- Asmax NAS-USB print server; or Argosy HD354N, Freecom Network Drive, or Iomega Home Media Network Hard Drive NAS device
- Arris cable modem (Linux 2.6.18)
- Arris SB6183 cable modem
- Arris TG562G/CT cable modem
- Arris TG862G/CT cable modem
- Arris TM502G or TM602B cable modem
- Arris TG862 WAP
- Aruba 200 wireless LAN controller (ArubaOS 3.3.2.5)
- Aruba 3400 or 6000 wireless LAN controller (ArubaOS 3.3.2)
- Aruba A800 wireless LAN switch
- Aruba 100-series access point (ArubaOS 6.4.0.2)
- Aruba Instant AP (ArubaOS 6.4.2.6)
- ArubaOS 6.3
- ArubaOS 6.4.2.6
- ArubaOS 6.4.4.8
- Aruba IAP-105 WAP
- Aruba IAP-93 WAP
- Aruba Instant WAP

- Asus RT-AC66U router (Linux 2.6)
- Asus O!Play media player (Linux 2.6.12)
- Asus Zenfone 5 (Android 4.4.2)
- Asus RX4031 or TRENDnet TW100-S4W1CA router
- Asus 4G-N12 WAP
- Asus RT-53N WAP
- ASUS RT-N11 EZ or D-Link DI-524 WAP, or LevelOne FBR-1415TX router
- ASUS RT-N56U WAP (Linux 3.4)
- Asus RT-N66U WAP (Linux 2.6)
- Asus WL-500g WAP
- Asus WL-500gP wireless broadband router
- AT&T NetGate SG8100 router
- AT&T 3G MicroCell WAP
- Atari Unix System V Release 4.0
- Atcom AT-320 VoIP phone
- AudioCodes MediaPack 118 or Mediant 1000 VoIP adapter
- Audiocodes MP-1XX-series VoIP adapter or Brother HL-2270DW printer
- AudioControl D3400 network amplifier
- Avaya 4000- or 5000-series Ethernet Routing switch
- Avaya 4526GTX switch
- Avaya P130 workgroup switch
- Avaya P330 Stackable Switch
- Avaya P580 switch running Cajun Switch Agent v5.4.2
- Avaya P880 switch running Cajun Switch Agent v5.3.2
- Avaya Intuity Audix Multimedia Messaging System
- Avaya G350 Media Gateway VoIP adapter
- Avaya IP Office 8.1
- Avaya Office IP403 VoIP adapter
- Avaya Office IP500 VoIP adapter
- AVM FRITZ!Box Fon 7170 ADSL modem
- AVM FRITZ!Box FON WLAN 7050, Linksys WAG200G, or Netgear DG834GT wireless broadband router
- AVM FRITZ!Box FON WLAN 7170 WAP
- AVM FRITZ!Box FON WLAN 7240 WAP
- AVM FRITZ!Box (FritzOS 6.20)
- AVM FRITZ!Box (FritzOS 6.03)
- AVM FRITZ!Box FON WLAN 7390 (FritzOS 6.01)
- AVM FRITZ!WLAN Repeater 450E (FritzOS 6.51)
- Avocent ACS 5000 console server (Linux 2.6.11)
- Avocent AutoView, DSR2020, or DSR8020 KVM switch
- Avocent DSR1021 KVM switch

- Avocent DSR2035 KVM switch
- Avocent MergePoint Unity MPU2016DAC KVM switch
- Avocent SwitchView 1010 remote access device
- Avocent/Cyclades ACS 6000
- Avocent DSR1030 KVM over IP switch
- Avocent ACS5016 console server (Linux 2.6.22)
- AVtech Room Alert 26W environmental monitor
- AVtech AVC 773W digital video recorder
- AVtech digital video recorder
- Axceint Uptiva backup appliance
- AXIS 5550 print server
- AXIS 70U Network Document Server
- AXIS 205 Network Camera, Buffalo TeraStation NAS device, Linksys WAP54G WAP, or Sony SNC-RZ50N network camera
- AXIS 206 Network Camera
- AXIS 207W Network Camera
- AXIS 2100 Network Camera
- AXIS 2120 Network Camera
- Axis M3006-V network camera
- AzBox Bravissimo Twin satellite TV decoder
- Barracuda Spam Firewall model 400
- Barracuda Web Application Firewall 460
- Barracuda 340 load balancer
- Barracuda Web Filter
- Barrelfish before release2011-09-02
- Basler ruL 2098-10gc GigE Vision Ethernet camera
- Bay Networks Annex Ethernet-to-serial bridge or Xerox DocuPrint N32 printer
- Bay Networks BayStack 450 switch (software version 3.1.0.22)
- Bay Networks BayStack 450 switch (software version 4.2.0.16)
- BeaconMedaes TotalAlert medical gas alarm
- Beat MIB MusicButler
- BECK IPC@CHIP
- Belkin F5L009 power adapter
- Belkin OmniView KVM switch or SMA Sunny WebBox solar panel monitor
- Belkin F1DR101N KVM console
- Belkin F5D7230-4 WAP
- Belkin F5D7230-4 WAP or SMC SMC7008ABR router
- Belkin F5D8233 WAP
- Belkin F5D8236 or N150 WAP
- Belkin F6D4630-4 v1 WAP

- Belkin F7D2301 WAP or Philips CIA6720NB ADSL modem
- Belkin N300 WAP (Linux 2.6.30)
- Belkin N600 DB WAP
- Belkin Wireless Pre-N Router
- Bell Labs Plan 9 4th edition
- Bell Labs Plan 9 edition
- Billion 7402VGP DSL router
- Billion 7404VGO-M or Zoom X6 DSL router
- Billion 7404VGP-M ADSL router
- Billion WRT610n WAP
- BinTec RS232bw ADSL modem
- BinTec BinGO! ISDN router
- BinTec Brick-XM router
- BinTec R3400 WAP
- BinTec X4000 access router
- BinTec R1200 WAP
- Blackboard transaction system serial-to-IP converter
- BlackBoard AT3000 POS device
- BlackBox Coalesce wireless collaborations system (Android 5.1)
- Blue Coat CacheFlow 5000 proxy server
- Blue Coat CacheFlow 5000 proxy server
- Blue Coat PacketShaper appliance
- Blue Coat proxy server (SGOS 3.2.4.8)
- Blue Coat proxy server (SGOS 4.1 - 4.2)
- Blue Coat SG200 proxy server (SGOS 4.2.2.8 - 4.2.6.1)
- Blue Coat SG810 proxy server (SGOS 4.2.3.26)
- Blue Coat SGOS 4.2.2.2
- Blue Coat SG200 proxy server (SGOS 5.1.4.4)
- Blue Coat SG210 proxy server (SGOS 5.2.3.3 - 5.2.3.9)
- Blue Coat SG510 or SG9000 proxy server (SGOS 5.2.2.5 - 5.5.4.1)
- Blue Coat SG510-series proxy server (SGOS 5.1.3.7)
- Blue Coat SG810 web proxy (SGOS 5.3.1.9 - 5.3.3.1)
- Blue Coat SGOS 5.5.1.1
- Blue Coat SGOS 5.5.3.1
- Blue Coat proxy server (SGOS 6.2.5.1 - 6.2.8.1)
- Blue Coat proxy server (SGOS 6.3.2.201)
- Blue Coat proxy server (SGOS 6.5.3.2)
- Blue Coat ProxySG proxy server (SGOS 6.4)
- BlueArc Titan 2100 NAS device
- Hitachi BlueArc OS 7.0

- Bluebird SuperDOS
- Bluebird SuperDOS
- Bosch Divar security system
- Bosch IP camera
- Bose SoundTouch 20 audio receiver
- Boundless Technologies NetTerminal text terminal
- Audio receiver: Bose Soundtouch 20, Bowers & Wilkins Zeppelin Air, Denon AVR-1900-series, Marantz NR1602, or Pioneer VSX-921
- British Gas GS-Z3 data logger
- BroadMax LinkMAX HSA300A-2 ADSL modem
- Brocade FCX-series switch
- Brocade ICX 6610 switch
- Brocade Layer 2 switch
- Brocade Turbolron 24X or ICX6550 switch
- Brocade Fabric OS 4.4.0 (Linux 2.4.19)
- Brocade Fabric OS 7.4.1 (Linux 2.6.14)
- Brother NC-130h print server
- Brother NC-2100p print server
- Brother NC-3100h print server
- Brother DCP-540CN printer
- Brother DCP-7065DN printer
- Brother DCP-7070DW printer
- Brother DCP-8045D printer
- Brother DCP-8065D printer
- Brother DCP-L2540DN printer
- Brother HL-1270N printer
- Brother HL-1870N printer
- Brother HL-2070N or MFC-5460CN printer
- Brother HL-2070N printer
- Brother HL-2250DN printer
- Brother HL-2270DW printer
- Brother HL-2700CN printer
- Brother HL-3170CDW printer
- Brother HL-495CW printer
- Brother HL-5070N printer
- Brother HL-5170DN printer
- Brother HL-5250DN or DCP-8065D printer
- Brother HL-5250DN printer
- Brother HL-5370DW or MFC-7840W printer
- Brother HL-5380dn printer

- Brother MFC-420CN printer
- Brother MFC-425CN printer
- Brother MFC-5840CN printer
- Brother MFC-5860CN printer
- Brother MFC-640CW printer
- Brother MFC-7820N or MFC-9420CN printer
- Brother MFC-7820N printer
- Brother MFC-8460N or HL-2250DN or HP LaserJet P2015, 2600n, or 3055 printer; or Sony SNC-Z20N network camera
- Brother MFC-8480DN printer
- Brother MFC-9420CN printer
- Brother MFC-9970CDW printer
- Brother MFC-J415W printer
- Brother MFC-J615W, MFC-9325CW, or HL-5370DW printer
- Brother MFC-J625DW printer
- Brother MFC-J6510DW printer
- 2.11BSD
- 4.1C BSD
- 4.3BSD
- BSDI BSD/OS 4.2
- Buffalo Cloudstor NAS device
- Buffalo DriveStation HD-CE1.0TLU2 NAS device
- Buffalo LinkStation Live NAS device
- Buffalo LinkStation NAS device
- Buffalo LinkStation Quad LS-QL
- Buffalo LS-WXL NAS device
- Buffalo TeraStation NAS device
- Buffalo TeraStation Pro II NAS device
- Buffalo TeraStation Pro III NAS device
- Buffalo BS-GS switch
- Bush BFSAT01HD satellite receiver
- C-Nav 3050 GPS receiver
- cab A4+/300 label printer
- Cabletron ELS100-24TXM switch
- Cabletron ELS100-24TXM Switch or Icom IC-7800 radio transceiver
- Cabletron or Enterasys switch (6G- or 6H-series)
- CAEN SY2527 high voltage power supply
- Caldera Open Unix 7.1.0
- Calix C7 switch (R5.0)
- Linksys WAP11 WAP; or Cameo SOHO-IS104A or SMC SMCWBR14-G or SMC2804WBR broadband router

- Canon CLC4040 printer
- Canon i-SENSYS LBP6310dn printer
- Canon i-SENSYS MF5490dn printer
- Canon imageCLASS D1320 printer
- Canon imageCLASS LBP6300dn printer
- Canon imageCLASS LBP6300dn printer
- Canon imageCLASS MF212w printer
- Canon imageCLASS MF4500-, MF4700-, or MF4800-series printer
- Canon imageRUNNER 1024 laser printer
- Canon imageRUNNER 2020 or Kyocera FS-4000DN printer
- Canon imageRUNNER 2270, 4570, or 6570 laser printer (VxWorks)
- Canon imageRUNNER 2520 printer
- Canon imageRUNNER 2525 printer (VxWorks)
- Canon imageRUNNER 3300 printer or Motorola SURFboard SBG900 wireless cable modem
- Canon imageRUNNER ADVANCE 4235, 6275, 6255, or C2220 copier
- Canon imageRUNNER ADVANCE C3320i or C3325 copier
- Canon imageRUNNER ADVANCE C5051 printer
- Canon imageRUNNER C2380 or C2880i or Xerox Phaser 8860MFP printer
- Canon imageRUNNER C3100 or C6800 printer
- Canon imageRUNNER C3200 printer or Polycom SoundStation IP 4000 VoIP phone
- Canon imageRUNNER C3580 printer
- Canon imageRUNNER C5185 printer
- Canon MF4360-4390 or 4370dn printer
- Canon PIXMA iX7000 or NP-980 printer
- Canon PIXMA MG2920 printer
- Canon PIXMA MG5200 printer
- Canon PIXMA MP495 or MG6150 printer
- Canon PIXMA MP560, MP620, MG5220, MG5550, MG6100, or MX800-series printer
- Canon PIXMA MP600R or MX700 printer
- Canon PIXMA MP800R or 4000R printer
- Canon PIXMA MX340, MP495, MP620, MG3100, MG6200, MX860, MX870, or MX890 printer
- Canon PIXMA MX800-series printer
- Canon PIXMA MX850 printer
- Canon PIXMA printer
- Canon Pixma printer
- Canon 80D camera
- Canon VB-C300 IP camera
- Casio QT-6000 or QT-6100 point-of-sale machine
- Cayman Systems GatorBox CS
- Check Point SBox-200 firewall

- Check Point UTM-1 Edge X firewall
- Check Point VPN-1 UTM appliance
- Check Point ZoneAlarm Z100G firewall
- Check Point NGX R65 firewall (IPSO 4.2)
- Check Point VPN-1 firewall (IPSO 4.1)
- CipherLab 5100 time and attendance terminal
- Cisco Content Engine CE590 running Application and Content Networking System Software 5.5.5
- Cisco WAE-512 Wide Area Application Engine (ACNS 5.5.5.4)
- Cisco AireOS 8.0.140.0
- Cisco AireOS 8.2 (Linux 2.6.21)
- Cisco 2500- or 5500-series Wireless Controller (AireOS 7 - 8)
- Cisco 2500-series Wireless LAN Controller (AireOS)
- Cisco Adaptive Security Appliance (ASA 7.2)
- Cisco Adaptive Security Appliance (ASA 8.4)
- Cisco Adaptive Security Appliance 5510 or 5540 firewall (ASA 8.0)
- Cisco Adaptive Security Appliance (ASA 9.2)
- Cisco IronPort C160 or C170 email security appliance (AsyncOS 7)
- Cisco IronPort C650 email security appliance (AsyncOS 7.0.1)
- Cisco C370 Email Security Appliance (AsyncOS 8.0.1)
- Cisco M670 Content Security Management appliance (AsyncOS 8.1.1)
- Cisco AsyncOS 9.6 - 9.7
- Cisco Catalyst WS-C5000 switch (CatOS 4.5(1))
- Cisco 2948G switch (CatOS 6.3)
- Cisco Catalyst 2820 switch (CatOS 5.37)
- Cisco Catalyst 4912 (CatOS 6.4)
- Cisco Catalyst WS-C6509 switch (CatOS 6.3)
- Cisco Catalyst 2948G, 4003, 4006, or 6509 switch (CatOS 7.6(17) - 8.4(3))
- Cisco Catalyst WS-C6506 switch (CatOS 7.6(16))
- Cisco Catalyst switch (CatOS 8.3(2))
- Cisco Catalyst WS-C4506 switch (CatOS 8.1(1))
- Cisco 827H ADSL router (IOS 12.2)
- Cisco EPC3208 cable modem
- Cisco EPC3208 or EPC3212 cable modem
- Cisco EPC3212 or Scientific Atlanta WebSTAR EPX2203 cable modem
- Cisco EPC3925 cable modem
- Cisco IPS 4270 intrusion prevention system
- Cisco MARS 50 firewall version 4.2.1
- Cisco Micro Webserver 200, HP WP110 print server, Tektronix TDS3034B oscilloscope or XP350 terminal, or Xerox Document Centre 405 printer
- Cisco ACE load balancer

- Cisco SCE 2020 Service Control Engine load balancer
- Cisco ISB7150 set top box
- Cisco VPN 3000 Concentrator VPN platform (software version 4.1.7.O)
- Cisco VPN 3000 Concentrator VPN platform (software version 4.7)
- Cisco VPN 3030 Concentrator VPN platform
- Cisco VPN 3030 Concentrator VPN platform (software 4.7.2.F)
- Cisco 4402 wireless LAN controller
- Cisco Virtual Wireless LAN Controller (vWLC)
- Cisco Wireless LAN Controller
- Cisco 1700 router
- Cisco 1700-series router
- Cisco ASR 9010 router
- Cisco NME-NAM-80S network analysis module
- Cisco RFGW-1-D radio
- Cisco Catalyst 1900 switch
- Cisco Catalyst 1900 switch or RAD IPMUX-1 TDM-over-IP multiplexer
- Cisco Catalyst 1900 Switch, Software v9.00.03
- Cisco Catalyst 1912 switch
- Cisco CSS 11501 switch
- Cisco MDS 9000 switch
- Cisco Nexus 5000 switch
- Cisco SF300 or SG300 switch
- Cisco SG 200 or SG 300 switch
- Cisco SG 300-10, Dell PowerConnect 2748, Linksys SLM2024, SLM2048, or SLM224P, or Netgear FS728TP or GS724TP switch
- Cisco SG 500 switch
- Cisco SG200 or SG300 switch
- Cisco SG200 switch
- Cisco SG250 switch
- Cisco SG300 switch
- Cisco SLM2008 or HP ProCurve 1800 switch
- Cisco SLM2008 switch
- Cisco SRW2008-K9 switch
- Cisco ATA 188 VoIP adapter
- Cisco Unified Communications Manager VoIP adapter
- Cisco VG248 Analog Phone Gateway
- Cisco 7935 or 7936 IP Conference Station VoIP phone
- Cisco 7936 IP Conference Station VoIP phone
- Cisco 7936G IP Conference Station VoIP phone
- Cisco CP 8945 VoIP phone

- Cisco CP-DX80 collaboration endpoint (Android)
- Cisco IP Phone (7911, 7941, 7961, or 7970)
- Cisco IP Phone 6941
- Cisco IP Phone 7910
- Cisco IP Phone 7911
- Cisco IP Phone 7912-series
- Cisco IP Phone 7912G
- Cisco IP Phone 7941
- Cisco IP Phone 7941, 7961, 7965G, or 7975
- Cisco IP Phone 7942G
- Cisco IP Phone 7945
- Cisco IP Phone 7945G
- Cisco IP Phone 7961G
- Cisco IP Phone 7971G-GE
- Cisco IP Phone 7975G
- Cisco IP Phone 8945
- Cisco IP Phone 8961
- Cisco IP Phone 9951 or 9971
- Cisco IP Phone CP-7970G
- Cisco SPA 303 VoIP phone
- Cisco SPA 303 VoIP phone, Nortel 5520 Ethernet Routing Switch, or Sun StorageTek 6140 NAS device
- Cisco SPA 502G VoIP phone
- Cisco Unified IP Phone 6921
- Cisco Unified IP Phone 7905G or 7960
- Cisco Unified IP Phone 7942G
- Cisco Unified IP Phone 7960
- Cisco Unified Wireless IP Phone 7925G
- Cisco Wireless IP Phone 7920-ETSI
- Cisco RV110W Wireless-N VPN Firewall
- Cisco ASR 1002 router
- Cisco CRS-1 router (IOS XR 3.4.1 - 3.6.2)
- Cisco IOS XR 4.1.1
- Cisco IOS XR 5.1.2
- Cisco 3000 switch (IOS 10.3)
- Cisco 2500 router (IOS 11.1)
- Cisco 2600 router (IOS 11.3)
- Cisco 2900XL switch (IOS 11.2)
- Cisco 2900XL switch (IOS 11.2)
- Cisco Catalyst 2600-, 2900- or 3500 XL-series switch (IOS 11.3 - 12.0)
- Cisco SOHO 97 ADSL router

- Cisco uBR10012 broadband router
- Cisco 10000 router (IOS 12.3)
- Cisco 1600 router (IOS 12.0)
- Cisco 1700 router (IOS 12.0)
- Cisco 1812, 3640, or 3700 router (IOS 12.4)
- Cisco 1841 router (IOS 12)
- Cisco 1841 router (IOS 12.4)
- Cisco 2500 router (IOS 12.1)
- Cisco 2509 router (IOS 12.3)
- Cisco 2514 router (IOS 12.1)
- Cisco 2600 router (IOS 12.0)
- Cisco 2600 router (IOS 12.1)
- Cisco 2611 router (IOS 12.3)
- Cisco 2620 or 3620 router (IOS 12.1 - 12.3)
- Cisco 2620 router (IOS 12.0)
- Cisco 2800 router (IOS 12.4)
- Cisco 2801 router (IOS 12.4)
- Cisco 2811 router (IOS 12.2 - 12.4)
- Cisco 2811 router (IOS 12.X)
- Cisco 2900-series, 3650, or 3750 switch; 6509 or 7206VXR router; or uBR925 or uBR7111 cable modem (IOS 12.1 - 12.2)
- Cisco 3925 router (IOS 12.4)
- Cisco 500, 2000-, 3000-, 4000-, 5000-series, or 6506 switch; or 2500- or 4500-series router (IOS 12.1 - 12.2)
- Cisco 5300 router (IOS 12.1)
- Cisco 5300 router (IOS 12.3)
- Cisco 6506 router (IOS 12.2)
- Cisco 7200 router (IOS 12.4)
- Cisco 7206VXR router (IOS 12.4)
- Cisco 7600 router (IOS 12.2)
- Cisco 800-series, 1801, 2000-series, 3800, 4000, or 7000-series router; or 1100 or 1242G WAP (IOS 12.2 - 12.4)
- Cisco 806, 1712, 1721, or 2600 router (IOS 12.2 - 12.3)
- Cisco 820, 1721, 1750, 1751, or 2514 router (IOS 12.3)
- Cisco 836, 890, 1751, 1841, 2800, or 2900 router (IOS 12.4 - 15.1)
- Cisco 860 or 870 router (IOS 12.4)
- Cisco 870 router (IOS 12.4)
- Cisco 870 router or 2960 switch (IOS 12.2 - 12.4)
- Cisco 870, 2821, 6506, or 7206VXR router (IOS 12.2 - 15.1)
- Cisco 877 router (IOS 12.4)
- Cisco Aironet 1200-series WAP or 2610XM router (IOS 12.4)
- Cisco Aironet 1240AG or 1250 WAP, 1811 or 2800 router, or VG 224 VoIP adapter (IOS12.4)

- Cisco Aironet 350 or 1200 WAP or 831 router (IOS 12.3)
- Cisco C3620 router (IOS 12.3)
- Cisco C860, C880, or 2821 router (IOS 12.4 - 15.0)
- Cisco C870 router (IOS 12.4)
- Cisco IOS 12.2
- Cisco IOS 12.4 or IOS-XE 15.3
- Cisco DOCSIS cable modem termination server (IOS 12.1)
- Cisco 2500 or 2924XL switch (IOS 12.0)
- Cisco 2900-series or 3700-series switch (IOS 12.1)
- Cisco 2900-series switch (IOS 12.0)
- Cisco 2900XL switch (IOS 12.0)
- Cisco 2924M XL, 2950, or 3500XL switch (IOS 12.0)
- Cisco 2950 switch (IOS 12.1)
- Cisco 2950, 2960, 3000-series, 4510R, 6000-series, or 6500-series switch (IOS 12.1 or 12.2)
- Cisco 2950, 2960, 3550, 3560, 3750, or 4500 switch or 6500 router (IOS 12.1 - 15.0); or Adaptive Security Appliance firewall
- Cisco 2950, 2960, 3550, 3560, or 3750 switch (IOS 12.1 - 12.2)
- Cisco 2960 or 3650 switch
- Cisco 2960 switch (IOS 12.2)
- Cisco 3500 XL switch
- Cisco 3500-series switch (IOS 12.2)
- Cisco 3550 switch (IOS 12.1)
- Cisco 3560 switch (IOS 12.2)
- Cisco 3560G switch (IOS 12.2)
- Cisco 3750 or 6500 switch (IOS 12.2)
- Cisco 3750 switch (IOS 12.2)
- Cisco 6509 switch (IOS 12.2)
- Cisco 880 router (IOS 15.0) or 3750 switch (IOS 12.2)
- Cisco C2960 switch (IOS 12.2)
- Cisco C3500-series switch (IOS 12.2)
- Cisco C3560 switch (IOS 12.2)
- Cisco Catalyst 1900, 2820, 2960, 3560, 3750, 4500, or 6513 switch (IOS 12.2)
- Cisco Catalyst 2900-series or 3500-series switch (IOS 12.2)
- Cisco Catalyst 2900XL or 3500XL switch (IOS 12.0)
- Cisco Catalyst 2912 switch (IOS 12.0)
- Cisco Catalyst 2950 switch
- Cisco Catalyst 2950 switch (IOS 12.1)
- Cisco Catalyst 2950-series switch
- Cisco Catalyst 2960 or 3600 switch (IOS 12.3)
- Cisco Catalyst 2960 switch (IOS 12.2)

- Cisco Catalyst 2960, 3550, or 3560 switch (IOS 12.2)
- Cisco Catalyst 2960, 3560, or 6500 switch (IOS 12.2)
- Cisco Catalyst 3500 XL-series switch (12.0)
- Cisco Catalyst 3500-series switch (IOS 12.2)
- Cisco Catalyst 3550 switch (IOS 12.1)
- Cisco Catalyst 3550 switch (IOS 12.2)
- Cisco Catalyst 3560 or 6500-series switch (IOS 12.1 - 12.2)
- Cisco Catalyst 6509 switch (IOS 12.2)
- Cisco Catalyst 6509-E switch (IOS 12.2)
- Cisco Catalyst 8510MSR switch (IOS 12.0)
- Cisco Catalyst Blade Switch 3020 (IOS 12.2)
- Cisco Catalyst Express 500 or 520 switch
- Cisco Catalyst Express 500 switch (IOS 12.2)
- Cisco Catalyst switch (IOS 12.2)
- Cisco 1131AG WAP (IOS 12.3)
- Cisco Aironet 1130 WAP (IOS 12.4)
- Cisco Aironet 1141N (IOS 12.4) or 3602I (IOS 15.3) WAP
- Cisco Aironet 1200 WAP (IOS 12.3)
- Cisco Aironet 1200-series WAP router (IOS 12.3 - 12.4)
- Cisco Aironet 1231G WAP (IOS 12.3)
- Cisco Aironet 1240AG WAP, C2600 or C2800 router, or C3560 switch (IOS 12.2 - 12.4)
- Cisco Aironet 1250 WAP (IOS 12.4) or IOS XE
- Cisco Aironet 350, 1100, 1200, or 1131AG WAP; or Cisco 2600 router (IOS 12.3)
- Cisco AS5350 VoIP gateway, or Aironet 1200, 1230, or 1240-series WAP (IOS 12.3)
- Cisco 1900-series router (IOS 15.4)
- Cisco 1921 router (IOS 15.1)
- Cisco 2811 router (IOS 15.1)
- Cisco 880 router (IOS 15.1)
- Cisco 887 router (IOS 15.1)
- Cisco C7200 router (IOS 15)
- Cisco C7200 router (IOS 15.2)
- Cisco C860 router (IOS 15.2)
- Cisco IOS 15
- Cisco IOS 15.2 - 15.5
- Cisco IOS 15.5
- Cisco Catalyst 2960 switch (IOS 15.2)
- Cisco Catalyst 3500-series switch (IOS 15.2)
- Cisco Aironet 1042N WAP (IOS 15.2)
- Cisco Aironet 2600-series WAP (IOS 15.2(2))
- Cisco 3560-X switch

- Cisco MDS 9509 switch (NX-OS 4.2)
- Cisco Nexus 5010 switch (NX-OS 4.1)
- Cisco Nexus 7000 switch (NX-OS 4.2(4))
- Cisco Nexus 7000 switch (NX-OS 4.2.6)
- Cisco Nexus 7000-series switch (NX-OS 4.0(1a))
- Cisco Nexus 7010 switch (NX-OS 4.0(4))
- Cisco Nexus 7010 switch (NX-OS 4.2(1))
- Cisco NX-OS 4.0(1a)N1(1)
- Cisco Nexus 5548 switch (NX-OS 5.2)
- Cisco Nexus 5548P switch (NX-OS 5.1)
- Cisco Nexus 7000 switch (NX-OS 5.2(4))
- Cisco Nexus 7010 switch (NX-OS 5)
- Cisco Nexus 7010 switch (NX-OS 5.1(2))
- Cisco Nexus switch (NX-OS 5 or 6.0(2))
- Cisco Nexus switch (NX-OS 5)
- Cisco Nexus switch (NX-OS 5.1(3))
- Cisco Nexus switch (NX-OS 5.1(3))
- Cisco NX-OS 5.2
- Cisco Nexus 3000 switch (NX-OS 6)
- Cisco Nexus 7000 switch (NX-OS 6.0)
- Cisco Nexus 7000 switch (NX-OS 6.2.8)
- Cisco Nexus 7000-series switch (NX-OS 6.1(2))
- Cisco Nexus switch (NX-OS 6)
- Cisco Nexus switch (NX-OS 6.0(2))
- Cisco Nexus switch (NX-OS 6.2)
- Cisco NX-OS 6.2
- Cisco Nexus switch (NX-OS 7.2)
- Cisco Nexus V1000 switch (NX-OS)
- Cisco ASA 5510 firewall (PIX OS 8.2)
- Cisco PIX firewall (PIX OS 6.3(5))
- Citrix NetScaler load balancer
- Citrix NetScaler VPX load balancer
- Citrix Access Gateway VPN gateway
- CMI Genus NEMA terminal
- Cognex DataMan 200 ID reader (lwIP TCP/IP stack)
- Comau C4G robot control unit
- Compaq iPAQ CP-2W Connection Point WAP
- Compaq Tru64 UNIX V4.0F
- Compaq Tru64 UNIX 5.1
- Compaq Tru64 UNIX 5.1 or HP OpenVMS 7.3-1

- Compaq Tru64 UNIX 5.1 or HP OpenVMS 7.3-2
- Compaq Tru64 UNIX 5.1B or HP OpenVMS 8.2 - 8.3
- AcBel or Comtrend powerline Ethernet adapter
- Comtrend 5361 ADSL router
- Comtrend CT-800 VoIP adapter
- Comtrend CT536 wireless ADSL router
- Conceptronic CHD3NET NAS device
- Control4 HC-300 home controller
- CoRAID NAS device
- Coyote Point E250GX Equalizer load balancer
- Coyote Point E350SI Equalizer load balancer
- Cray UNICOS/mk 2.0.5.60
- Crestron AV2 or CP2E automation system or TPS-6x touchpanel (2-Series), or Dedicated Micros Digital Sprite 2 DVR
- Crestron XPanel control system
- Crestron MPC-M5 AV controller or Wago Kontakttechnik 750-852 PLC
- Crestron CNMSX-AV control and automation system
- Crestron MC2E, MP2E, PRO2, or QM-RMC control and automation system, or HP StorageWorks MSL4048 tape library

- CyanogenMod 11 (Android 4.4.4)
- CyanogenMod 12 (Android 5.0)
- CyanogenMod 12 (Android 5.0.2)
- Cyberoam UTM firewall
- Cymphonix EX550 firewall
- D-Link DI-504 or DI-704P broadband router, or DI-524 WAP
- D-Link DI-808HV router
- D-Link DIR-100 DSL router or Motorola Canopy cluster management module 2.2
- D-Link DSL-2540B ADSL router
- D-Link DSL-2640B ADSL router
- D-Link DSL-2890AL ADSL router
- D-Link DSL-500 ADSL router
- D-Link DSL-500G ADSL router
- D-Link DSL-504 ADSL modem
- D-Link DSL2-300G DSL modem
- D-Link DFL-200 firewall
- D-Link DFL-700 firewall
- D-Link NetDefend firewall
- D-Link DP-300U, DP-G310, or Hamlet HPS01UU print server
- D-Link DPR-1260 print server; or DGL-4300, DGL-4500, DIR-615, DIR-625, DIR-628, DIR-655, or DIR-855 WAP
- D-Link DNS-321 NAS device
- D-Link DES-1210, DGS-1210, or DGS-1500 switch

- D-Link DES-3010F or DES-3010G switch
- D-Link DES-3010G switch
- D-Link DES-3016 switch
- D-Link DES-3028P switch
- D-Link DES-3200 switch
- D-Link DES-3326 switch
- D-Link DES-3526 or DES-3550 switch
- D-Link DES-3526 switch
- D-Link DES-3550 switch
- D-Link DES-7210 switch
- D-Link DGS-1210 switch
- D-Link DGS-1510 switch
- D-Link DGS-3024 switch
- D-Link DGS-3324SR, DSG-3612G, DES-3528 or DES-3828 switch
- D-Link DGS-3450 switch
- D-Link DGS-3610 switch
- D-Link DGS-3627G stack
- D-Link DXS-3326GSR switch
- D-Link DXS-3600 switch
- D-Link DVG-4022S VoIP adapter
- D-Link DVG-5112S or DVG-6004S VoIP adapter
- D-Link DPH-150S VoIP phone
- D-Link DAP-1522 WAP, or Xerox WorkCentre Pro 245 or 6556 printer
- D-Link DI-524 or WBR-2310 wireless broadband router
- D-Link DI-524 WAP
- D-Link DI-524 wireless broadband router
- D-Link DI-604 wireless broadband router
- D-Link DI-714P+ wireless broadband router
- D-Link DI-824VUP Wireless VPN Router
- D-Link DIR-300 WAP
- D-Link DIR-300 WAP
- D-Link DIR-615, Encore 3G, or EnGenius ESR-9752 WAP
- D-Link DIR-655
- D-Link DIR-835 WAP
- D-Link DSR-1000N WAP
- D-Link DWL-2100AP wireless access point
- D-Link DWL-624+ or DWL-2000AP, or TRENDnet TEW-432BRP WAP
- D-Link DWL-900AP WAP
- D-Link DWL-900AP+, Planet WAP-1966, or USRobotics USR5450 WAP
- D-Link DWL-G710 WAP

- D-Link DWL-G810 WAP
- D-Link DCS-2103 webcam
- D-Link DCS-3220 or DCS-5300G webcam
- D-Link DCS-3220 webcam
- D-Link DCS-6620G webcam or Linksys BEFSR41 EtherFast router
- Data General DG/UX 4.11MU06
- Daysequerra M4.2SI radio
- DECserver716 (DNAS 3.6)
- DEC Digital UNIX OSF1 v4.0 1229
- DEC Digital UNIX v4.0F
- DEC Digital UNIX 5.X
- DEC Digital UNIX OSF1 v5.0 910 or OpenVMS 7.2
- DEC OpenVMS 5.5-2
- DEC OpenVMS 7.1
- DEC OpenVMS 7.3-1
- DEC OSF/1 V4.0
- DEC OSF/1 V5.1
- DEC RSX-11M-PLUS 4
- DEC RSX-11M-PLUS 4.6
- RSX-11M-PLUS 5.0
- DEC RSX-11M-PLUS
- DEC TOPS-20 7.1
- DEC TOPS-20
- DEC Ultrix 4.0
- DEC Ultrix 4.5
- Decru Datafort firewall
- Dell Sonicwall NSA 220 firewall
- Dell 1320c printer
- Dell 1600n printer
- Dell 1720dn printer
- Dell 1720dn, or Lexmark E250dn or E352dn printer
- Dell 1815dn printer
- Dell 2335dn printer
- Dell 2350dn, IBM InfoPrint 1832; or Lexmark C544dn, T612, T650, or X464de printer
- Dell 3000 printer
- Dell 3100cn printer
- Dell 3100cn-series or Xerox Phaser 6180DN printer
- Dell 3110cn printer
- Dell 5210n or Lexmark C530-series or T640-series printer
- Dell H625CDW or C2665dnf printer

- Dell Chassis Management Controller (CMC)
- Dell Embedded Remote Access (ERA) Controller 3.38 or 4/I
- Dell Embedded Remote Access (ERA) Controller 4/I
- Dell Integrated Remote Access Controller (iDRAC)
- Dell Integrated Remote Access Controller (iDRAC5)
- Dell Integrated Remote Access Controller (iDRAC6)
- Dell Integrated Remote Access Controller (iDRAC7)
- Dell Integrated Remote Access Controller (iDRAC9)
- Dell PowerEdge 2650 server Embedded Remote Access (ERA)
- Dell Remote Access Controller (DRAC 5)
- Dell Remote Access Controller (DRAC 6)
- Dell Remote Access Controller (DRAC) 4/I
- Dell Remote Access Controller 4 (DRAC 4)
- Dell Remote Access Controller 4/I
- Dell Remote Access Controller 5/I (DRAC 5/I)
- Dell DR4100 backup appliance
- Dell EqualLogic PeerStorage PS3000 or PS4000 NAS device
- Dell EqualLogic PeerStorage PS4000X NAS device
- Dell PowerVault 124T LTO-3 tape autoloader
- Dell PowerVault 132T tape library
- Dell PowerVault 705N NAS appliance
- Dell PowerVault MD3-series storage array
- Dell PowerVault MD3000i NAS appliance or TP-LINK TL-WR340GD WAP
- Dell PowerVault TL2000 or IBM System Storage TS3200 Express Model tape library
- Dell PowerConnect 2708 switch
- Dell PowerConnect 2724 switch
- Dell PowerConnect 3024 switch
- Dell PowerConnect 3248 switch
- Dell PowerConnect 3324 switch
- Dell PowerConnect 3348 switch
- Dell PowerConnect 5316M switch
- Dell PowerConnect 5324 switch
- Dell PowerConnect 5424 switch
- Dell PowerConnect 6200-series switch
- Dell PowerConnect 6248, or Enterasys B3 BG3124 or D2 D2G124 switch
- Dell PowerConnect 8024F switch
- Dell PowerConnect or Enterasys switch
- Dell X1052P switch
- Dell EqualLogic PeerStorage PS100E NAS device (NetBSD 1.6.2)
- Dell EqualLogic NAS device (NetBSD 1.6.2)

- Dell Networking Operating System 6.2 (Linux 3.6)
- Denon AVR-2113 audio receiver
- Denon AVR-3808CI audio/video receiver
- Denon AVR-3808CI audio/video receiver
- Denon AVR-3808CI audio/video receiver, Philips SLA5500 or SLA5520 Wireless Music Adapter or WAK3300 wireless alarm clock, or Terratec NOXON audio system
- Denon CEOL RDC-N8 audio system
- Denon HEOS 5 sound system
- Yamaha RX-S600 or Denon AVR-1912 or AVR-2312 audio receiver
- Denver Electronics AC-5000W MK2 camera
- Develop ineo 250 or 350 printer
- Develop ineo 600 or 700 printer
- Digi Connect ME serial-to-Ethernet bridge
- Digi One SP serial-to-Ethernet bridge
- Digi One SP serial-to-Ethernet bridge
- Digi PortServer TS 16 Rack serial-to-Ethernet bridge
- Digi PortServer TS 4 H MEI serial-to-Ethernet bridge
- Digi PortServer TS 4 serial-to-Ethernet bridge
- Digi PortServer TS serial-to-Ethernet bridge
- Digi AnywhereUSB/2 network-attached USB hub
- Digi AnywhereUSB network-attached USB hub
- Digi ConnectPort TS1 gateway
- Digi TransPort DR64 or WR44 wireless router
- Digi NET+OS 7
- Digi NET+OS 7
- Digital Loggers, Inc. power controller (firmware 1.2.7)
- Digitus DN-13008 or Sitecom print server
- Dish Network Hopper media device
- Dish Network Hopper media device
- DMP XR500 remote alarm monitor
- Dolby Digital Cinema Sound Processor CP750
- DragonFly BSD 1.10.1
- DragonFly BSD 1.8.0-RELEASE - 1.10.1 (x86)
- DragonFly BSD 2.11
- DragonFly BSD 2.3.2
- DragonFly BSD 2.9
- DragonFly BSD 2.9.1 - 3.1
- DragonFly BSD 4.6-RELEASE
- DragonFly BSD 4.9
- DragonWave Horizon WAP or Mitel 5212 SIP Phone

- Draytek Vigor 2960 VPN firewall
- DrayTek Vigor 2930n wireless router
- Drayton MiGenie heating control unit
- Dreambox DM7025+ satellite TV tuner
- Drobo B800i iSCSI NAS
- Drobo5N NAS (Linux 3.2)
- DTE Energy Bridge (lwIP stack)
- DVTel DVT-9540DW network camera
- DYMO LabelManager Wireless PNP printer
- EasyPath PON switch
- Eaton Powerware 9170 UPS
- Arris SB6183 cable modem (eCos 2.0)
- Cisco 200-series, HP ProCurve 1810G, or Netgear GS110TP switch (eCos 2.0)
- Arris SB6183 cable modem (eCos 2.0)
- Cisco EPC3925, DPC2320, Motorola SURFboard SB5101E, or Scientific Atlanta EPC2203 cable modem (eCos 2.0)
- HP ProCurve 1810G, or Netgear GS108v2, GS110TP, GS716T, or GS724TP switch (eCos 2.0)
- Netgear CG814WG v2, Thomson TWG870U, Ubee DVW3201B, or Cisco DPC3825 wireless cable modem (eCos 2.0)
- Netgear CG814WG wireless cable modem (eCos 2.0)
- HP ProCurve 1810G switch (eCos 3.0)
- HP ProCurve 1810G, ZyXEL GS1910, or FibroLAN switch (eCos 3.0)
- Netgear GS108T or GS748Tv3 switch (eCos)
- Netgear GS108T switch (eCos)
- Efficient Networks 5930 ADSL router
- Efficient Networks SpeedStream 4100 ADSL router
- Efficient Networks SpeedStream 5100 ADSL router
- Eicon Shiva VPN gateway
- Elfiq LB-550B load balancer (EOS 3.5.2)
- Elk ELK-M1EXP Ethernet-to-serial bridge
- Elsag Datamat SAS-200 ADSL modem
- Ember InSight Adapter for programming EM2XX-family embedded devices
- EMC Celerra NAS device
- EMC Celerra NS350 NAS device
- EMC Celerra or Clarion NAS device
- EMC VNX 5300 Unified SAN
- EMC VNX OE for File 7
- EMC VNX OE for File 7.1
- Emerson Liebert cooling system iCOM controller
- Enerdis Enerium 200 energy monitoring device, Mitsubishi XD1000 projector, or Lantronix UDS200 external serial device server
- EnGenius ESR-9250 WAP

- NoBreak Engetron Double Way UPS
- Enistic Zone Controller WAP
- Enlogic PDU (FreeRTOS/lwIP)
- Enterasys XSR firewall
- Enterasys XP-8000 switch
- Dell PowerConnect 6248, Enterasys C3 C3G124 or Netgear GSM7328Sv2 switch
- Enterasys B5 switch
- Enterasys K6 or S4 switch
- Enterasys Matrix C1 switch or HP LaserJet 3600 printer
- Enterasys Matrix E1 switch
- Enterasys Matrix E1 switch (VxWorks)
- Enterasys Matrix N7 switch
- Enterasys SecureStack C2 switch
- Enterasys SSR router or XP switch
- Enterasys AP3620 WAP
- Epson G5200W projector
- Epson UB-E02 print server
- Epson AcuLaser C1100 or CX11NF printer
- Epson AcuLaser C1100N printer
- Epson Artisan 810 printer
- Epson Stylus Pro 400 printer
- Epson Stylus Pro 4900
- Epson TM-T88V M244A printer
- Epson WF-2660 printer
- Epson XP-630 printer
- Ericsson BusinessPhone PBX, or World Wide Packets LE-311, LE-327, or LE-427 LightningEdge switch
- ESI ESI-100 VoIP adapter
- Espressif esp8266 firmware (lwIP stack)
- Espressif ESP8266 WiFi system-on-a-chip
- Espressif ESP8266 WiFi system-on-a-chip
- Essentia OpenWifless ESS
- Bluebottle OS
- EtherWerX PT-1000 PPPoE terminator
- Exabyte 221L LTO-3 tape library
- TRENDnet TEW-432BRP WAP (ThreadX)
- WAP: Airtel AWR014G; D-Link DI-524, DI-604, DI-624, or WBR-2310; or TRENDnet TEW-432BRP or TEW-452BRP (ThreadX)
- Express Logic ThreadX G3.0 (broadband router)
- Vegastream VoIP Gateway
- Exterity IPTV MPEG2 video encoder

- Extreme Networks Summit48si switch (ExtremeWare 7.1 - 7.8)
- Extreme Networks Summit48si switch (ExtremeWare 7.4 - 7.8)
- Extreme Networks ExtremeXOS 12.5.4
- Extreme Networks x250e or x350 switch (ExtremeXOS 12.0.1 - 12.0.3)
- Extreme Networks ExtremeOS 15.3
- Extreme Networks ExtremeXOS 12.5.1 or 15.3
- Extreme Networks ExtremeXOS 15
- Extreme Networks ExtremeXOS 15.3
- Extreme Networks switch (ExtremeXOS 15 - 16)
- F5 BIG-IP load balancer (BSD/OS 4.5)
- F5 BIG-IP Application Security Manager firewall
- F5 BIG-IP firewall
- F5 BIG-IP 3650 Local Traffic Manager load balancer
- F5 BIG-IP 6400 load balancer
- F5 BIG-IP Edge Gateway
- F5 BIG-IP load balancer
- F5 3600 LTM load balancer
- F5 BIG-IP AFM firewall
- F5 BIG-IP load balancer (TMOS 11.4)
- F5 BIG-IP Local Traffic Manager load balancer (TMOS 11.6)
- F5 BIG-IP Local Traffic Manager load balancer
- Fatek FBs-CBEH PLC Ethernet communication board
- FireBrick FB2700 firewall
- Force10 S50N switch (FTOS 1.0)
- Force10 Networks S-Series switch (SFTOS 2.5.1.3)
- Force10 SFTOS 2.5.2.2
- FORE Systems ForeThought ATM switch
- Fortinet FortiGate 100D firewall
- Fortinet FortiGate 100D firewall
- Fortinet FortiGate 1500D firewall
- Fortinet FortiGate 200B firewall
- Fortinet FortiGate-50B or 310B firewall
- Fortinet FortiGate-60B or -100A firewall
- Fortinet FortiSwitch-124B-POE switch
- Fortinet FortiOS 5.0.6
- Foundry Edgelron switch
- Foundry FastIron 400 switch
- Foundry NetIron MLX-16 switch (IronWare)
- Foundry Networks FES2402 switch, ServerIron 4G proxy server, or ServerIron GT EGx2 load balancer
- Foundry Networks ServerIron switch

- Foundry BigIron RX switch (IronWare 2.2.1)
- Foundry BigIron RX switch (IronWare 2.2.1IT157)
- Foundry BigIron RX switch, NetIron MLX switch, or NetIron 4000 XMR switch (IronWare 2.2.1 - 3.6.0)
- Foundry FastIron switch (4802, FESX, GS 648P, X448, or II Plus) (IronWare)
- Foundry NetIron MLX switch (IronWare 3.8.0)
- Brocade/Foundry NetIron CER router (IronWare 5 - 6)
- Foundry Networks BigIron 8000 switch (IronWare 07.8.02eT53)
- FreeBSD 10.0-CURRENT
- FreeBSD 10.0-RELEASE
- FreeBSD 10.1-RELEASE
- FreeBSD 10.2-RELEASE
- FreeBSD 10.3-RELEASE
- FreeBSD 10.3-STABLE
- NAS4Free (FreeBSD 9.3-RELEASE - 10.3-RELEASE)
- Sony Playstation 4 or FreeBSD 10.2-RELEASE
- NAS4Free (FreeBSD 10.2-RELEASE)
- FreeBSD 11.0-CURRENT
- FreeBSD 11.0-RELEASE
- FreeBSD 11.0-RELEASE - 12.0-CURRENT
- FreeBSD 11.0-STABLE
- FreeBSD 11.0-STABLE or 11.0-RELEASE
- NAS4Free (FreeBSD 11.0-RELEASE)
- FreeBSD 12.0-CURRENT
- FreeBSD 2.2.8-STABLE - 2.2.9 (x86)
- FreeBSD 3.5.1 (x86)
- m0n0wall 1.22 - 1.23b1 firewall (FreeBSD 4.11)
- FreeBSD 4.10-RELEASE
- FreeBSD 4.10-RELEASE (x86)
- FreeBSD 4.10-RELEASE - 5.4-SECURITY
- FreeBSD 4.10-STABLE - 4.11-SECURITY
- FreeBSD 4.11-RELEASE
- FreeBSD 4.11-RELEASE (x86)
- FreeBSD 4.11-STABLE
- FreeBSD 4.3-RELEASE or IBM AIX 5.3 - 6.1
- FreeBSD 4.6.2-RELEASE
- FreeBSD 4.7-STABLE
- FreeBSD 4.9-RELEASE
- FreeBSD daemon 4.5-RELEASE
- FreeBSD 5.0-RELEASE
- FreeBSD 5.1

- FreeBSD 5.2.1-RC2
- FreeBSD 5.2.1-RELEASE
- FreeBSD 5.3 - 5.5
- FreeBSD 5.4-RELEASE
- FreeBSD 5.4-STABLE
- FreeBSD 5.5-RELEASE
- FreeBSD 5.5-STABLE
- m0n0wall 1.3b11 - 1.3b15 (FreeBSD 6.3)
- m0nowall 1.3b16 firewall (FreeBSD 6.3-RELEASE)
- FreeBSD 6.0-RELEASE
- FreeBSD 6.0-RELEASE - 6.2-RELEASE
- FreeBSD 6.0-SECURITY (x86)
- FreeBSD 6.0-STABLE - 6.2-RELEASE
- FreeBSD 6.1-RELEASE
- FreeBSD 6.1-RELEASE - 6.2
- FreeBSD 6.1-RELEASE - 6.2-RELEASE
- FreeBSD 6.1-RELEASE-p10 (x86_64)
- FreeBSD 6.1-STABLE
- FreeBSD 6.1-STABLE - 6.2-RELEASE
- FreeBSD 6.2-RC1
- FreeBSD 6.2-RELEASE
- FreeBSD 6.2-RELEASE (x86)
- FreeBSD 6.2-RELEASE-p2 (pf with scrub enabled)
- FreeBSD 6.2-STABLE - 6.4-STABLE
- FreeBSD 6.3-PRERELEASE
- FreeBSD 6.3-RELEASE
- FreeBSD 6.3-RELEASE-p1
- FreeBSD 6.3-STABLE
- FreeBSD 7.0
- FreeBSD 7.0-BETA2 (custom compiled)
- FreeBSD 7.0-BETA4
- FreeBSD 7.0-BETA4 - 7.0
- FreeBSD 7.0-CURRENT
- FreeBSD 7.0-CURRENT (pre-release)
- FreeBSD 7.0-RC1
- FreeBSD 7.0-RELEASE
- FreeBSD 7.0-RELEASE - 9.0-RELEASE
- FreeBSD 7.0-RELEASE-p1
- FreeBSD 7.0-RELEASE-p1 - 10.0-CURRENT
- FreeBSD 7.0-RELEASE-p2 - 7.1-PRERELEASE

- FreeBSD 7.0-RELEASE-p5
- FreeBSD 7.0-STABLE
- FreeBSD 7.1-PRERELEASE - 7.3-RELEASE
- FreeBSD 7.1-PRERELEASE 7.2-STABLE
- FreeBSD 7.1-RELEASE
- FreeBSD 7.1-RELEASE - 9.0-CURRENT
- FreeBSD 7.2-RELEASE
- FreeBSD 7.2-RELEASE - 8.0-RELEASE
- FreeBSD 7.2-STABLE
- m0n0wall 1.8.1 (FreeBSD 8.4)
- FreeBSD 8.0-BETA2 - 10.1-RELEASE
- FreeBSD 8.0-CURRENT
- FreeBSD 8.0-RC1-p1
- FreeBSD 8.0-RELEASE
- FreeBSD 8.0-STABLE
- FreeBSD 8.1
- FreeBSD 8.1-RELEASE
- FreeBSD 8.1-STABLE
- FreeBSD 8.2
- FreeBSD 8.2-RELEASE
- FreeBSD 8.2-STABLE
- FreeBSD 8.2-STABLE
- FreeBSD 9
- FreeBSD 9.0-RELEASE
- FreeBSD 9.0-RELEASE - 10.3-RELEASE
- FreeBSD 9.0-STABLE
- FreeBSD 9.1-PRERELEASE
- FreeBSD 9.1-RELEASE
- FreeBSD 9.1-RELEASE or 10.1-RELEASE
- FreeBSD 9.1-STABLE
- FreeBSD 9.2-RELEASE
- FreeBSD 9.2-RELEASE-p3
- FreeBSD 9.3-RELEASE
- FreeBSD 9.2-RELEASE
- NAS4Free (FreeBSD 9.1 - 9.2)
- NAS4Free (FreeBSD 9.1)
- NAS4Free (FreeBSD 9.1)
- NAS4Free (FreeBSD 9.1-RELEASE - 10.3-RELEASE)
- Freecom Network Drive NAS device
- Freecom SSLBBH NAS device

- FreeNAS 0.671 (FreeBSD 6.1-STABLE)
- FreeNAS 0.686 (FreeBSD 6.2-RELEASE)
- FreeNAS 0.686 (FreeBSD 6.2-RELEASE) or VMware ESXi Server 3.0 - 4.0
- FreeNAS 0.686b (FreeBSD 6.2-RELEASE)
- FreeNAS 0.69 (FreeBSD 6.4-RELEASE-p3)
- FreeNAS 0.69.1 (FreeBSD 6.4-RELEASE-p3)
- FreeNAS 0.69.2 (FreeBSD 6.3-STABLE - 6.4-RELEASE)
- FreeNAS 0.69RC2 (FreeBSD 6.4-RELEASE)
- FreeNAS 0.7 (FreeBSD 7.2-RELEASE)
- FreeNAS 0.7 (FreeBSD 7.2-RELEASE-p4)
- FreeNAS 0.7 - 0.7.2 (FreeBSD 7.2-RELEASE - 9.0-RELEASE)
- FreeNAS 0.7.1 - 0.7.2 (FreeBSD 7.3-RELEASE)
- FreeNAS 0.7.2 (FreeBSD 7.3-RELEASE)
- FreeNAS 9.10 (FreeBSD 10.3-STABLE)
- FreeNAS (FreeBSD 6.4-RELEASE-p3)
- FreeNAS (FreeBSD 8.2-RELEASE)
- Fronius Datalogger Web
- Audio Block CVR100+ internet radio
- Frontier Silicon internet radio
- Fuji Xerox ApeosPort IV C2275 printer
- Fuji Xerox Document Centre 706 CP printer
- Fuji Xerox DocuPrint C525 A printer
- Fuji Xerox DocuPrint CM205 printer
- Fujian Ruijie Star-S2800 switch
- Fujitsu Siemens BS2000/OSD
- Fujitsu Siemens PRIMERGY RX300 S4 server
- Fujitsu Siemens PRIMERGY RX100 S4 remote manager
- Fujitsu Siemens PRIMERGY TX300 SS remote manager
- Fujitsu Siemens ReliantUNIX-N (SINIX-N) on RM400
- Fujitsu Eternus DX90 storage controller
- Funkwerk bintec R3000 router
- Funkwerk Artem WI3040 WAP
- GalaxyMetalGear 3507LR-SA NAS device
- Garmin Virb Elite action camera
- Geist RSMINI environment sensor
- Geist Watchdog 1250 atmospheric monitor
- Gemtek P360 WAP or Siemens Gigaset SE515dsl wireless broadband router
- General Dynamics R8000B Comm Systems Analyzer
- Generex CS121 L BUDGET SNMP adapter
- Micropython 1.8

- Geovision EBD4700 CCTV camera (Linux 3.4)
- GlobespanVirata GS8100, Huawei MT880, or Solwise SAR 100 ADSL modem
- GNU Hurd 0.3
- Android 1.1 (Linux 2.6.25)
- Android 1.5 (Linux 2.6.27)
- Android 1.5 - 1.6 (Linux 2.6.27)
- Android 2.0.1 (Linux 2.6)
- Android 2.1-update1 (Linux 2.6.29)
- Android 2.1-update1 (Linux 2.6.29)
- Android 2.2 (Linux 2.6)
- Android 2.2 (Linux 2.6.32)
- Android 2.2 - 2.2.1 (Linux 2.6.32)
- Android 2.2 - 2.3.3 (Linux 2.6.32 - 2.6.37)
- Android 2.2 - 2.3.5 (Linux 2.6.32 - 2.6.36)
- Android 2.3.4 (Linux 2.6)
- Android 2.3.5 (Linux 2.6)
- Android 2.3.5 (Linux 2.6.35)
- Android 2.3.5 - 2.3.7 (Linux 2.6.35)
- Android 2.3.6 (Linux 2.6.35)
- Android 2.3.7 (Linux 2.6)
- Android 2.3.7 (Linux 2.6.37)
- Android 3 (Linux 2.6.36)
- Android 4.0.1 - 4.0.4 (Linux 3.0)
- Android 4.0.4 (Linux 2.6)
- Android 4.0.4 (Linux 3.0)
- Android 4.0.4 (Linux 3.0.8)
- Android 4.1.1
- Android 4.1
- Android 4.1 (Linux 3.0)
- Android 4.1.2
- Cisco CP-DX650 VoIP phone (Android 4.1.1)
- Android 4.2.1 (Linux 3.0)
- Android 4.2.2 (Linux 3.4)
- Android 4.2.2 (Linux 3.4)
- Android 4.2.2 (Linux 3.4)
- Android 4.3
- Android 4.4.0
- Android 4.4.2
- Android 4
- Android 4.0

- Android 4.1 - 6.0 (Linux 3.4 - 3.14)
- Android 4.2.2 (Linux 3.4)
- Android 4.4 (Linux 3.10)
- Sony Android TV (Android 5.0)
- Android 5.0 - 6.0.1 (Linux 3.4)
- Android 5.0 - 7.0 (Linux 3.4 - 3.10)
- Android 5.0.1
- Android 5.0.1 (Linux 3.10)
- Android 5.1
- Android 5.1.1
- Android 6.0 - 7.1.2 (Linux 3.18 - 4.4.1)
- Android 6.0.1
- Android 6.0.1 (Linux 3.10)
- Android 6.0.1 (Linux 3.18)
- Android 7.0 (Linux 3.18)
- Android 7.1.1 - 7.1.2
- Android 7.1.2 (Linux 3.10)
- Android 7.1.2 (Linux 3.4)
- Google Nexus Player
- Google Chromecast
- Google Mini search appliance
- GoPro HERO3 camera
- GoPro Wifi-Bacpac camera
- Grace Digital Internet radio
- Grandstream HandyTone HT-488 analog VoIP adapter
- Grandstream BudgeTone 100 VoIP phone
- Grandstream BudgeTone 100 VoIP phone
- Grandstream GXP1105 VoIP phone
- Grandstream GXP1400 VoIP phone
- Grandstream GXP1405 VoIP phone or HP LaserJet 2430 printer
- Grandstream GXP2000 VoIP phone
- Grandstream GXP2020 VoIP phone
- Grandstream GXV3000 VoIP phone
- Grandstream GXV3275 video phone
- Green Hills Probe hardware debugger
- Green Hills RTOS
- H3C E126A or S3100-8T-SI switch (Comware 3.10)
- H3C Comware 5.20
- Haiku R1 Alpha 3
- Haiku R1 Alpha 4

- Haiku R1 Alpha 4.1
- Hawking PN7127P print server
- Hawking PS12U, Repotech RP-1805B-V2, or TRENDnet TE100 P2U1P print server
- Head Digital Medialink Black Panther cable receiver
- Henry Argos biometric access control
- HID EdgePlus Solo ES400 firewall
- Anova Precision Cooker (High-Flying WLAN module)
- High-Flying HF-LPT100 embedded WLAN module
- Hioki MEMORY HiCORDER 8855 digital oscilloscope
- Hirschmann L2E Rail switch
- Hirschmann macH switch
- Hirschmann RS2-16M 2MM SC switch
- Hirschmann RS20 switch (VxWorks)
- Hitron BWG-35302 cable modem
- Hitron CVE-30360 router
- Hotway HDC-U2LA or Vantec NexStar LX NAS device
- HP FlexFabric 5900CP switch (Comware 7.1)
- HP 170X print server or Inkjet 3000 printer
- HP 2101nw wireless print server
- HP 4200 PSA (Print Server Appliance) model J4117A
- HP JetDirect 175x (J6035G) or 610n (J4169A) print server
- HP JetDirect 175x print server or 9100c Digital Sender printer
- HP JetDirect 2591A print server
- HP JetDirect 635n print server
- HP LaserJet 1320 printer
- HP 9100c Digital Sender printer (J3113A)
- HP DesignJet 500, LaserJet 8100, or LaserJet 4050n printer
- HP DesignJet 650C printer
- HP Designjet T1100ps or Z3100ps printer
- HP DeskJet 1220, or LaserJet 1320 or 2550n printer; or TippingPoint 110 IPS
- HP Deskjet 5850 or LaserJet 2200, 3030, or 4300 printer
- HP DeskJet 6127 or 6840, Officejet 7400, Officejet Pro K550, or Photosmart 2710 or 8400 printer
- HP Deskjet 6940 printer
- HP ENVY 4500 printer
- HP InkJet 2300, DesignJet 500, or LaserJet 4100 or 8150 printer
- HP JetDirect J8013E printer
- HP LaserJet (1020-, 2010-, 2600-, 2800-, 3050-, or 3390-series), or Brother (DCP-375CW, HL-5250DN, HL-22700W, MFC-7840N, MFC-8860DN, or MFC-9970CDW) printer; or Sony SNC-RZ30N network camera
- HP LaserJet 1017 printer
- HP LaserJet 1022n printer

- HP LaserJet 1200 printer
- HP LaserJet 1300n, 1320nw, or 3550 printer
- HP LaserJet 1320 printer
- HP LaserJet 2055dn, 2420, P3005, CP4005, 4250, P4014, or P4015 printer
- HP LaserJet 2200DN printer
- HP LaserJet 2200dtn printer
- HP LaserJet 2200dtn printer
- HP LaserJet 2300N printer
- HP LaserJet 2420 printer
- HP LaserJet 2420 printer
- HP LaserJet 2420N printer
- HP LaserJet 2600n printer
- HP LaserJet 2600n printer
- HP LaserJet 2600n printer
- HP LaserJet 2600n printer
- HP LaserJet 2600n printer
- HP LaserJet 2605dn printer
- HP LaserJet 2840 printer
- HP LaserJet 3330/4050/4200/4600/5100/5550/9500 printer
- HP LaserJet 3600 printer
- HP LaserJet 3600n printer
- HP LaserJet 3800, 4250, 4345, 9040 printer
- HP LaserJet 4000 printer
- HP LaserJet 4014 printer
- HP LaserJet 4050 or 4000n printer or JetDirect EX Plus 3 print server
- HP LaserJet 4050 printer
- HP LaserJet 4100 printer
- HP LaserJet 4100N printer
- HP LaserJet 4100N printer
- HP LaserJet 4200 printer
- HP LaserJet 4250 (JetDirect) printer
- HP LaserJet 4250 printer
- HP LaserJet 4250 printer
- HP LaserJet 4250 printer
- HP LaserJet 4250 printer
- HP LaserJet 4250 printer
- HP LaserJet 4300 printer
- HP LaserJet 4350 printer
- HP LaserJet 4MV or 4000TN printer
- HP LaserJet 4Si or LaserJet 4 Plus printer
- HP LaserJet 5 printer

- HP LaserJet 5500dtn or 5550 printer
- HP LaserJet 5550 printer
- HP LaserJet 5M printer
- HP LaserJet 5M printer
- HP LaserJet 600 M601, 600 M602, 500 M551, or M830 printer
- HP LaserJet 8000 printer
- HP LaserJet 8100 Series printer
- HP LaserJet CM1017 or P2015 printer
- HP LaserJet CM6040 printer
- HP LaserJet CM6040 printer
- HP LaserJet CP1025nw, 1102w, M1212nf, M1217nfw, P1120w, or P1606dn printer
- HP LaserJet CP1515n printer
- HP LaserJet CP1518ni printer
- HP LaserJet CP2025dn printer
- HP LaserJet CP2025dn printer
- HP LaserJet CP3505 or 4350 printer
- HP LaserJet CP5520 printer
- HP LaserJet Enterprise M600-series printer
- HP LaserJet M1522nf printer
- HP LaserJet M2727nf or P1505n printer
- HP LaserJet M375nw printer
- HP LaserJet M375nw printer
- HP LaserJet M425dn or M2727nf printer
- HP LaserJet M451dn, CM1415fwn, or CP4525
- HP LaserJet M476dw printer
- HP LaserJet M525 printer
- HP LaserJet M605 printer
- HP LaserJet P1102w
- HP LaserJet P1102w printer
- HP LaserJet P1606dn printer
- HP LaserJet P1606dn printer
- HP LaserJet P1606dn printer
- HP LaserJet P1606dn printer
- HP LaserJet P2015 printer
- HP LaserJet P2035n printer
- HP LaserJet P2055dn printer
- HP LaserJet P2055x printer
- HP LaserJet P3005 printer
- HP LaserJet P3010 printer
- HP LaserJet P3015 printer

- HP LaserJet printer (4050, 4100, 4200, or 8150)
- HP LaserJet Pro 200 M275NW printer
- HP Officejet J4680 printer
- HP Officejet J6480 printer
- HP Officejet Pro 8500 printer
- HP Officejet Pro 8500 printer
- HP Officejet Pro 8500 printer
- HP Photosmart 5520 printer
- HP Photosmart 8400 printer
- HP Photosmart 8750 printer
- HP PhotoSmart C390 or C4780; or Officejet 6500, 7000, or 8500 printer
- HP Photosmart C4380 printer
- HP Photosmart C4500 or C7280, or Officejet J6450 printer
- HP printer (M1120n, M1522n, CP1515n, CP2025dn, or CP2525dn)
- HP printer: Photosmart 4300-, 6500-, 7200-, or 8100-series, or Officejet 6000-series
- HP printer: Photosmart All-in-One (2575, PSC5100, C5180, C6100, or C6180); DeskJet (6940 or 6980); Officejet 6300-series; or Officejet Pro (K550, K5400, L7600, or L7780)
- HP PSC 2400-series Photosmart printer
- Kaiomy AL-2014PW, Planet ADE-4110, or Siemens C-110 ADSL modem; HP LaserJet 2420 printer; or IBM DF-4000 ProFibre Storage Array
- HP MSM765zl WLAN controller
- HP Onboard Administrator 2.04
- HP Onboard Administrator 2.25 - 3.31
- HP Onboard Administrator 4.01
- HP ProCurve Secure Router 7102dl
- HP E1200 Network Storage Router NAS device or SonicWALL SOHO3 firewall
- HP MSA2000-series NAS device
- HP MSL4048 tape library
- HP P2000 G3 FC/iSCSI controller
- HP P2000 G3 NAS device
- HP StorageWorks MSL4048 tape library
- HP StorageWorks MSL6000 tape library
- HP 1905 switch
- HP 1905 switch
- HP 2424M ProCurve switch (J4093A)
- HP 2530, 2920, or 5406zl switch
- HP 2920 or 3800 switch
- HP 4000M ProCurve switch (J4121A)
- HP 4108GL ProCurve switch
- HP 5406zl switch

- HP Advanced Stack Switch 2000
- HP Brocade 1600 switch
- HP Brocade 4Gb SAN switch or
- HP E3500yl or ProCurve 5406zl switch
- HP GbE2c Ethernet Blade switch
- HP GbW2c Ethernet Blade Switch
- HP ProCurve 10/100 hub
- HP ProCurve 1810G switch
- HP ProCurve 2510 switch
- HP ProCurve 2520, 2915, 3500yl, or 5400zl-series switch
- HP ProCurve 2524 switch
- HP ProCurve 2524 switch or 9100c Digital Sender printer
- HP ProCurve 2524 switch, HP JetDirect 175x print server, or Symmetricon NTS-150 time server
- HP ProCurve 2650 switch or Konica Minolta bizhub C450 printer
- HP ProCurve 2650, 2824, 2848, or 5300xl switch
- HP ProCurve 2910al switch
- HP ProCurve 3500yl switch
- HP ProCurve 3500yl, 5406zl, or 6200yl switch or UTStarcom F1000 VoIP phone
- HP ProCurve 3500yl, 5412zl, or 8212zl switch
- HP ProCurve 4000M switch (J4121A)
- HP ProCurve 4104gl or 4108gl switch
- HP ProCurve 5406zl switch
- HP ProCurve 5412zl switch
- HP ProCurve 9304m or 9308m switch
- HP ProCurve E2910al switch
- HP ProLiant BL p-Class C-Gbe2 switch
- HP MSM410 WAP
- HP ProCurve MSM422 WAP
- HP-UX B.09.00
- HP-UX B.10.20
- HP-UX B.11.00
- HP-UX B.11.00 - B.11.23
- HP-UX B.11.00 - B.11.31
- HP-UX B.11.11
- HP-UX B.11.11 - B.11.23
- HP-UX B.11.23
- HP-UX B.11.23 - B.11.31
- HP-UX B.11.31
- HP iLO 2 remote management interface
- HP iLO 2 remote management interface version 2.0

- HP Integrated Lights-Out 2
- HP ProLiant DL320 iLO 2 remote management interface
- HP iLO 3 or iLO 4 remote management interface
- HP iLO 3 remote management interface
- HP iLO 3 remote management interface or Hay Systems HSL 2.75G Femtocell
- HP iLO 3 or iLO 4 remote management interface
- HP iLO 4 remote management interface
- HP iLO 100i Standard remote management interface
- HP iLO or iLO 2 remote management interface
- HP ProLiant DL320s or ML310 iLO remote management interface
- HP ProLiant ML350 iLO remote management interface
- HP MPE/iX 7.5
- HP NonStop OS H06.19.00
- HP NonStop OS
- HP Onboard Administrator 4.12 - 4.40
- HP OpenVMS 6
- HP OpenVMS 6.1
- HP OpenVMS 7.2
- HP OpenVMS 7.2-1
- HP OpenVMS 7.3
- HP OpenVMS 7.3 - 8.3
- HP OpenVMS 7.3-1
- HP OpenVMS 7.3-2
- HP OpenVMS 8.2
- HP OpenVMS 8.3
- HP Tru64 UNIX 5.1 (Alpha)
- HP Tru64 UNIX 5.1A
- HP Tru64 UNIX 5.1B
- HP Tru64 UNIX 5.1b
- ADSL router: Huawei MT800u-T; or ZyXEL Prestige 623ME-T1, 643, 662HW-61, 782, or 2602R-61
- Huawei Echolife HG520-series ADSL modem
- Huawei HG8240 GPON ONT
- Huawei MT-800, Tenda TED8620R, Zoom X5, or ZTE ZXDSL 831 ADSL modem
- Huawei MT880 ADSL modem
- Huawei MT882 ADSL modem
- Huawei SmartAX MT800u-T ADSL router, NexStor Nexsan ATABoy2x NAS device, ZyXEL ES-4024A switch, or ZyXEL Prestige 650HW or 660HW ADSL router
- Huawei SmartAX MT880 ADSL modem
- Huawei Secospace USG6680 firewall
- Huawei AR 28 router

- Huawei MA5200 router
- Huawei CloudEngine CE6800 switch
- Huawei Quidway S5600 switch
- Huawei AP6050DN WAP
- Huawei Quidway S3526C switch (VRP 3.10)
- Huawei S2326 switch
- Huawei S9300 switch
- Huawei VRP 3 switch
- Huawei VRP 5.160
- Huawei VRP 8.100
- HW group HWg-STE Ethernet thermometer
- HW group Poseidon 3265 Ethernet thermometer
- Hybertone GoIP GSM VoIP gateway
- IBM 4690 OS point-of-sale system
- IBM AIX 4.2
- IBM AIX 4.3
- IBM AIX 4.3.2 on RS/6000
- IBM AIX AIX 4.3
- IBM AIX 5.1
- IBM AIX 5.1 or 5.2
- IBM AIX 5.2
- IBM AIX 5.2 ML 1
- IBM AIX 5.2 on Power5
- IBM AIX 5.3
- IBM AIX 5.3 - 6.1
- IBM AIX 5.3 - 7.1
- IBM AIX 5.3 SP4
- IBM AIX 6
- IBM AIX 6.1
- IBM AIX 7
- IBM AIX 7.1
- IBM AIX 7.2
- IBM 6400 printer (software version 7.0.9.6)
- IBM InfoPrint 1140 printer
- IBM InfoPrint 1754 printer
- IBM WebSphere DataPower XI50 proxy server
- IBM WebSphere DataPower XS40 proxy server
- IBM Model 204 DBMS
- Fujitsu Externus DX80 or IBM DCS9900 NAS device

- IBM BladeCenter management module, IBM System Storage TS3100/TS3200 Express Model tape library, or HP StorageWorks MSL2024 tape library
- IBM System Storage DS4700 NAS device
- IBM System Storage TS3500 tape library
- IBM 8275-826 switch
- IBM i 6
- IBM i 6.1
- IBM i 7.1
- IBM i 7.2
- IBM i5/OS V5R2
- IBM i5/OS V5R3
- IBM i5/OS V5R3M0
- IBM i5/OS V5R4
- IBM i5/OS V5R4
- IBM i5/OS V5R4 - V6R1
- IBM i5/OS V5R4 on an IBM iSeries (PPC)
- IBM OS/2 Warp 3.0
- IBM OS/2 Warp Connect
- IBM OS/2 Warp 2.0
- IBM OS/2 Warp 4
- IBM OS/2 Warp 4.0 (FixPak 15)
- IBM OS/2 Warp 4.50
- IBM OS/2 Warp Server 4.52
- IBM OS/390 V2
- IBM OS/390
- IBM OS/400 V4R2M0
- IBM OS/400 V4R3
- IBM OS/400 V4R5
- IBM OS/400 V4R5M0
- IBM OS/400 V5
- IBM OS/400 V5R1M0
- IBM OS/400 V5R1M0
- IBM OS/400 V5R2
- IBM OS/400 V5R2 - V5R3
- IBM OS/400 V5R2M0
- IBM OS/400 V5R3
- IBM OS/400 V5R3
- IBM z/OS 1.10
- IBM z/OS 1.11
- IBM z/OS 1.12

- IBM z/OS 1.13
- IBM z/OS 1.4.2
- IBM z/OS 1.6
- IBM z/OS 1.7
- IBM z/OS 1.8.0
- IBM z/OS 1.8.0
- IBM z/OS 1.9
- IBM z/OS 10
- IBM z/OS 2.1
- IBM z/OS 2.2
- IBM z/OS v1r8
- IBM z/VM 4.2
- IBM z/VM 5.2
- IBM z/VM
- Icy Box NAS device
- Novatel MiFi 2200 3G WAP or iDirect Evolution X1 satellite router
- IEI SEG-M or Walker Technologies Bridge-2006 Ethernet-to-serial bridge
- IHome SmartPlug iSP5WWC
- OpenIndiana
- OpenIndiana
- OpenIndiana oi_147 - oi_148
- Imperva MX
- Linux 2.6.32
- Infoblox Trinzi network control appliance
- Infrant ReadyNAS NV NAS device (RAIDIator 3.00)
- Infrant ReadyNAS NV+ NAS device (RAIDIator 4.1.4)
- Inova OnTime Clock Version 1.2.P
- Intel Express 460T switch
- Intel Express 510T switch
- Intel Express 510T, 520T, or 550T switch
- Interbell IB-305 VoIP phone
- Interflex IF-1735 timeclock
- Intermec Easycoder thermal printer
- Intermec PM4i label printer
- Intermec PM4i label printer
- Interpeak IPCOM
- Intertex IX66-EDFLC ADSL modem
- IOGear GPSU01 USB print server
- Iomega StorCenter ix4-200d (Linux 2.6.31)
- ION Networks SA5600-series firewall

- IPAD-OS
- ipTIME PRO 54G WAP
- iPXE 1.0.0+
- iRobot Roomba 980 vacuum cleaner
- IronPort C100 email security appliance (AsyncOS 4.7.1)
- IronPort C100 or C650 email security appliance (AsyncOS 6.01 - 6.3)
- IronPort C150 email security appliance (AsyncOS 6.5.2)
- IronPort C150 email security appliance (AsyncOS 6.5.3)
- IronPort AsyncOS 7.5.1
- Isilon IQ 200 NAS device
- ITW WeatherGoose II environmental monitor
- Joyent SmartOS
- JTEKT Toyopuc PC10 programmable logic controller
- Juniper Networks SSG 20 firewall
- Juniper SA2500 SSL VPN gateway or Digi Passport console server
- Juniper SRX100 firewall
- Juniper J4350 router
- Juniper M7i router
- Juniper Networks ERX-700 router
- Juniper MAG2600 SSL VPN gateway (IVE OS 7.3)
- Juniper SA4000 SSL VPN gateway (IVE OS 7.0)
- Juniper SRX100-series or SRX200-series firewall (JUNOS 10.4 - 12.1)
- Juniper JUNOS 10.4R6.5
- Juniper SRX-series firewall (JUNOS 12.1)
- Juniper SRX210 firewall (JUNOS 12.1)
- Juniper JUNOS 12.3R5.7
- Juniper MX480 router (JUNOS 12.3)
- Juniper Networks JUNOS 12
- Juniper EX2200 switch (JUNOS 12)
- Juniper Networks JUNOS 12
- Juniper JUNOS 13.3R8
- Juniper JUNOS 13.2
- Juniper Networks WXC-590 proxy server (JUNOS 5.4.4.0)
- Juniper Networks JUNOS 7.3R6
- Juniper Networks JUNOS 7.4R3.4 or 8.3
- Juniper Networks Olive (JUNOS 7.5-20060511)
- Juniper Networks J2320 or MX5-T router; or EX2200, EX3200, EX4200, or EX8200 switch (JUNOS 8.5 - 11.2)
- Juniper Networks JUNOS 8.5B2.5
- Juniper JUNOS 9.2R1.10
- Juniper JUNOS 9.4R2.9

- Juniper MX960 router (JUNOS 9.5R3.7)
- Juniper Networks JUNOS 9.0R2.10
- Juniper MX960 router
- KA9Q NOS TCP/IP stack for packet radio
- Kaba-Benzing time and attendance terminal
- Kapsch electronic toll collection system
- Kartina SIG 220 set-top box
- KCorp KLG-575 WAP
- Keyence CV-X150F Image Sensor/Controller (VxWorks)
- Keyence SR-1000 code reader
- Kodak ESP 5210 printer
- Kodak ESP 5210, ESP 7250, ESP 9200, or HERO 3.1 printer
- Kodak ESP 5250 printer
- Kodak ESP 5250 printer
- Kodak ESP C310 printer
- Kongsberg Seatex BS410 AIS base station (maritime communication component)
- Konica Minolta 1600f printer
- Konica Minolta 7035 printer
- Konica Minolta bizhub 250 printer
- Konica Minolta bizhub C252 printer
- Konica Minolta bizhub C253 printer
- Konica Minolta bizhub C450 printer with optional Fiery Controller
- Konica Minolta C203 printer
- Konica Minolta C350 printer
- Konica Minolta Color MF24-2 printer
- Konica Minolta Di2510f printer
- Konica Minolta MagiColor 2300 DL printer
- Konica Minolta MagiColor 2430 printer (VxWorks)
- Konica Minolta MagiColor 5430 DL printer
- Koukaam NETIO-230A power control device or ZyXEL SP-220E thermal printer
- Kronos InTouch timeclock
- Kronos Timeclock or SonicWALL TZ 180 Standard firewall (SonicOS 3.8)
- KW-Software ProConOS
- Kyocera InterCon print server
- Kyocera CopyStar CS 255 printer
- Kyocera CopyStar CS-2560 printer
- Kyocera ECOSYS M2030dn printer
- Kyocera EP 470DN printer
- Kyocera FS-1118MFP printer
- Kyocera FS-1750 printer

- Kyocera FS-3800 network printer
- Kyocera FS2000D printer
- LaCrosse WA-1030U weather forecaster
- Lancom L-305agn WAP, 1722 VoIP router, or WLC-4006 WLAN controller
- Lancom WAP
- Lancom 1711 or 1821 broadband router
- Lancom 1721 ADSL modem or L-54ag WAP (LCOS 6 - 7)
- Lancom 821+ ADSL modem (LCOS 7.70)
- Lancom LCOS 8.00
- Lancom LCOS 9.20
- Lancom L-54g WAP (LCOS)
- Lanier LD150 (Ricoh MP 5001) printer
- Lanier Pro 8100s printer
- NetBSD 1.4.2 - 1.5.2; Lanier LS232c, NRG DSc428, Ricoh Aficio 2020, Ricoh NRG MP 161, or Savin 8055 printer; or Panasonic Network Camera (BB-HCM331, BB-HCM381, BCL-30A, BL-C1CE, or BL-C10CE)
- Lanier IS100e scanner or Philips Sopho iS3030 PBX
- Lantronix UDS-1100 serial-to-Ethernet bridge
- Lantronix XPort AR
- Lantronix XPress-DR+ serial-to-Ethernet bridge
- Lantronix ETS4P print server
- Lantronix MPS1 print server
- Lantronix MSS100 print server
- Lantronix UDS1100 external serial device server
- Lantronix XPort embedded Ethernet device server
- Lantronix XPort-03 embedded serial device server (firmware 1.80)
- Lantronix Xport-03 embedded serial device server (firmware 6.1.0.3)
- Lantronix MSSLite device server
- Lantronix ETS32Pr or LRS16 terminal server
- Lantronix Evolution OS 5.4
- Lantronix Evolution OS
- Larus 54580 NTP server
- LaSAT satellite receiver
- Leica T camera
- Lenel LNL-2200 access control board
- Lenel LNL-2220 access control board
- Lenel LNL-3300 access control board
- LNL-3300 Intelligent System Controller
- Leolink LEO-6400DL ADSL router
- LevelOne FPS-1032 print server
- Lexmark 1400-series printer

- Lexmark C500 or C720 printer
- Lexmark C500 printer
- Lexmark C500n color laser printer
- Lexmark C524 printer
- Lexmark C534dn printer
- Lexmark CS310dn or MS410dn printer
- Lexmark CS410dn printer
- Lexmark CS410dn printer
- Lexmark E250DN printer
- Lexmark E332n printer
- Lexmark E450dn printer
- Lexmark MS811 printer
- Lexmark MX611dhe printer
- Lexmark Optra M410, T610, T612, or T622 printer
- Lexmark Optra R+ printer
- Lexmark Optra S 1855 or Se3455 printer
- Lexmark printer
- Lexmark S305, S405, Pro 700, Pro 800, or Pro 900 printer
- Lexmark T522 or E332n printer
- Lexmark T632 or C750 printer
- Lexmark T640 printer
- Lexmark T654 or X656de printer
- Lexmark X4530, X4650, 4800, or X9575 wireless printer
- Lexmark X4850 or X6570 printer
- Lexmark X546dtn printer
- Lexmark X644e printer
- Lexmark X646e, C770, or C935 printer
- Lexmark X6650 printer
- Lexmark Z2400 printer
- LG Bp430 Blu-ray Player
- Liebert Nfinity UPS
- Liebert IntelliSlot Web Card
- Linksys WET54G wireless bridge
- Linksys HPRO200 cable/DSL router
- Linksys WRV200 wireless broadband router
- Linksys BEFSR41 EtherFast router
- Linksys BEFSR41 or RT31P2 router, or WRK54G WAP
- Linksys BEFSR41 router
- Linksys BEFSR81 router
- Linksys RV042 router

- Linksys RVS4000 router
- Linksys WRT54GX2 WAP
- Linksys NAS200 NAS device
- Linksys SRW2000-series or Allied Telesyn AT-8000S switch
- Linksys SRW2008MP switch
- Linksys SRW2024 switch
- Linksys SRW2024 switch
- Linksys PAP2T VoIP adapter
- Linksys PAP2T VoIP router
- Linksys PAP2T VoIP router
- Linksys SPA3102 VoIP adapter
- Linksys SPA901, SPA921, or SPA 941 SIP VoIP phone
- Linksys SPA921 SIP VoIP phone
- Linksys SPA942 VoIP phone
- Linksys SPA942, SPA962, SPA8000 or SPA9000 VoIP phone; SPA3102 VoIP adapter; or Sipura SPA-2100-series VoIP adapter
- ADSL modem: Linksys AM300, Philips CGA5722 or SNA6500, Siemens Gigaset SX541, T-Sinus 111, or USRoboticsUSR9111
- Linksys AM300 wireless ADSL modem
- Linksys BEFSR41 router or WRK54G WAP
- Linksys BEFW11S4 WAP
- Linksys WAG200G WAP (MontaVista Linux 2.4.17)
- Linksys WAP54G WAP
- Linksys WET54GS5 WAP, Tranzeo TR-CPQ-19f WAP, or Xerox WorkCentre Pro 265 printer
- Linksys WGA54G WAP
- Linksys WRT100 WAP
- Linksys WRT54G or WRT54G2, or Netgear WGR614 or WPN824v2 wireless broadband router
- Linksys WRT54G v8 wireless broadband router
- Linksys WRT54G2 WAP
- Linksys WRT54GC or TRENDnet TEW-431BRP wireless broadband router
- Linksys WRT610Nv3 WAP
- Linksys WRV54G WAP
- Linksys WVC54G webcam
- Linux 1.0.9
- Cobalt Qube 2700WG (Linux 2.0.34)
- Linux 2.0.33
- Linux 2.0.33 (Red Hat 5.0)
- Linux 2.0.35 - 2.0.36
- Linux 2.0.36 (Red Hat 5.2)
- Linux 2.0.39 - 2.0.40 (embedded)

- elmeg T240 or T444 PABX (Linux 2.0.38)
- FREESCO single-floppy router (Linux 2.0.39)
- StarDot NetCam SC webcam (Linux 2.0.39)
- TiVo series 1 (Linux 2.1.24-TiVo-2.5)
- TiVo series 1 (Sony SVR-2000 or Philips HDR112) (Linux 2.1.24-TiVo-2.5, PowerPC)
- Linux 2.2.13 (SuSE 6.3)
- Linux 2.2.14 (Red Hat 6.2)
- Linux 2.2.9
- Netgear WG602v1 WAP (Linux 2.2.14)
- OpenWrt Backfire 10.03.1 (Linux 2.4.37)
- OpenWrt Kamikaze 8.09.1 (Linux 2.4.35.4)
- Tomato firmware (Linux 2.4.37)
- Check Point SecurePlatform NGX R65 firewall (Linux 2.4.21)
- Check Point SecurePlatform NGX R65 firewall (Linux 2.4.21)
- Check Point VPN-1 UTM appliance
- IPCop firewall 1.4.16 (Linux 2.4.34)
- IPCop firewall 1.4.21 (Linux 2.4.36)
- ISS Proventia GX3002 firewall (Linux 2.4.18)
- ISS Proventia GX3002C firewall (Linux 2.4.18)
- Linux 2.4.31
- Secure Computing SG550 firewall (Linux 2.4.31)
- DD-WRT v24-sp2 (Linux 2.4.37)
- LifeSize video conferencing system (Linux 2.4.21)
- Linux 2.4.18
- Linux 2.4.19
- Linux 2.4.2 (Red Hat 7.1)
- Linux 2.4.20
- Linux 2.4.20 (Red Hat 7.2)
- Linux 2.4.20 - 2.4.27
- Linux 2.4.20 - 2.4.37
- Linux 2.4.20-grsec
- Linux 2.4.21
- Linux 2.4.21 (SuSE 9.0)
- Linux 2.4.21 (SuSE 9.1)
- Linux 2.4.22 (x86)
- Linux 2.4.26 (Slackware 10.0.0)
- Linux 2.4.27
- Linux 2.4.31 (Slackware v10.2)
- Linux 2.4.31 w/grsec (x86)
- Linux 2.4.32

- Linux 2.4.32 (x86)
- Linux 2.4.33
- Linux 2.4.33 (embedded)
- Linux 2.4.35
- Linux 2.4.7
- Linux 2.4.9 (Red Hat Enterprise Linux 2.1 AS)
- Linux 2.4.9 - 2.4.18 (likely embedded)
- MontaVista embedded Linux 2.4.17
- MontaVista embedded Linux 2.4.17
- OpenWrt Kamikaze 8.09 (Linux 2.4.35)
- OpenWrt Kamikaze 8.09 (Linux 2.4.35.4)
- Toshiba Magnia SG10 server appliance (Linux 2.4.18)
- LifeSize video conferencing system or ShoreTel 8800 VoIP phone (Linux 2.4)
- macsense HomePad music server (Linux 2.4.18)
- RGB Networks Modular Media Converter (Linux 2.4.30)
- Sharp SL-5500 PDA (OpenZaurus 3.5.4, Linux 2.4.18)
- Enterasys Matrix X-series router (Linux 2.4)
- Consumer Electronics Linux Forum embedded Linux 2.4.20
- Cypress Solutions CTM-15X modem (OpenWrt firmware)
- iDirect Protocol Processor (Red Hat Enterprise Linux 3)
- Linux 2.4.21 (embedded)
- Embedded Linux 2.4.22 (Linksys NSLU2 NAS device or Synology DS106j NAS server)
- Belkin F5D7633, Inventel Livebox, or T-Sinus 1054 wireless broadband router; or USRobotics SureConnect 9105 or ZTE ZXDSL 831 ADSL modem
- D-Link DIR-100; DrayTek Vigor3300; or Netgear KWRGR614, RT614, or WG602 router (Linux 2.4)
- D-Link DSL-G624T wireless ADSL router (MontaVista embedded Linux 2.4.17), or Netgear DG834Bv3 ADSL router or DG834G WAP
- D-Link DWL-G700AP WAP (Linux 2.4.18)
- DD-WRT (Linux 2.4.35s)
- DD-WRT (Linux 2.4.36)
- DD-WRT v23 (Linux 2.4.34)
- DD-WRT v23 (Linux 2.4.36)
- DD-WRT v23 (Linux 2.4.37)
- DD-WRT v23 - v24-sp2 (Linux 2.4.20 - 2.4.37)
- DD-WRT v24-sp1 (Linux 2.4)
- DD-WRT v24-sp1 (Linux 2.4.36)
- DD-WRT v24-sp2 (Linux 2.4.37)
- Neptune354 firmware (MontaVista Linux 2.4.17)
- OpenWrt (Linux 2.4.30 - 2.4.34)
- OpenWrt (Linux 2.4.32)

- OpenWrt 0.9 - 10.03 (Linux 2.4.30 - 2.4.37)
- OpenWrt 0.9 - 7.09 (Linux 2.4.30 - 2.4.34)
- OpenWrt Kamikaze 8.09 (Linux 2.4.35.4)
- OpenWrt White Russian 0.9 (Linux 2.4.30)
- OpenWrt White Russian 0.9 (Linux 2.4.30)
- Sveasoft (Linux 2.4.20)
- Sveasoft Talisman 2.0 (Linux 2.4.33.7)
- Tomato 1.27 - 1.28 (Linux 2.4.20)
- Tomato 1.28 (Linux 2.4.20)
- Foscam FI8908W surveillance camera (Linux 2.4.20)
- uClinux 2.4.19-uc1 (ARM)
- mbNET industrial router (Linux 2.6.26)
- D-Link DIR-300 NRU router (Linux 2.6.21)
- DD-WRT (Linux 2.6.34)
- DD-WRT v24-sp2 (Linux 2.6.24)
- Huawei EchoLife HG850a router (Linux 2.6.20)
- Linux 2.6.32
- Motorola SURFboard SB6120 or SB6141 cable modem (Linux 2.6.18)
- OpenWrt (Linux 2.6.39)
- OpenWrt Attitude Adjustment 12.09 (Linux 2.6)
- OpenWrt Backfire 10.03 (Linux 2.6.32)
- OpenWrt Backfire 10.03 (Linux 2.6.32)
- OpenWrt Backfire 10.03 - Attitude Adjustment 12.09 (Linux 2.6.32 - 2.6.37)
- OpenWrt Kamikaze 8.09 (Linux 2.6.25 - 2.6.26)
- OpenWrt Kamikaze 8.09 (Linux 2.6.25.20)
- Vyatta (Linux 3.0.23)
- Vyatta 4.1.4 (Linux 2.6.24)
- Check Point GAIa (Linux 2.6.18)
- Check Point VPN-1 Firewall-1 firewall (Linux 2.6.18)
- Cisco SA520 firewall (Linux 2.6)
- Endian 2.3 or IPCop firewall 1.4.10 - 1.4.21 (Linux 2.4.31 - 2.6.22)
- Endian Firewall 2.3 (Linux 2.6)
- Fortinet FortiAnalyzer-400B firewall (Linux 2.6)
- IPCop 1.9.19 or IPFire 2.9 firewall (Linux 2.6.32)
- IPFire 2.11 firewall (Linux 2.6.32)
- Linux 2.6.11
- Vyatta router (Linux 2.6.26)
- Asus RT-N10 router or AXIS 211A Network Camera (Linux 2.6)
- Blue Coat Director (Linux 2.6.10)
- Citrix XenServer 5.5 (Linux 2.6.18)

- Citrix XenServer 6.1 (Linux 2.6.32)
- DD-WRT v24-presp2 (Linux 2.6.34)
- Excito B3 file server (Linux 2.6.39)
- Excito Bubba Two file server (Linux 2.6.32)
- IPCop 2.0 (Linux 2.6.32)
- Linux 2.6.10 - 2.6.13 (embedded)
- Linux 2.6.11
- Linux 2.6.11 (Auditor)
- Linux 2.6.11 (Fedora Code 3, SMP, x86)
- Linux 2.6.11-auditor-10 (Auditor CD, x86)
- Linux 2.6.12
- Linux 2.6.12 - 2.6.14 (embedded)
- Linux 2.6.14 (ASPLinux 11)
- Linux 2.6.14.7 (PLD Linux, x86)
- Linux 2.6.15
- Linux 2.6.15 (Ubuntu 6.06)
- Linux 2.6.15 (Ubuntu)
- Linux 2.6.15-28-amd64-server (Ubuntu, x86_64, SMP)
- Linux 2.6.16
- Linux 2.6.16 (SUSE Linux Enterprise Server 10)
- Linux 2.6.16.27 (fli4l 3.1.1)
- Linux 2.6.17
- Linux 2.6.17 (Mandriva)
- Linux 2.6.18
- Linux 2.6.18 (CentOS 5)
- Linux 2.6.18 (CentOS 5, x86_64, SMP)
- Linux 2.6.18 (CentOS 5, x86_64, SMP)
- Linux 2.6.18 (CentOS 5.2)
- Linux 2.6.18 (Centos 5.3)
- Linux 2.6.18 (CentOS 5.4)
- Linux 2.6.18 (ClarkConnect 4.3 Enterprise Edition)
- Linux 2.6.18 (Debian 4, VMware)
- Linux 2.6.18 (Debian 4.0, x86)
- Linux 2.6.18 (Debian, x86)
- Linux 2.6.18 (Slackware 11.0)
- Linux 2.6.18 (SMP)
- Linux 2.6.18 - 3.1
- Linux 2.6.18-8.el5 (Red Hat Enterprise Linux 5)
- Linux 2.6.18-8.el5 (Red Hat Enterprise Linux 5, x86_64, SMP)
- Linux 2.6.18-8.el5 (Red Hat Enterprise Linux Server 5, x86_64, SMP)

- Linux 2.6.18-em64t (x86-64)
- Linux 2.6.18.5 (Ubuntu, x86)
- Linux 2.6.18.8 (openSUSE 10.2)
- Linux 2.6.18.8 (openSUSE 10.2, SMP)
- Linux 2.6.18.pi (x86)
- Linux 2.6.19 (Gentoo)
- Linux 2.6.20
- Linux 2.6.20 (Ubuntu, x86_64)
- Linux 2.6.20 - 2.6.24 (Ubuntu 7.04 - 8.04)
- Linux 2.6.20 - 2.6.25
- Linux 2.6.20 - 2.6.28
- Linux 2.6.20-1 (Fedora Core 5)
- Linux 2.6.20-15-generic (x86, SMP)
- Linux 2.6.20-grml
- Linux 2.6.20.6
- Linux 2.6.21
- Linux 2.6.21-gentoo-r4 (PowerPC)
- Linux 2.6.21.1 (x86_64)
- Linux 2.6.22
- Linux 2.6.22 (Debian 4.0)
- Linux 2.6.22 (embedded, ARM)
- Linux 2.6.22 (Fedora 7)
- Linux 2.6.22 (Fedora Core 6)
- Linux 2.6.22 (Gentoo, x86)
- Linux 2.6.22 (Kubuntu, x86)
- Linux 2.6.22 (LinuxMCE)
- Linux 2.6.22 (SPARC)
- Linux 2.6.22 (Ubuntu 7.04, x86, SMP)
- Linux 2.6.22 (Ubuntu 7.10)
- Linux 2.6.22 (Ubuntu 7.10, x86)
- Linux 2.6.22 (Ubuntu 7.10, x86_64)
- Linux 2.6.22 (Ubuntu 8.04 Server Edition)
- Linux 2.6.22 (Ubuntu, x86)
- Linux 2.6.22.1-32.fc6 (x86, SMP)
- Linux 2.6.23
- Linux 2.6.23 (Gentoo)
- Linux 2.6.23-gentoo-r3
- Linux 2.6.24
- Linux 2.6.24 (Debian)
- Linux 2.6.24 (Gentoo)

- Linux 2.6.24 (Gentoo, x86)
- Linux 2.6.24 (Ubuntu 8.04)
- Linux 2.6.25 (Arch Linux)
- Linux 2.6.25 (Gentoo)
- Linux 2.6.25 (openSUSE 11.0)
- Linux 2.6.26
- Linux 2.6.26 (PCLinuxOS)
- Linux 2.6.27
- Linux 2.6.27 (Arch Linux)
- Linux 2.6.27 (openSUSE 11.1)
- Linux 2.6.27 (Ubuntu 8.10)
- Linux 2.6.27.21-grsec
- Linux 2.6.28
- Linux 2.6.28 (Ubuntu)
- Linux 2.6.29
- Linux 2.6.29 (Gentoo)
- Linux 2.6.30
- Linux 2.6.31
- Linux 2.6.32
- Linux 2.6.33
- Linux 2.6.34
- Linux 2.6.35
- Linux 2.6.36
- Linux 2.6.37
- Linux 2.6.37 (OpenSUSE 11.4)
- Linux 2.6.38
- Linux 2.6.38 (likely embedded)
- Linux 2.6.39
- Linux 2.6.39 - 3.2
- Linux 2.6.5
- Linux 2.6.5 (Fedora Core 2)
- Linux 2.6.5 (SUSE Enterprise Server 9)
- Linux 2.6.5-7.283-smp (SuSE Enterprise Server 9, x86)
- Linux 2.6.6
- Linux 2.6.8
- Linux 2.6.8 (Debian 3.1)
- Linux 2.6.8 (Debian Sarge)
- Linux 2.6.8 (Debian, x86)
- Linux 2.6.8 (x86)
- Linux 2.6.9

- Linux 2.6.9 (CentOS 4.3)
- Linux 2.6.9 (CentOS 4.4)
- Linux 2.6.9 (Red Hat Enterprise Linux, x86_64)
- Linux 2.6.9-022stab078.19-enterprise (CentOS 4.2 x86)
- Linux 2.6.9-22.0.1.EL (CentOS 4.4)
- Linux 2.6.9-42.ELsmp (Red Hat Enterprise Linux AS release 4, x86_64)
- Linux 2.6.9-55.0.2.EL (Red Hat Enterprise Linux)
- OpenVZ Linux virtualization kernel (Linux 2.6.18-028stab023.1+31-openvz-smp)
- OpenVZ Linux virtualization kernel (Linux 2.6.18-028stab045)
- OpenWrt Kamikaze - Backfire or SuperMicro BMC (Linux 2.6.19 - 2.6.32)
- Oracle Enterprise Linux 6 (Linux 2.6.32)
- Red Hat Enterprise Linux Server release 5.2 (Tikanga)
- Roku 2 XS media player (Linux 2.6.32)
- Smoothwall Express 3.0 (Linux 2.6.16)
- Kemp LoadMaster 2500 load balancer
- DirecTV HR34 DVR (Linux 2.6.22)
- Dish Network VIP 722k DVR (Linux 2.6)
- Infomir MAG-250 set-top box
- LG Smart TV LS570S (Linux 2.6)
- Linux 2.6.12 (Dreambox derivative)
- Linux 2.6.27 (likely embedded)
- Logitech Squeezebox Touch media player (Linux 2.6.26)
- Motorola KreaTV (Linux 2.6.32)
- Nokia N800 Internet tablet (Linux 2.6.21, ARM)
- ProVision-ISR security DVR
- Star Track SRT2014HD satellite receiver (Linux 2.6.23)
- ZyXEL STB-1001H set-top box (Linux 2.6.17)
- Cisco UC320 PBX (Linux 2.6)
- Cisco UC320W PBX (Linux 2.6)
- Elastix PBX (Linux 2.6.18)
- LG IPECS 300 VoIP PBX (Linux 2.6)
- CyanogenMod 7.1.0 (Linux 2.6)
- Linux 2.6.24 (Palm Pre mobile phone)
- Nokia N9 phone (Linux 2.6.32)
- Nokia N900 mobile phone (Linux 2.6.28)
- WebSense proxy appliance (Linux 2.6)
- Dell DRAC 5 (Linux 2.6)
- Dell iDRAC 6 remote access controller (Linux 2.6)
- Supermicro AOC-SIMSO+ IPMI card or Epson Artisan 837 printer
- Supermicro IPMI BMC (Linux 2.6.24)

- Cisco 2600-series Content Engine Module (Linux 2.4.16)
- Cisco RV320 router (Linux 2.6.32)
- MikroTik RouterOS 4.9 (Linux 2.6)
- MikroTik RouterOS 5.5 (Linux 2.6.35)
- Symantec Web Gateway 5.2.0.361 (Linux 2.6)
- Google Mini search appliance v.4.6.4G66
- HIKVISION DS-7600 Linux Embedded NVR (Linux 2.6.10)
- Linux 2.6.31 - 2.6.35 (embedded)
- Linux 2.6.32
- Meinberg LANTIME M600 NTP server (Linux 2.6.15)
- Vivint alarm panel (Linux 2.6.21)
- WANEM network emulator (Linux 2.6)
- D-Link DNS-323 NAS device (Linux 2.6.12)
- Drobo 5D NAS (Linux 2.6.18)
- Iomega StorCenter ix2-200 NAS device (Linux 2.6.31)
- LaCie 5big Network 2 NAS device (Linux 2.6.31)
- LaCie d2 NAS device (Linux 2.6)
- LG N4B2ND4 NAS device (Linux 2.6)
- Linksys NSLU2 NAS device running SlugOS/LE (Linux 2.6.16)
- Linux 2.6.12
- Linux 2.6.32
- MitraStar NAS (Linux 2.6.31)
- NAS device (Linux 2.6.15): GalaxyMetalGear 4500MGB, Icy Box IB-NAS4220-B, or MRT Dual GigaNAS
- Netgear RAIDiator 4.00 - 4.1.8 NAS device (Linux 2.6.17)
- Netgear ReadyNAS 3200 NAS device (Linux 2.6)
- Promise SmartStor NS2300 or Synology DS207 NAS device (Linux 2.6.15 - 2.6.20)
- Synology DiskStation Manager 4.3 (Linux 2.6.32 or 3.2)
- Synology DiskStation Manager 4.3 (Linux 2.6.32)
- Synology DS209 NAS device (Linux 2.6.32) or Polycom HDX 7000 Touch Control
- Synology DS212j NAS device (Linux 2.6.32)
- Synology VS240HD Surveillance Station (Linux 2.6)
- Western Digital MyBook World Edition 2 NAS device (Linux 2.6.17.14)
- Avaya Communication Manager (Linux 2.6.11)
- IGEL UD3 thin client (Linux 2.6)
- Wyse S50 thin client (Linux 2.6)
- Lantronix SLC 8 terminal server (Linux 2.6)
- Digium D70 IP phone
- Asus RT-N16 WAP (Linux 2.6)
- Asus RT-N16 WAP (Linux 2.6.22)
- Asus RT-N66U WAP (Linux 2.6)

- AVM FRITZ!Box FON WLAN 7170 WAP (Linux 2.6)
- AVM FRITZ!Box FON WLAN 7170 WAP (Linux 2.6.13)
- Ceedtec CD-730 WiMAX WAP (Linux 2.6.23)
- Cisco AP541N WAP (Linux 2.6.21) or Avaya ERS 5510 switch
- Cisco RV042 WAP (Linux 2.6)
- Cisco SRP 521W WAP (Linux 2.6)
- Cisco SRP 527 WAP (Linux 2.6)
- Cisco WAP4410N WAP (Linux 2.6.15)
- D-Link DIR-300 WAP (Linux 2.6.21)
- D-Link DIR-600 or DIR-645 WAP (Linux 2.6.33)
- D-Link DIR-818LW WAP (Linux 2.6.30)
- D-Link DIR-865L WAP (Linux 2.6)
- DD-WRT (Linux 2.6.23, MIPS)
- DD-WRT (Linux 2.6.24)
- DD-WRT v24 (Linux 2.6.22)
- DD-WRT v24-sp2 (Linux 2.6.34)
- Gennet OxyGEN wireless ADSL router (Linux 2.6.11)
- Huawei EchoLife WAP (Linux 2.6.34)
- Huawei HG8245T GPON ONU WAP (Linux 2.6.21) or Sagemcom F@st 4350 WAP
- IO-Data WN-G300R WAP (Linux 2.6)
- Linux 2.6.15 (likely TP-LINK WAP)
- Linux 2.6.17 (ZyXEL NWA570N WAP)
- Netgear WNDAP660 WAP (Linux 2.6.36)
- OpenWrt (Linux 2.6.32)
- OpenWrt Backfire 10.03.1 (Linux 2.6)
- OpenWrt Kamikaze 7.09 (Linux 2.6.17 - 2.6.32)
- OpenWrt Kamikaze 7.09 (Linux 2.6.22)
- OpenWrt Kamikaze 8.09 (Linux 2.6.26)
- Orange Livebox Pro v3 (Linux 2.6)
- Starbridge Networks 1531 wireless ASDL modem
- Tomato 1.28 (Linux 2.6.22)
- Tomato firmware (Linux 2.6.22)
- Ubiquiti AirMax NanoStation M5 WAP (Linux 2.6)
- Ubiquiti AirMax NanoStation WAP (Linux 2.6)
- Ubiquiti AirMax NanoStation WAP (Linux 2.6.32)
- Ubiquiti NanoStation Loco M2 WAP (Linux 2.6.32)
- Ubiquiti WAP (Linux 2.6.32)
- Xiaomi Mi WiFi 2.2 (Linux 2.6.36)
- Xiaomi MiWiFi WAP (Linux 2.6.36)
- Axis 207 camera (Linux 2.6.16)

- AXIS 210A or 211 Network Camera (Linux 2.6.17)
- AXIS 211A Network Camera (Linux 2.6.20)
- Logitech Alert 750i camera (Linux 2.6.18)
- Ubiquiti UniFi Video Camera (Linux 2.6.38)
- Vilar IP Camera (Linux 2.6)
- DD-WRT v24 or v30 (Linux 3.10)
- Gargoyle 1.5.10 router firmware (Linux 3.3)
- OpenWrt (Linux 3.0)
- OpenWrt (Linux 3.18)
- OpenWrt (Linux 3.2)
- OpenWrt (Linux 3.3)
- OpenWrt 12.09-rc1 Attitude Adjustment (Linux 3.3 - 3.7)
- OpenWrt Attitude Adjustment (Linux 3.3)
- OpenWrt Attitude Adjustment (Linux 3.3) - Barrier Breaker (Linux 3.8)
- OpenWrt Attitude Adjustment 12.09 (Linux 3.3.8)
- OpenWrt Attitude Adjustment 12.09-RC2 (Linux 3.3.8)
- OpenWrt Barrier Breaker (Linux 3.10)
- OpenWrt Chaos Calmer 15.05 (Linux 3.18)
- IPCop 2 firewall (Linux 3.4)
- Linux 3.0
- Linux 3.1
- Linux 3.10
- Linux 3.11
- Linux 3.11
- Linux 3.11
- Linux 3.12
- Linux 3.13
- Linux 3.14
- Linux 3.16
- Linux 3.18
- Linux 3.18 (OpenWrt)
- Linux 3.19
- Linux 3.2
- Linux 3.2.0
- Linux 3.2.1
- Linux 3.2.38
- Linux 3.3
- Linux 3.4
- Linux 3.5
- Linux 3.6

- Linux 3.7
- Linux 3.8
- Linux 3.9
- OpenWrt Chaos Calmer (Linux 3.10 - 3.14)
- OpenWrt Chaos Calmer (Linux 3.18)
- PandaBoard ES Android development board (Linux 3.2)
- Philips Hue Bridge 2.0 (Linux 3.14)
- Kemp LoadMaster LM-2400 Firmware 7.1
- Linux 3.0
- XBMCbuntu Frodo v12.2 (Linux 3.X)
- Android 4.2.2 (Linux 3.4)
- Android 4.4.4 (Linux 3.4)
- Linux 3.10
- ODROID-U2 Android development board (Linux 3.0)
- PandaBoard development board (Linux 3.2)
- QNAP NAS Firmware 3.8.3 (Linux 3.X)
- Synology DiskStation Manager 5.1 (Linux 3.2)
- Synology DiskStation Manager 5.2 (Linux 3.10)
- Tintri OS 3.2 (Linux 3.2)
- Western Digital My Cloud (Linux 3.2)
- Cisco CP-8841 VoIP phone
- DD-WRT (Linux 3.18)
- DD-WRT v24-sp2 (Linux 3.10)
- libreCMC 1.3 Elegant Eleanor (Linux 3.14)
- OpenWrt Attitude Adjustment 12.09 (Linux 3.3)
- OpenWrt Barrier Breaker (Linux 3.10)
- OpenWrt Barrier Breaker (Linux 3.8)
- OpenWrt Chaos Calmer 15.05 (Linux 3.18)
- OpenWrt Chaos Calmer 15.05 (Linux 3.18) or Designated Driver (Linux 4.1 or 4.4)
- DD-WRT v3.0 (Linux 4.4.2)
- Linux 3.19 - 4.4
- Linux 4.0
- Linux 4.1
- Linux 4.1
- Linux 4.10
- Linux 4.2
- Linux 4.3
- Linux 4.4
- Linux 4.5
- Linux 4.6

- Linux 4.8
- Linux 4.9
- OpenWrt Designated Driver (Linux 4.1)
- OpenWrt Designated Driver (Linux 4.4)
- Compal CG6640 cable modem
- Free Freebox V5 ADSL modem
- Linux 2.6.18 (CentOS 5, x86_64, SMP)
- Linux 2.6.25
- SUSE Linux Enterprise Thin Client 11
- Dahua or Amcrest network video recorder (Linux)
- Stratacache video display device
- Olivetti 65C-9 printer
- Cisco RV320 router
- Bomara Tracker 2740 multipurpose server (Linux)
- Hikvision DVR
- Rebranded surveillance DVR (Hikvision, Q-SEE, EYEsurv, A1Webcams, Foscam)
- HP P2000 MSA storage controller
- Synology DiskStation Manager 5.0
- Synology DiskStation Manager 5.1
- Chip PC XtremePC thin client
- Asus RT-AC66U WAP
- Huawei HG8245A GPON WAP
- Linksys EA3500 WAP
- Linksys WRTU54G-TM WAP (Linux)
- Ubiquiti AirOS (Linux)
- ZyXEL Keenetic 4G II WAP
- LogiLink Gigabit NAS device
- Lorex NV408 video recorder
- Lorex Security DVR
- Lucent PortMaster PM-25 terminal server (ComOS 3.9)
- Luminary Micro ARM Evaluation Kit
- Luxul XBR-2300 router
- lwIP 1.1.0 lightweight TCP/IP stack
- lwIP 1.3.0 lightweight TCP/IP stack
- lwIP 1.4.0 lightweight TCP/IP stack
- lwIP TCP/IP stack
- ESPEasy OS (lwIP stack)
- Lyngsoe Systems RFID reader
- m3 muvid IR 715-2 Internet radio receiver
- Maipu MyPower MP3840 router

- McAfee Enterprise Firewall
- McAfee Email Gateway 6.7.2
- Meru MC1000 wireless LAN controller
- Metrix Scopix III oscilloscope
- MGE EX 7 RT or Evolution 850 UPS
- MicroNet SP2267 wireless ADSL router
- Miconet SP916NE WAP
- Microsoft Xbox game console (modified, running XboxMediaCenter)
- Microsoft Mediaroom set-top box
- Microsoft Zune audio player (firmware 3.1)
- Microsoft MN-700 wireless broadband router
- Microsoft Network Client 3.0 for MS-DOS
- Microsoft Windows Mobile 2003 PocketPC
- Microsoft Windows Mobile 5.0 - 6.1 or Zune audio player (firmware 2.2)
- Fujitsu Siemens Pocket LOOX 750 GPS device (Windows Mobile 5)
- Microsoft Windows Mobile 6 (CE OS 5.0 - 5.2)
- HTC Touch mobile phone (Windows Mobile 6)
- Microsoft Windows Mobile 6.0 - 6.1
- Motorola Q9c mobile phone (Windows Mobile 6)
- Microsoft Windows 10
- Microsoft Windows 10 10586 - 14393
- Microsoft Windows 10 1507
- Microsoft Windows 10 1511
- Microsoft Windows 10 1607
- Microsoft Windows 10 1703
- Microsoft Windows 10 1511
- Microsoft Windows 2000
- Microsoft Windows 2000 AS
- Microsoft Windows 2000 AS SP4
- Microsoft Windows 2000 or Windows Server 2003 SP1
- Microsoft Windows 2000 Professional (no service pack)
- Microsoft Windows 2000 Professional SP4
- Microsoft Windows 2000 Server
- Microsoft Windows 2000 Server SP4
- Microsoft Windows 2000 SP0
- Microsoft Windows 2000 SP1
- Microsoft Windows 2000 SP2
- Microsoft Windows 2000 SP4
- Microsoft Windows 2003 R2
- Microsoft Windows 2003 SP2

- Microsoft Windows Server 2003
- Microsoft Windows Server 2003 Enterprise Edition
- Microsoft Windows Server 2003 Enterprise Edition SP2
- Microsoft Windows Server 2003 R2
- Microsoft Windows Server 2003 R2 SP1
- Microsoft Windows Server 2003 R2 SP2
- Microsoft Windows Server 2003 SP0
- Microsoft Windows Server 2003 SP1
- Microsoft Windows Server 2003 SP2
- Microsoft Windows Server 2003 SP2 (x64)
- Microsoft Windows Server 2003 SP3
- Microsoft Windows Small Business Server 2003 SP1
- Microsoft Windows Small Business Server 2003 SP2
- Microsoft Windows Server 2003 SP2
- Microsoft Server 2008 R2 SP1
- Microsoft Windows Home Server 2011 (Windows Server 2008 R2)
- Microsoft Windows Server 2008
- Microsoft Windows Server 2008 Enterprise SP2
- Microsoft Windows Server 2008 R2
- Microsoft Windows Server 2008 SP1
- Microsoft Windows Server 2008 SP2
- Microsoft Windows Server 2008 SP2 Datacenter Version
- Microsoft Windows Server 2012
- Microsoft Windows Server 2012 Data Center
- Microsoft Windows Server 2012 R2
- Microsoft Windows Server 2012 R2 Update 1
- Windows Server 2012 R2
- Microsoft Windows Server 2016
- Microsoft Windows Server 2016 build 10586 - 14393
- Microsoft Windows 3.1 with Trumpet WinSock
- Microsoft Windows 3.11 for Workgroups
- Microsoft Windows 7
- Microsoft Windows 7 Enterprise
- Microsoft Windows 7 Enterprise SP1
- Microsoft Windows 7 Professional
- Microsoft Windows 7 Professional SP1
- Microsoft Windows 7 SP1
- Microsoft Windows 7 Ultimate
- Microsoft Windows 7 Ultimate Beta (build 7000)
- Microsoft Windows Windows 7 SP1

- Microsoft Windows Embedded POSready 7
- Microsoft Windows Embedded Standard 7
- Microsoft Windows 8
- Microsoft Windows 8 Enterprise
- Microsoft Windows 8.1 Update 1
- Microsoft Windows 8.1
- Microsoft Windows 8.1 Enterprise
- Microsoft Windows 8.1 R1
- Microsoft Windows 8.1 Update 1
- Microsoft Windows 95
- Microsoft Windows 98
- Microsoft Windows 98 (German)
- Microsoft Windows 98 SE
- Microsoft Windows 98 SE (no service pack)
- Microsoft Windows Longhorn
- Microsoft Windows Millenium Edition (Me) 4.90.3000
- Microsoft Windows Millennium Edition (Me)
- Microsoft Windows NT
- Microsoft Windows NT 3.1
- Microsoft Windows NT 3.51 SP5
- Microsoft Windows NT 4.0
- Microsoft Windows NT 4.0 SP0
- Microsoft Windows NT 4.0 SP3
- Microsoft Windows NT 4.0 SP5
- Microsoft Windows NT 4.0 SP6
- Microsoft Windows NT 4.0 SP6a
- Microsoft Windows NT 4.0 SP7
- Microsoft Windows NT 4.0 Terminal Server Edition SP6
- Microsoft Windows NT SP6
- Microsoft Windows NT Version 4.0 SP6
- Microsoft Windows NT Workstation 4.0 SP6a
- Microsoft Windows Phone 7.5 or 8.0
- ARCA CM18 Cash Recycler (Windows CE)
- Microsoft Windows CE 3.0
- Microsoft Windows CE 5.0
- Microsoft Windows CE 6.0
- AT&T U-Verse set-top box (Windows CE 5.0)
- BT Vision+ set-top box (Windows CE 5.0.1400)
- Cisco ISB2230 set-top box (Windows CE 5.0.1400)
- Motorola VIP1200 digital set top box (Windows CE 5.0)

- Motorola VIP1200-series or Swisscom Bluewin TV digital set top box (Windows CE 5.0)
- Motorola VIP1216 digital set top box (Windows CE 5.0)
- Motorola VIP1216E digital set top box (Windows CE 5.0)
- Telekom set top box (Windows CE 5.0)
- Intermec CK31 PDA (Windows CE 4.20)
- Microsoft Windows CE 3.0
- Microsoft Windows CE 4.20
- Datalogic Kyman barcode scanner (Windows CE 5.0)
- Microsoft Windows CE 5.0 (ARM)
- Microsoft Windows CE 6.0
- Motorola WT4090 mobile computer (Windows CE 5)
- NCD Thinstar 200 thin client (Windows CE)
- Phoenix Contact ILC 350 PN control system (Windows CE 4.2)
- Phoenix Contact ILC 350 PN control system (Windows CE 4.2)
- Symbol MC9060-G mobile computer (runs Microsoft Windows CE .NET 4.20)
- Symbol Technologies handheld scanner (Windows CE 5.0)
- Microsoft Windows Vista
- Microsoft Windows Vista Business
- Microsoft Windows Vista Enterprise
- Microsoft Windows Vista Home Premium SP1
- Microsoft Windows Vista SP1
- Microsoft Windows Vista SP2
- Microsoft Windows 2000 SP6
- Microsoft Windows Fundamentals for Legacy PCs (XP Embedded derivative)
- Microsoft Windows Server 2003 SP0 or Windows XP SP2
- Microsoft Windows XP
- Microsoft Windows XP Embedded
- Microsoft Windows XP Embedded SP2
- Microsoft Windows XP Home Edition SP3
- Microsoft Windows XP Home SP1
- Microsoft Windows XP Home SP1 (French)
- Microsoft Windows XP Home SP2
- Microsoft Windows XP Home SP2 (Russian)
- Microsoft Windows XP Professional
- Microsoft Windows XP Professional SP1
- Microsoft Windows XP Professional SP2
- Microsoft Windows XP Professional SP2 (firewall enabled)
- Microsoft Windows XP Professional SP2 (French)
- Microsoft Windows XP Professional SP2 (German)
- Microsoft Windows XP Professional SP2 (German)

- Microsoft Windows XP Professional SP3
- Microsoft Windows XP SP0
- Microsoft Windows XP SP1
- Microsoft Windows XP SP2
- Microsoft Windows XP SP2 (firewall disabled)
- Microsoft Windows XP SP2 (Norwegian)
- Microsoft Windows XP SP2 Media Center Edition
- Microsoft Windows XP SP3
- Microsoft Windows XP SP3 (MicroXP)
- Version 5.1 (Build 2600.xpsp_sp3_gdr.100427-1636 : Service Pack 3
- Burny CNC controller (Microsoft Windows XP Embedded)
- Fuji DryPix medical imager (Microsoft Windows XP Embedded)
- LaCie Ethernet Disk (Windows XP Embedded)
- LaCie NAS device (Windows XP Embedded)
- Microsoft Xbox 360 Dashboard
- Microware OS-9/68000 3.0.3
- Microware OS-9/PowerPC 4.8
- MikroTik RouterOS 2.9.46
- MikroTik RouterOS 3.17
- MikroTik RouterOS 3.19
- MikroTik RouterOS 3.30
- MikroTik RouterOS 5.14 (Linux 2.6.35)
- MikroTik RouterOS 5.16
- MikroTik RouterOS 5.24
- MikroTik RouterOS 5.25 (Linux 2.6.35)
- MikroTik RouterOS 6.0
- MikroTik RouterOS 6.15 (Linux 3.3.5)
- MikroTik RouterOS 6.19 (Linux 3.3.5)
- MikroTik RouterOS 6.30
- MikroTik RouterOS 6.32.1
- MikroTik RouterOS 6.33
- MikroTik RouterOS 6.34
- MikroTik RouterOS 6.35
- MikroTik RouterOS 6.36
- MikroTik RouterOS 6.37
- MikroTik RouterOS 6.37 (Linux 3.3.5)
- MikroTik RouterOS 6.38
- MikroTik RouterOS 6.4
- MikroTik RouterOS 6.7 (Linux 3.3.5)
- MikroTik RB750G router

- Milight WiFi Receiver bridge
- Minix 2.0.4
- Minix 3.1.2
- Minix 3.2.0
- Minolta Di550 laser printer
- Mirapoint M2500 Message Server
- Mirapoint M450 Messaging Server
- Mitel 3300 CXi VoIP PBX
- Mitsubishi Q06UDEH CPU PLC module
- Modtronix single-board computer SBC65EC v3.03
- Motorola Canopy wireless bridge
- Motorola PTP 600 wireless Ethernet bridge
- Motorola 2210-02 ADSL modem
- Motorola SURFboard 5101 cable modem
- Motorola SURFboard SB4200 cable modem
- Motorola SURFboard SB5101 cable modem
- Motorola QIP2500 set top box
- Motorola QIP2500-3 set top box
- Motorola QIP2500-3 Set Top Box
- Motorola QIP2708 set top box
- Motorola QIP6416-2 set top box
- Motorola QIP7100 p2 FiOS DVR
- Motorola set top box
- Motorola VIP1232 digital set top box or Telekom Media Receiver MR 303
- Verizon FiOS DVR or Teradici PCoIP remote management console
- Motorola RFS4000 wireless controller
- Motorola SVG1202 router
- Motorola SL4010e two-way radio
- Motorola AP-51xx WAP
- Motorola AP-6511 wireless access point
- Motorola RFS 6000 wireless switch
- Motorola RFS4000 Wireless Controller
- Motorola RFS6000 Wireless Controller
- Motorola SURFboard SBG900 WAP or SMC SMC8014 cable modem
- Motorola System V/88 Unix R4.0
- Motorola WiNG 5.7.1 (Linux 2.6.28)
- MOXA Ethernet-to-serial bridge
- MOXA Ethernet-to-serial bridge
- MOXA NPort 5110 serial device server
- MOXA NPort 5210 serial device server

- MOXA NPort Express 2.5
- MOXA NPort Express DE-211 serial device server
- Moxa NPort 5610 terminal server
- MPI Tech LinkCom Xpress print server
- MusicianLink jamLink
- Nashuatec Aficio MP C3000 printer
- National Instruments CompactRIO automation controller
- nCircle IP360 security appliance
- NCR 5676 or 5688 automated teller machine
- NEC UNIVERGE SV8100 PBX
- NEC Univerge SV8300 PBX
- NEC SuperScript printer
- NEC WarpStar router
- Neopost IS-330 or IS-350 post franking machine
- Ness M1-XEP home automation interface
- Nest Protect smoke sensor
- Data ONTAP 6.3.2
- NetApp NetCache web proxy; or FAS3020, FAS3040, FAS3050, or FAS6070 NAS device (Data ONTAP 6.0.X - 7.3.X)
- NetApp Data ONTAP 7
- NetApp Data ONTAP 7.3.5P1
- NetApp Data ONTAP 7.3.7
- NetApp FAS2040 NAS device (Data ONTAP)
- NetApp Data ONTAP 8
- NetApp Data ONTAP 8.0.1 - 8.0.2
- NetApp Data ONTAP 8.0.1RC1
- NetApp Data ONTAP 8.1.2P4
- NetApp Data ONTAP 8.1.2RC1
- NetApp Data ONTAP 8.1RC3 or 8.1.3P3
- NetApp Data ONTAP
- NetApp NetCache web proxy
- NetApp FAS2000 NAS device
- Netasq U70 firewall
- NetBSD 2.1.0_STABLE or Ricoh C720S, 1107EX, MP 2550, or MP 7001 printer
- NetBSD 3.1 - 4.0 (AMD64)
- NetBSD 3.1.1
- NetBSD 4.0
- NetBSD 4.0_BETA2, Feb. 21st CVS snapshot
- NetBSD 4.0_STABLE
- NetBSD 4.99.49 (x86)
- NetBSD 5.0

- NetBSD 5.0 - 5.99.5
- NetBSD 5.1.2
- NetBSD 6.1
- NetBSD 6.1.2
- NetBSD 7.0
- NetBurner MOD5270 Ethernet module or Zebra Z4MPlus label printer
- Netcomm V300 VoIP adapter
- Netgear CM500 cable modem
- Netgear DM602 ADSL router
- Netgear RT311 broadband router
- Netgear WGN824 v2 DSL router
- Netgear WGT624 WAP
- Netgear FR114P ProSafe VPN firewall
- Netgear EVA700 Digital Entertainer set top box
- Netgear EVA8000 Digital Entertainer set top box
- Netgear EVA9100 Digital Entertainer set top box
- Netgear NeoTV550 (Linux 2.6.22)
- Netgear PS105 print server
- Netgear Prosafe UTM9S
- Netgear SC101 Storage Central NAS device
- Netgear FS700TS Smart Switch
- Netgear FS752TS switch
- Netgear GS700T- or XS700T-series switch
- Netgear GSM7224 switch (VxWorks)
- Netgear ProSafe GS724T switch
- Netgear DG834GB wireless broadband router
- Netgear ProSafe WG302 v2 WAP
- Netgear R6400 WAP (Linux 2.6.36)
- Netgear WGR614v7 or WGT624v3 WAP
- Netgear WGR614v7 WAP
- Netgear WGR614v7 wireless broadband router
- Netgear WNR834Bv2 WAP
- Netgear RAIDiator 4.1.12
- Netgear RAIDiator 4.2.21 (Linux 2.6.37)
- Netgear RAIDiator 4.2.24
- Netgear RAIDiator 4.2.28
- Netgear ReadyNAS 2100 (RAIDiator 4.2.24)
- Netgear ReadyNAS device (RAIDiator 4.2.21 - 4.2.27)
- Netgear ReadyNAS Duo NAS device (RAIDiator 4.1.4)
- Netgear ReadyNAS Duo V1

- Netgem N7700 set-top box
- Netopia 2247 ADSL router
- Netopia 3366 ADSL router
- Netopia 3386 ADSL router
- Netopia 3387WG-ENT broadband router
- Netopia 3300-series ADSL router
- Netopia 3346N-VGx ADSL router
- NetOptics iBypass switch
- Network Systems BorderGuard 1000 firewall
- NetworkAlchemy ArgentBranch PBX
- NetworksAOK network monitoring appliance
- Neuf Box Trio 3C DSL modem
- Neuf Box Trio 3D DSL modem
- Newave UPS SNMP adapter
- Nexenta OS 3.0 - 3.1.2 (OpenSolaris snv_130 - snv_134f)
- Nexsan E18 NAS device
- NexStor Nexsan ATABoy NAS device
- NeXT NEXTSTEP 3.3 (patch level 3, m68k) or OPENSTEP 4.2
- NeXT OPENSTEP 4.2
- Nibe F1155 geothermal heat pump (lwIP stack)
- Nintendo 3DS
- Nintendo DS game console
- Nintendo Wii game console
- NodeMCU firmware (lwIP stack)
- NodeMCU firmware (lwIP stack)
- Nokia firewall (IPSO 4.1Build19)
- Nokia IP330 firewall appliance (IPSO 4.1 - 4.2)
- Nokia IP650 firewall (IPSO 4.0 and CheckPoint Firewall-1/VPN-1 software)
- Nokia 5800 mobile phone (Symbian OS 9.4)
- Nokia E51, N86, E90 Communicator, or N95 mobile phone (Symbian OS 9.2 - 10.0)
- Nokia E55 or S60 mobile phone (Symbian OS 9.3)
- Nokia E70 mobile phone (Symbian OS 9.1)
- Nokia S60 mobile phone (Symbian OS 9.3)
- Nokia 3600i mobile phone
- Nokia E60 mobile phone (Symbian OS)
- Nokia E60, E61, E65, or E70 mobile phone (Symbian OS)
- Nokia E65 mobile phone (Symbian OS)
- Nokia E70 or N86 mobile phone (Symbian OS)
- Nokia N81 mobile phone (Symbian OS)
- Nortel CS1000M VoIP PBX or Xerox Phaser 8560DT printer

- Nortel 5530 Ethernet Routing Switch
- Nortel NVR1750D VPN router
- Nortel BNT Ethernet switch module
- Nortel DMS-10 telephony switch
- Nortel Ethernet Routing Switch 4550T-PWR
- Nortel Ethernet Routing Switch 470-24T-PWR
- Nortel Ethernet Routing Switch 5510
- Nortel Ethernet Routing Switch 8010 or 8606
- Nortel switch
- Novatel MiFi 2200 3G WAP
- Novatel MiFi 4620L WAP
- Novell NetWare 3.12 TCP/IP 2.02i
- Novell NetWare 3.12 TCP/IP 4.01g
- Novell NetWare 4.11
- Novell Netware 4.2
- Novell NetWare 5
- Novell NetWare 5.1
- Novell NetWare 6
- Novell NetWare 6.0 or 6.5 SP5 - SP7
- Novell NetWare 6.0 SP5 or 6.5 SP5
- Novell NetWare 6.5
- Novell NetWare 6.5 Open Enterprise Server
- Novell NetWare 6.5 SP3 Open Enterprise Server
- Novell NetWare 6.5 SP4
- Novell NetWare 6.5 SP5
- Novell NetWare 6.5 SP7
- NOXON digital radio
- NRG C7521n printer
- NRG MP 2500 printer
- NRG MP C4500 printer
- NSFOCUS WAF
- NTI Enviromux-Mini environmental monitoring appliance
- NTT RV-230NE router
- Nut/OS 4.3.2 beta (ARM)
- Obihai OBi110 VoIP adapter
- Ocean Signal E101V emergency beacon (FreeRTOS/lwIP)
- Oki B4545 printer
- Oki B711 printer
- Oki B930 printer
- Oki C5510 printer

- OKI C801 printer
- Oki ES8473 printer
- Oki MC342 printer
- Oki network printer
- Olympus Stylus SH-2 camera
- Omron CJ2M PLC
- Omron CP1W-CIF41 PLC Ethernet Module
- Omron CS1W-ETN21 PLC Ethernet Module
- Omron ITNV-EIS01 automation controller (QNX RTOS 4.25)
- Omron NE1A Safety PLC
- On Time RTOS-32 3.0
- On Time RTOS
- OneAccess 1641 router
- OneAccess ONE20 ADSL router
- OpenBox S10 set-top box
- OpenBSD 2.9 (x86)
- ONStor Bobcat 2220 NAS Gateway (runs OpenBSD 2.8)
- OpenBSD 3.2 (x86)
- OpenBSD 3.3
- OpenBSD 3.4 (x86)
- OpenBSD 3.5
- OpenBSD 3.6 (x86)
- OpenBSD 3.8 - 4.6
- OpenBSD 3.8 - 4.7
- OpenBSD 3.9
- OpenBSD 3.9 - 4.2
- OpenBSD 3.9 - 4.4
- Genua GeNUGate Firewall 7.0 (OpenBSD 4.6)
- OpenBSD 4.0
- OpenBSD 4.0 (x86)
- OpenBSD 4.0 (x86)
- OpenBSD 4.1
- OpenBSD 4.1 (x86)
- OpenBSD 4.1 - 4.3
- OpenBSD 4.2
- OpenBSD 4.2 - 4.4
- OpenBSD 4.3
- OpenBSD 4.4
- OpenBSD 4.4 - 4.5
- OpenBSD 4.4 - 4.6

- OpenBSD 4.5
- OpenBSD 4.5
- OpenBSD 4.6
- OpenBSD 4.7
- OpenBSD 4.8
- OpenBSD 4.9
- OpenBSD 4.9 - 5.1
- OpenBSD 4.9 - 5.4
- OpenBSD 5.0
- OpenBSD 5.0 - 5.8
- OpenBSD 5.0 - 6.0
- OpenBSD 5.1
- OpenBSD 5.2
- OpenBSD 5.2 - 5.3
- OpenBSD 5.3
- OpenBSD 5.4
- OpenBSD 5.5
- OpenBSD 5.6 - 5.8
- OpenBSD 5.8
- OpenBSD 5.9
- OpenBSD 6.0
- OpenBSD 6.0 - 6.1
- OpenBSD 6.1
- Opto 22 SNAP-PAC-EB2 I/O controller
- Oracle JRockit Java virtual machine
- Oracle Solaris 10
- Oracle Solaris 11
- Oracle Solaris 11 or OpenIndiana
- Solaris 12
- Oracle Virtualbox
- Oracle VM Server 3.4.2 (Linux 4.1)
- Orange Livebox Business wireless DSL router
- Orange Livebox wireless DSL router or Sagem F@st 334 or 3304 DSL router
- Osmosys DMS DVR
- OSRAM Lightify ZigBee gateway
- OSRAM Lightify ZigBee gateway
- OSRAM Lightify ZigBee gateway
- OUYA game console
- Packard Bell NetStore 3500
- Packet8 BPA410 broadband phone adapter

- Packet8 BPA430 VoIP adapter
- Packeteer PacketShaper 7500 firewall
- Packeteer PacketShaper firewall version 5.2.0
- Packeteer PacketShaper 6500/ISP
- PacketFront DRG Ease DRG601-Access switch
- Palmmicro AR1688 VoIP module
- Palo Alto PA-500 firewall
- Panasas ActiveStor storage device (version 3.0.6.d)
- Panasonic PT-VZ575 projector
- Panasonic DB-3500 series printer
- Panasonic DP-8045 printer
- Panasonic BB-HCM511A or BL-C140A Network Camera
- Panasonic BL-C140 Network Camera
- Panasonic BL-C210 Network Camera
- Panasonic BL-C210A webcam
- Panasonic KX-HCM270 Network Camera or Symbol Spectrum24 4131 WAP
- Panasonic WV-NS202A security camera
- Panasonic WV-SP300 or WV-SF330 webcam
- Papouch TME Ethernet thermometer
- Papouch TME Ethernet thermometer
- Patton SmartNode 4638 VoIP adapter
- Patton SmartNode 4960 VoIP adapter (SmartWare 4.2)
- Patton SmartNode 4112 VoIP adapter (SmartWare 5.6)
- PC-BSD 1.3
- PC-BSD 9.1
- PCMeasure Ethernetbox environmental monitor
- Peplink Balance 380 router
- Peplink Pepwave Surf AP 200 WAP
- Perfectone IP-301 VoIP phone
- Perle IOLAN DS1 Ethernet-to-serial bridge
- Perle JetStream 8500 or CS 9000 remote access server
- Phar Lap ETS 13
- PheeNet WAP-854GP WAP
- Philips DTERM VoIP phone
- Philips Hue Bridge (lwIP 1.4.1)
- Philips Hue Bridge (lwIP stack v1.4.0)
- Philips Hue Bridge (lwIP stack)
- Philips Hue Bridge 2.0 (Linux)
- Phoenix Contact ILC 171 ETH 2TX PLC
- Pingtel Xpressa VoIP phone

- Pioneer Kuro KRP-500M monitor
- Pioneer PRO-141 TV
- Pioneer SC-27 audio/video receiver
- Pioneer VSX-31 video receiver
- Pirelli DP-10 VoIP phone
- Pirelli AV4202N wireless ADSL modem
- Pirelli DRG A226M wireless ADSL modem
- Pirelli PRG AV4202N WAP
- Planet ATA-150S VoIP adapter
- Planet VIP-550PT VoIP phone
- Planet WAP-1950 WAP
- Planet WAP-4000 v2 WAP
- Planet VIP-154T VoIP phone (MicroC/OS-II)
- Polycom SoundPoint 301 or 601 IP phone
- Polycom SoundPoint 320, 330, 430, 550, or 650 IP phone
- Polycom SoundPoint 500 or 601 IP phone
- Polycom SoundPoint 501 IP phone
- Polycom SoundPoint IP 301 VoIP phone
- Polycom SoundPoint IP 301 VoIP phone
- Polycom SoundPoint IP 331 VoIP phone
- Polycom SoundPoint IP 430 VoIP phone
- Polycom MGC videoconferencing system
- Polycom RMX 2000 videoconferencing system
- Polycom ViewStation 4000 video conferencing system
- Polycom ViewStation DCP 7.5.2 video conferencing system
- Polycom ViewStation video conferencing system
- Polycom VS4000 video conferencing system
- Polycom VSF4 video conferencing system
- Polycom VSX 7000a video conferencing system
- Polycom VSX 7000e/8000 video conferencing system
- Polycom VSX 8000 video conferencing system
- Polycom MGC-25 videoconferencing system (pSOS 1.0.4)
- PORTech GSM VoIP adapter
- PORTech MV-370 GSM VoIP adapter
- MQX RTOS
- Printronix T5304 label printer
- Priva building management system
- Proxim Tsunami MP.11a WAP
- QEMU user mode network gateway
- QNAP TS-109 NAS device (Linux 2.6.32)

- QNAP TS-209 NAS device (Linux 2.6.12)
- QNAP QTS 4.0 - 4.2
- QNAP QTS NAS device (Linux 2.6.12)
- QNX RTOS 4.25
- QNX RTOS 4.25
- QNX RTOS 6.2
- QNX RTOS 6.2.1
- QNX RTOS 6.3
- QNX RTOS 7.0.0
- QNX RTOS
- QTech QSW-2900 switch
- Qualisys Oqus 300 camera
- Quantum Snap Server 2200 or 4100 NAS device
- Quantum SuperLoader 3 tape autoloader
- Quarterdeck DESQview/X 2.10
- Rabbit microcontroller
- RAD ACE-3200 telephony switch
- Radware LinkProof load balancer
- Radware OnDemand Switch 2 XL (APsolute OS 10.31)
- Raritan Dominion PX DPXR20-20L power control unit
- Raritan Dominion KX II KVM
- Raritan Dominion KX II KVM switch
- Raritan Dominion SX32 KVM switch or Ricoh Aficio IS200e scanner
- RCA DCM425C cable modem
- ReactOS 0.3.7
- Linksys WET54G wireless bridge or Red-M Communications Red-Alert PRO wireless activity detector
- Ericsson SmartEdge router (SmartEdge OS 11.1)
- Redback Networks SmartEdge router (SmartEdge OS 5.0)
- Redback Networks SmartEdge 600 router (SmartEdge OS)
- Reliable Controls mac ProWebCom building control server
- Revo Blik Wi-Fi Internet radio
- RF Code RFID reader
- RF-Space SDR-IP software radio or WIZnet W5200 TCP/IP Ethernet chip
- RGB Spectrum MediaWall 1500 video processor
- Ricoh Aficio 1022 copier
- Ricoh Aficio 1060 or 2035e printer
- Ricoh Aficio 1224C or AP400N printer
- Ricoh Aficio 3045/3245C or Savin 8025e printer
- Ricoh Aficio BP20N printer
- Ricoh Aficio MP C2550 printer

- Ricoh Aficio MP C4501 printer
- Ricoh Aficio MP C6000 or GX3050N printer
- Ricoh Aficio SP 4100N printer
- Ricoh Aficio SP C210SF printer
- Ricoh Aficio SP C240SF printer
- Ricoh Aficio SP C311N printer (VxWorks)
- Ricoh Aficio SP C420DN printer
- Ricoh MP W6700 printer
- Rigol DS1000Z-series oscilloscope
- Rigol DSG3060 signal generator
- BlackBerry 10
- BlackBerry 10.3
- BlackBerry 7.1
- BlackBerry Tablet OS 2
- BlackBerry Tablet OS 2.0
- BlackBerry Tablet OS 2.1
- Rio Karma media player
- RISCOS Ltd RISC OS 4.39
- RISCOS Ltd RISC OS 5.23
- RISCOS Ltd RISC OS 6.20
- Riverbed Steelhead 200 proxy server
- Riverbed Steelhead proxy server
- Riverbed RIOS
- Riverbed Steelhead Mobile Controller 4.0.3
- Roberts STREAM 202 Internet radio
- Rockwell Automation 1756 ControlLogix Ethernet/IP adapter
- Rockwell Automation 1756-L8xE ControlLogix processor
- Rockwell Automation 1761-NET-ENI Ethernet-to-RS-232-C interface module
- Rockwell Automation 1769-L23E-QB1 PLC
- Rockwell Automation Logix EtherNet/IP module
- Roku HD1500 media player
- Roku SoundBridge M1001 music player
- Roku SoundBridge M500 or M1000 music player
- RSA SecurID authentication appliance
- Ruckus 7363 WAP
- Ruckus ZD1050 WAP
- Ruckus ZoneFlex R710 WAP (Linux 3.4)
- RuggedCom RSG2288 switch (ROS 3.8.2 - 3.11)
- Ruijie N18010 switch (Linux 2.6.32)
- Ruijie N18010 switch (Linux 2.6.32)

- Sagem F@st 3302 DSL router
- Sagem F@st 3302 DSL router
- Sagemcom b-box 3 modem
- Sagem My du@l radio 700 Internet radio
- Sagemcom Gigaset SE681 WiMAX router
- Samsung Bada 1.2
- Samsung Bada 2.0
- Samsung LE32B651 TV
- Samsung SMART Signage Platform
- Samsung C460-series printer
- Samsung CLP-310N or CLX-3175RW, or Xerox Phaser 6110 printer
- Samsung CLP-315W printer
- Samsung CLP-320N printer
- Samsung CLP-610ND printer
- Samsung CLP-620ND, CLX-3185, CLX-6220FX, ML-1865W, ML-2580N, or ML-3312ND; or Xerox Phaser 3300MFP printer
- Samsung CLP-770ND printer
- Samsung CLX-3160FN printer
- Samsung CLX-3185FW printer
- Samsung CLX-6220 or SCX-5835 or Xerox Phaser 3635MFP or 4600 printer
- Samsung M2020W wireless printer
- Samsung M267x or M283x series printer
- Samsung M2825 printer
- Samsung ML-1865W printer
- Samsung ML-371x Series printer
- Samsung SCX-3405FW, CLX-3305FW, or ML-451x-501x-Series printer
- Samsung SCX-4x24-series printer
- Samsung SCX-4x28-series printer
- Samsung OfficeServ 7100 VoIP adapter
- Samsung OfficeServ 7200 VoIP adapter or Harris FlexStar HD radio/FM broadcast exciter
- Samsung SMT-i5220 or SMT-i3100 VoIP phone
- Samsung i8910 mobile phone (Symbian OS 9.4)
- Sandstrom Internet Radio
- Sanyo PLC-XU88 digital video projector
- Sapling IP clock
- Satel ETHM-2 intruder alarm
- Schneider Electric ION8600 smart meter
- Schneider Electric TSX ETY programmable logic controller
- Schrack electric meter
- Schweitzer Engineering SEL-2701 Ethernet processor

- Scientific Atlanta WebSTAR DPC2100 cable modem
- Scientific Atlanta WebSTAR DPC2100R2 cable modem
- Scientific Atlanta WebSTAR EPC2203 cable modem
- SCO OpenServer 5
- SCO OpenServer 5.0.2 - 5.0.5
- SCO OpenServer 5.0.5
- SCO OpenServer 5.0.7
- SCO OpenServer 5.0.7 (x86)
- SCO OpenServer 6.0 or UnixWare 7.1.4
- SCO UNIX 3.2
- SCO UNIX 3.2v5.0.7
- SCO UnixWare 2.1
- SCO UnixWare 7.1.1
- SCO UnixWare 7.1.3
- SCO UnixWare 8.0.0
- Seagate Maxtor Central Axis NAS device
- Secure Computing Sidewinder firewall (SecureOS 6.1.1.05)
- Secure Computing Sidewinder G2 firewall (SecureOS 6.1.2.0.3)
- Secure Computing SecureOS 7.0.0.04
- Secure Computing Sidewinder firewall (SecureOS 7.0.0.04)
- SEH InterCon IC105 print server
- Seiko NS-2232 serial-to-IP bridge
- Senao NL-2611CB3 PLUS WAP
- Sensatronics E4 temperature monitor
- Sensatronics EM1 environmental monitor
- Sequent DYNIX (BSD-based Unix)
- SGI IRIX 4.0.5F
- SGI IRIX 5.2
- SGI IRIX 5.3
- IRIX64 IRIS 6.5
- SGI IRIX 6.5
- SGI IRIX 6.5.15m
- SGI IRIX 6.5.22m - 6.5.30f
- SGI IRIX 6.5.30
- SGI IRIX 6.5.6m
- SGI IRIX64 6.5
- SGI IRIX64 6.5.15m
- SGI IRIX64 6.5.19f
- SGI IRIX64 6.5.22f
- SGI IRIX64 6.5.30m

- Sharp AR-C260M or AR-M351N printer
- Sharp AR-M236 printer
- Sharp AR-M237 printer
- Shenzhen Kinoway K-3288W or PORTech MV-374 GSM-SIP VoIP adapter
- ShoreTel ShoreGear SG-8 VoIP switch
- ShoreTel ShoreGear SG-T1K VoIP switch
- ShoreTel ShoreGear-T1 VoIP switch
- ShoreTel Voice Switch 220T1A VoIP gateway
- Siemens C2-010-I ADSL modem
- Siemens Gigaset SE567 WAP or SpeedStream 4200 ADSL modem
- Siemens SpeedStream 4200 ADSL modem
- Siemens HiPath 3000 PBX
- Siemens AEM100 remote management unit
- Siemens LOGO! 0BA7 PLC
- Siemens MP370 input panel (Windows CE)
- Siemens Simatic 300 programmable logic controller
- Siemens Simatic TDC control system
- Siemens SPS programmable logic controller
- Siemens HiPath 4000 VoIP adapter
- Siemens HiPath optiPoint 400 VoIP phone
- Siemens optiPoint 410 VoIP phone (VxWorks)
- Siemens Gigaset SE551 wireless broadband router
- Siemens W748 or W788 WAP
- Siemens SINIX-D on x86
- Siemens SINIX-Z on RM400
- SiliconDust HDHomeRun 3 set top box
- SiliconDust HDHomeRun set top box
- Sipura SPA1001 or SPA3000 VoIP adapter
- Sipura SPA3000 VoIP adapter
- Sipura SPA3000 VoIP adapter
- Sitecom Wireless Network Broadband Router
- Sitecom WL-174 wireless ADSL router or ZyXEL B-3000 WAP
- Sitecom WL-342 WAP
- Slingbox 350 media server
- Slingbox Classic TV over IP gateway
- Slingbox Classic TV over IP gateway (Firmware 1.0.89)
- Slingbox PRO TV over IP gateway
- Slingbox Pro TV over IP gateway
- Slingbox Pro-HD TV over IP gateway
- Slingbox SOLO or PRO TV over IP gateway

- Slingbox SOLO TV over IP gateway
- Slingbox Tuner TV over IP gateway
- Slingbox TV over IP gateway (Firmware 1.2.9 - 1.3.80)
- Slingmedia Slingbox AV TV over IP gateway
- Smart Mirage CX06 satellite receiver
- Smartlink DIGISOL DG-HR3400 WAP
- SMC SMB7004ABR WAP
- SMC SMC8014WG WAP
- SMC SMC8014WG WAP
- SMC Barricade 7004BR router
- SMC SMC7908A-ISP router
- SMC 8024L2 switch
- SMC SMC6750L2 or SMC7724M/VSW switch
- SMC TigerStack III 6824M switch
- SMC TigerSwitch SMC8150L2 switch
- SMC 7904WBRA-N wireless ADSL router
- SMC SMC2804WBRP-G wireless broadband router
- SMC SMC7904WBRA wireless ADSL router or T-Home Speedport W 700V WAP
- SMC SMC7904WBRB2 wireless broadband router
- SMC SMCWBR14-G2 Barricade g WAP
- SMC SMCWBR14-G2 EU Barricade g WAP
- Snom 360 VoIP phone
- SNOM 715 VoIP phone
- SNR SNR-S2960 switch
- SonicWALL Aventail EX-1500 SSL VPN appliance
- SonicWALL TZ 170 Unlimited firewall (SonicOS)
- SonicWALL Aventail EX-6000 VPN appliance
- SonicWALL TZ 170 Standard firewall (SonicOS 2.0)
- SonicWALL PRO 2040 firewall (SonicOS 3.1)
- SonicWALL PRO 4060 firewall (SonicOS 3.2)
- SonicWALL SonicOS 3.9
- SonicWALL TZ 170 Standard firewall (SonicOS 3.1)
- SonicWALL PRO 3060 Enhanced firewall (SonicOS 4.0.0.12)
- SonicWALL TZ 190 firewall (SonicOS Enhanced 4.0)
- Dell Sonicwall NSA 220 firewall
- SonicWALL NSA 220 firewall (SonicOS Enhanced 5.8)
- SonicWALL SonicOS Enhanced 5.2
- SonicWALL TELE3 firewall (SonicOS 6.6.3.0)
- SonicWALL PRO 230 firewall (SonicOS)
- Sonos ZonePlayer audio distribution unit

- Sonus GSX9000 VoIP proxy
- Sonus SBC1000 SIP gateway
- Sony Ericsson Aino mobile phone
- Sony Ericsson C902, W910i, or Z780i mobile phone
- Sony Ericsson G900 mobile phone
- Sony Ericsson Hazel (J10, J20) or Elm mobile phone
- Sony Ericsson K850i mobile phone
- Sony Ericsson U8i Vivaz mobile phone
- Sony Ericsson W705 or W715 Walkman mobile phone
- Sony Ericsson W705 or W995 Walkman mobile phone
- Sony Ericsson M600i mobile phone (Symbian OS 9.1)
- Sony Ericsson P1i mobile phone (Symbian OS 9.1)
- Sony PlayStation 2 game console
- Sony PlayStation 2 game console test kit 2.2.1
- Sony PlayStation 3 game console
- Sony PlayStation 3 game console test kit
- Sony PSP game console (modified, running Custom Firmware 3.90 - 5.50)
- Sony BDP-S370 or BDP-S570 Blu-ray player
- Sony BDV-E970W television
- Sony BDV-T57 television
- Sony Blu-Ray Player
- Sony Bravia HX720-series TV
- Sony Bravia smart TV (Android)
- Sony Bravia V5500-series TV
- Sony Bravia W4500-series TV
- Sony Bravia W5500-series TV
- Sony Bravia W600-, W800-, or W900-series TV
- Sony Bravia X4500-series TV
- Sony CMT-MX700Ni audio player
- Sony SMP-N200 media player
- Sony FWD-40LX2F display card
- Sony PCS-1 videoconferencing system
- Sony PCS-TL30 video conferencing system
- Source Technologies ST-9650 printer
- Specialix JetStream 8500 RS232 remote access server
- Sphairon Turbolink IAD DSL modem
- Star Micronics TSP100 receipt printer
- Stonewater Control Systems environmental monitoring appliance
- StorageTek SN3250 router
- StorageTek L1400M tape library

- Stratus ftServer Virtual Technician Module
- Suga embedded WiFi module
- Sun Advanced Lights-Out Manager
- Sun Integrated Lights-Out Manager
- Sun Remote System Control (RSC) 2.2.3
- Sun Storage 7210 NAS device
- Sun Storage 7410 NAS device
- Sun StorEdge 3310 FC storage array
- Sun StorEdge 3510 FC storage array
- Sun OpenSolaris 2008.11
- Sun OpenSolaris 2009.06
- Sun OpenSolaris snv_129
- Sun Solaris 10
- Sun Solaris 10 (SPARC)
- Sun Solaris 10 (x86)
- Sun Solaris 11
- Sun Solaris 11 (snv_151a) or OpenIndiana oi_147
- Sun Solaris 11 (snv_151a) or OpenIndiana oi_147 - oi_151a
- Sun Solaris 11.3
- Sun Solaris 2.5.1 (SPARC)
- Sun Solaris 2.6
- Sun Solaris 10
- Sun Solaris 7
- Sun Solaris 7 (SPARC)
- Sun Solaris 8
- Sun Solaris 8 (SPARC)
- Sun Solaris 8 (x86)
- Sun Solaris 9
- Sun Solaris 9 (SPARC)
- Sun Solaris 9 (x86)
- Sun Solaris 9 or 10
- Sun Solaris 9 or 10 (SPARC)
- Sun Solaris 9 or 10, or OpenSolaris 2009.06 snv_111b
- Sun Solaris 9 or Oracle Solaris 10
- Sun Solaris 10
- Sun SunOS 4.1.3 (SPARC)
- SunPower solar monitoring device (uIP stack)
- Supermicro IPMI remote management
- Syllable Desktop 0.6.7
- Symantec Firewall/VPN 100 or 200

- Symantec Gateway Security 5620
- Symantec VelociRaptor 1.5 firewall
- Symbian^3
- Symbol AP-2411 switch
- Symbol AP-3021 switch
- Symbol ES3000 switch
- Symbol Spectrum24 4131 WAP
- Symbol WS500 wireless switch
- Symbol WS5000 wireless switch
- Synology DiskStation Manager 3.2 or Priva heating control manager (Linux 2.6.32)
- Synology DiskStation Manager 5 (Linux)
- Synology DiskStation Manager 5.2-5644
- Synology DiskStation Manager 6 (Linux 2.6.32)
- Synology RT1900ac router
- Synology Disk Station DS-101g+ NAS
- Deutsch Telekom MR 400 set-top box
- T-Home Speedport W 504V WAP
- T-Home Speedport W 700V WAP
- T-Home Speedport W 723V WAP
- T-Marc 254H switch
- Tadiran FlexSet-IP 280S VoIP phone
- Tahoe 8216 power management system
- Tandberg TT 1122 video receiver
- Tandberg Codec C60 video conferencing system
- Tandberg VCS video conferencing system
- Tandberg Video Conference System
- Tandberg video conferencing system (1000, 2500, or 990 MXP)
- Tandberg Codian videoconferencing system (NetBSD)
- Tandem Himalaya K2000 server (Guardian 90)
- TechniSat Digicorder HD S2 satellite receiver
- Tektronix Phaser 8200DP printer
- Telco Systems T-Marc 250
- Teldat K series gateway
- Telekom Speedport W921V wireless DSL modem
- T-Sinus 130 DSL router
- Telekom Speedport W723V Typ B router
- Telewell TW-EA501 ADSL modem
- Telex IP-223 radio IP adapter
- Telsey IP Video Station media server
- Teltronics NET-PATH intrusion detection system

- TenAsys iRMX III 2.2
- Tenda N301 WAP
- Teradici PCoIP Zero Client remote management console
- Teradici 10ZiG V1200 thin client
- Mitsubishi VFD (Texas Instruments chipset)
- Thales nCipher NetHSM 500 hardware security module
- Thecus 4200 or N5500 NAS device (Linux 2.6.33)
- Thecus N4100PRO NAS device
- Thecus N5200PRO NAS device
- Thecus N8800PRO NAS device
- Thomson SpeedTouch 510 DSL modem
- Thomson SpeedTouch 510 DSL modem
- Thomson SpeedTouch 510/510i/530/570/580 DSL modem
- Thomson ST 585 or ST 536i ADSL modem
- Thomson TCM390 cable modem
- Thomson TCW710 wireless cable modem
- Thomson TG712 DSL router
- Thomson ST 2030 VoIP phone
- Thomson Symbio VoIP phone
- Tiandy NVR
- Tibbo DS10xx serial controller, V3.34
- Tigo Energy Cloud Connect solar power gateway
- Tizen
- Topfield TF6000PVR set top box
- Toptech TMS5 terminal management
- Toshiba 4690 OS point-of-sale system
- Toshiba REGZA TV
- Toshiba e-STUDIO 20 printer
- Toshiba e-STUDIO 280 printer
- Toshiba e-STUDIO 4511 printer
- TP-LINK TL-R4239G router
- TP-LINK TL-R470T router
- TP-LINK TL-R478+ router
- TP-LINK TL-R480T+
- TP-LINK PS110U print server
- TP-LINK TL-PS110U or TL-WPS4510U print server
- TP-LINK TL-PS110U print server
- TP-LINK TL-WPS510U print server
- TP-LINK EAP330 WAP (Linux 2.6.36)
- TP-LINK TD-W8951ND wireless ADSL modem

- TP-LINK TL-WA5210G WAP
- TP-LINK TL-WA801ND WAP (Linux 2.6.36)
- Trane Tracer SC building controller
- TransAct Ithaca 280 thermal printer
- TRENDnet TW100-BRF114 broadband router
- TRENDnet TV-IP100 webcam
- Tripp Lite SMART1500SLT UPS, or PDUMV30HVNET or PDUMH15AT power distribution unit
- Tripp Lite SMART3000RML2U UPS
- Tripp Lite NetOS 7.5.2tl
- Tut Systems SMS2000 subscriber management system
- Tyco 24 Port SNMP Managed Switch
- Ubee EVW3226 cable modem
- Ubee EVW3226 or Arris TG1672 or TG862G cable modem (Linux 2.6.18)
- Ubicom ipOS
- Ubiquiti AirOS 5.5.9
- Ubiquiti AirOS 5.6.2 (Linux 2.6.32)
- Ubiquiti Pico Station WAP (AirOS 5.2.6)
- Ubiquiti Edgemax router firmware 1.7.0 (Linux 3.10)
- Ubiquiti EdgeSwitch (Linux 3.6)
- Ubiquiti UniFi AP-AC WAP (Linux 2.6.22)
- Ubiquiti webcam (Linux 2.6.38)
- Universal Devices ISY-99i IR receiver
- Universal Devices ISY-99i IR receiver
- USRobotics USR8000 broadband router
- USRobotics USR5450 WAP
- UTStarcom WA3002G4 router
- Vantage HD7100S satellite receiver
- VBrick 4300 video encoder
- Vegastream Vega 400 VoIP Gateway
- Viasat SurfBeam 2 satellite modem
- VIPA PLC CPU
- Viridi 3000 access controller
- Class Viridi|Viridi 3000 access controller|||security-misc
- Visual Network Systems Visual UpTime Select IP Transport DS3/E3 inline ASE
- Visual Network Systems Visual UpTime Select IP Transport NxT1 inline ASE
- Visual Network Systems Visual UpTime Select IP Transport T1 CSU DROP & INSERT ASE
- VMware ESX Server 3.0.0 - 3.5.0
- VMware ESX Server 3.0.2
- VMware ESX Server 3.5.0
- VMware ESX Server 4.0.1

- VMware ESX Server 5
- VMware ESXi 3.0 - 4.0
- VMware ESXi 3.5
- VMware ESXi 3.5
- VMware ESXi 3.5
- VMware ESXi 4.0
- VMware ESXi 4.0.0
- VMware ESXi 4.0.1
- VMware ESXi 4.1
- VMware ESXi 4.1.0
- VMware ESXi 5.0
- VMware ESXi 5.0 - 5.5
- VMware ESXi 5.1
- VMware ESXi 5.5
- VMware ESXi 6.0.0
- VMware Player virtual NAT device
- Vodafone EasyBox 802 wireless ADSL router
- Vodafone Easybox 904 xDSL WAP (Linux 2.6.32)
- Vodafone EasyBox A601 wireless ADSL router
- Vodavi XTS-IP PBX
- Vonage V-Portal VoIP adapter
- VTrak WebPAM PROe RAID device
- W&T Ethernet-to-serial bridge
- W&T Web-IO controller
- W&T Web-IO Thermometer model 57101
- W&T Web-Thermo-Hygrobarograph firmware 1.59 - 1.71
- W&T Web-Thermograph NTC
- W&T Web-Thermograph NTC firmware 1.53
- W&T Web-Thermograph NTC firmware 1.60
- WAGO-I/O-SYSTEM 750 automation system
- WatchGuard FireBox 500 firewall
- WatchGuard FireBox 700 or X700 firewall
- WatchGuard Firebox SOHO 6 or X5w firewall/WAP
- WatchGuard FireBox X1250e firewall
- WatchGuard XTM 525 firewall
- WatchGuard firewall (Fireware 11.3)
- WatchGuard Fireware 11.8
- WatchGuard firewall (Fireware XTM)
- Websense Content Gateway
- Welltech ATA-171 VoIP adapter

- Westell WireSpeed B90-220030-04 DSL router (VxWorks)
- Westell WireSpeed Dual Connect 6100 DSL router
- Westermo EDW-100 Ethernet-to-serial bridge
- Western Digital WD TV media player
- Western Digital My Cloud DL4100 NAS (Linux 3.10)
- Wind River pSOSystem
- VxWorks 12.0
- Nomadix AG 5800 access gateway (VxWorks)
- Motorola SURFboard SB3100 cable modem (VxWorks 5.3)
- Motorola SURFboard SB5100E cable modem (VxWorks 5.4)
- Motorola SURFboard SB5120 cable modem (VxWorks 5.4)
- Motorola SURFboard SBV5121 broadband router (VxWorks 5.4)
- Nortel BayStack 460 switch, or Linksys BEFCMU10 or Motorola SURFboard SB5100 cable modem
- VxWorks 5.4.2
- VxWorks 5.5
- VxWorks 5.5.1
- Nortel Meridian PBX
- Arris Cadant C3 cable modem terminator (VxWorks 5.4.2)
- VxWorks 5.5
- Cisco AP340 WAP (VxWorks 5.4)
- Netgear WGR614v7, WGT624v3, or WPN824v2 WAP (VxWorks 5.4.2)
- VxWorks 6.4
- VxWorks 6.6
- VxWorks 6.8
- VxWorks 6.5 (NAS device)
- VxWorks 7
- Broadband router (VxWorks): Dick Smith Electronics XH1169, Netgear WGR614v6, or Neuf Box Trio 3C
- Huawei E303s-2 broadband router (VxWorks)
- VxWorks
- VxWorks: HP printer or Vocality BASICS Four Wire VoIP gateway
- Brother printer (VxWorks)
- HP LaserJet 3600 printer, HP ProCurve 2650 switch, or Motorola SURFboard SB5100E cable modem
- Dell PowerVault MD3200i SAN
- 3Com NBX 100 VoIP adapter (VxWorks)
- Netgear HE102 WAP (VxWorks)
- Tenda W311R+ WAP (VxWorks)
- WIZnet W3150A TCP/IP chip
- WIZnet W5100 TCP/IP chip
- WowWee Rovio mobile webcam
- Wyse P class PCoIP client

- Wyse V10L or 1200LE thin client
- Wyse V10L thin client
- Wyse ThinOS 5.2
- Wyse C10LE, S10, SX0, 1200LE, or Xenith terminal (ThinOS 6.5)
- Wyse ThinOS 6
- Wyse ThinOS 7.1
- Wyse ThinOS 8.1
- Wyse ThinOS PCoIP device
- Wyse Cx0 terminal (ThinOS)
- Wyse ThinOS
- XAVi 7001 DSL modem
- XAVi X7721r+ DSL router
- XAVi X7868r wireless ADSL modem
- Xerox ApeosPort-IV C3370 printer
- Xerox DC220 printer
- Xerox Document Centre 440 or WorkCentre Pro 55 printer
- Xerox Phaser 3150 printer
- Xerox Phaser 3320 printer
- Xerox Phaser 3435 printer
- Xerox Phaser 6020V/BI printer
- Xerox Phaser 6180N printer
- Xerox Phaser 6250DP printer
- Xerox Phaser 6600DN printer
- Xerox Phaser 860N or 8200N printer
- Xerox WorkCentre 4150 printer
- Xerox WorkCentre 7545 printer
- Xerox WorkCentre Pro 7245 printer
- Xerox WorkCentre Pro C2128 printer
- eComStation 2.2
- Xirrus XS8 WAP (Array OS 3.3 - 3.5)
- XMOS XC-2 development card
- Xylan OmniStack 4024CF switch
- Xylan OmniStack switch (version 3.2.5)
- Xylan OmniStack switch (version 3.4.7)
- Xyplex terminal server
- Yamaha RX-A2040 AV receiver
- Yamaha RX-V2065 audio/video receiver
- Yamaha RX-V2067 or RX-V3900 audio receiver
- Yamaha RX-V481D AV receiver
- Yamaha RX-V671 AV receiver

- Yamaha NetVolante RT57i router
- Yamaha RT58i or RT107e router
- Yealink SIP-T22P VoIP phone
- Zebra GK420t label printer
- Zebra GK420t label printer
- Zebra GX430T label printer
- Zebra LP 2844-Z label printer
- Zebra QLn420 mobile printer
- Zebra S4M barcode label printer
- Zebra ZTC ZM400 label printer
- Zelax MM-201R-UNI router
- Zerto Virtual Replication Appliance
- Zhone 6211-I3 series ADSL2+ modem
- Zhone GPON home gateway
- Zipato Zibabox Duo home automation controller
- ZKTeco F18 Standalone Access Control and Time Attendance System
- ZKTeco F18 reader
- Class ZKTeco|ZKTeco F18 reader|||specialized
- ZoneAlarm Z100G WAP
- ZTE ZXV10 H201 ADSL router
- Verizon Jetpack 4G hotspot
- Zyfer GSync 391 clock
- ZyXEL AES-100 ADSL modem
- ZyXEL o2 HomeBox 6641 router
- ZyXEL P-2602H-D1A DSL modem
- ZyXEL Prestige 660R ADSL router
- Zyxel Keenetic 4G router
- ZyXEL NSA-200 NAS device
- ZyXEL NSA-210 NAS device
- ZyXEL NSA320S NAS (Linux 2.6.31)
- ZyXEL ES-3024A switch
- ZyXEL GS1910 switch
- ZyXEL Keenetic Giga WAP 2.04 - 2.05
- ZyXEL NBG6817 WAP (Linux 3.4)
- ZyWALL Unified Security Gateway (ZLD 3.30)
- ZyXEL ZyWALL USG 20 or USG 50 firewall (ZyNOS 2.21)
- ZyXEL Prestige 202 ISDN router (ZyNOS 2.41)
- ZyXEL G-2000 Plus WAP
- ZyXEL P-2602HW-D1A wireless DSL modem (ZyNOS 3.40)
- ZyXEL Prestige 200 ISDN router

- ZyXEL Prestige 2602R-D1A ADSL router (ZyNOS 3.40)
- ZyXEL ZyNOS 3.40
- ZyXEL ZyNOS 3.40
- ZyXEL ZyWALL 10W firewall (ZyNOS 3.62)
- ZyXEL ZyWALL 2 firewall or Prestige 660HW-61 ADSL router (ZyNOS 3.62)
- ZyXEL ZyWALL 70 firewall (ZyNOS 3.65)
- ZyXEL G-3000H WAP (ZyNOS 3.50)
- ZyXEL ZyWALL 2, 5, or 70 firewall (ZyNOS 4.04)
- ZyXEL ZyWALL 5 firewall (ZyNOS 4.04)
- ZyXEL ZyWALL firewall (ZyNOS 4.04)
- ZyXEL Prestige 2602R-D1A ADSL router
- ZyXEL Prestige 600-series ADSL router
- ZyXEL Prestige 660HW-61 ADSL router (ZyNOS 3.40)
- ZyXEL Prestige 660HW-D1 wireless ADSL router
- ZyXEL ZyWALL 2 Plus firewall