



BeyondTrust

U-Series Appliance Migration

Table of Contents

U-Series Appliance Migration	3
High Level Overview	3
Migrate the U-Series Appliance	5
Verify Software on the Source	5
Back Up Data on the Source	5
Deploy or Import the Target Machine	6
Restore and Import Data from the Source Appliance	6
Perform Postmigration Configuration and Verification	7

U-Series Appliance Migration

This guide walks you through migrating from Windows 2012 R2 or 2016 U-Series Appliance to 2022 virtual or marketplace U-Series Appliance.

**Note:**

- *The U-50 Appliance on the Windows 2012 OS, as a source appliance, is pending certification.*
- *Physical U-Series Appliances cannot be updated to Windows 2022. You must purchase a new U-Series Appliance.*

Prerequisites and Assumptions

- Source U-Series Appliance is Windows 2012 R2 or 2016.
- Target U-Series Appliance is Windows 2022.
- Only one U-Series Appliance is running at a time.
- The target appliance is named the same as the source appliance when deployed.
- U-Series Appliance Management software is 3.3.1 or later on the source and target appliances.
- BeyondInsight is a supported version on the source and target appliances.
- The process documented in this guide applies only to new U-Series Appliances.
- No data is kept on the target U-Series Appliance prior to migration.



Note: *The process documented in this guide applies only if the U-Series Appliance Management Software is version 3.3.1 or later. If your appliance does not have U-Series Appliance Management software 3.3.1 or later installed, please contact BeyondTrust Technical Support for assistance.*

High Level Overview

The migration consists of the following general steps:

- Back up and copy necessary data on the source U-Series Appliance.
- Deploy the U-Series Appliance image to create the new machine.
- Configure and prepare the target appliance to accept data from the source.
- Restore and copy necessary data from the source to the target appliance.
- Perform post migration configuration and verify the migration success.

**Note:**

- *Downtime is necessary.*
- *For an active / active setup, the U-Series Appliance can be removed from the pool before migration and re-added after migration is complete. This prevents downtime for the end user.*
- *Windows Server 2022 U-Series Appliances can be deployed side by side.*



- *When deploying a new machine with the same name as the previous, if both are on at the same time, DNS issues can occur.*

Migrate the U-Series Appliance

Follow the below steps to migrate your Windows 2012 R2 or 2016 U-Series Appliance to Windows 2022.

Verify Software on the Source

Product versions on the source appliance must be at least U-Series version 3.3.1 or higher and a supported version of BeyondInsight.



Tip: Turn off automatic updates to ensure updates are not occurring during this process.

Back Up Data on the Source

You must back up your necessary data and then restore it on the newly created target appliance. Use the below steps to create and save a backup of your data on the source machine.

Time estimate: 15 minutes or longer depending on database size


1. From the source appliance's management console **Maintenance > Backup** page, create a backup and record the password. You'll need the password to restore the backup on the target appliance.
2. If the backup is saved locally, use RDP to connect to the U-Series Appliance to retrieve the backup from **C:\LocalBackups** (or the appropriate folder if another local backup location is specified).
3. Transfer the backup and any additional backups you want to migrate to either removable media or a network location accessible by the target U-Series Appliance.

Collect Additional Details and Settings


Gather and save the following details and settings from the source, as they are not included in the import process:

- **Licensing:** Gather BeyondTrust product license numbers from the **Software and Licensing > Product Licensing** page on the source appliance.
- **High Availability Pairing Settings** (from the primary node): Write down what you need to replicate on the target U-Series Appliance or take a screenshot from the **Appliance API Keys** page on the source appliance.
- **Backup Schedule:** Write down what you need to replicate on the target U-Series Appliance or take a screenshot from the **Maintenance > Backup** page on the source appliance.

- **Roles Configuration:** From the **Roles Editor** page on the source appliance, note the settings on the **BeyondInsight Database Access** role. This must match what is on the target appliance after the restore.



Note: If you are migrating from 2012 R2 OS, WSUS is not migrated, because it is not supported on 2022 OS.



The screenshot shows the 'Roles Editor' interface for the 'BEYONDINSIGHT DATABASE ACCESS' role. The role is currently 'ON'. The configuration is set to 'Local'. Under 'LOCAL DATABASE SETTINGS', the 'Connect to the database over:' section has 'SQL Server Authentication using a SQL Server account that has been configured with the necessary privileges' selected. The 'Username' is 'beyondtrust_user' and the 'Password' field is empty. The 'Database Name' is 'RetinaCSDatabase'. Other settings include 'Command Timeout (seconds)' at 300, 'Connection Timeout (seconds)' at 60, 'Connect Retry Count' at 1, and 'Connect Retry Interval' at 10. The 'Multi Subnet Failover (OFF)' checkbox is unchecked. At the bottom, there are buttons for 'DISCARD CHANGES', 'APPLY CHANGES', and 'TEST LOCAL CONNECTION SETTINGS'.

Deploy or Import the Target Machine


Because there is no conversion method to upgrade your existing appliance to Windows 2022, you must deploy or import the appliance image package as a new machine into your environment. Refer to the VMware vSphere Client product documentation for deploying an OVF template and to the Hyper-V product documentation for importing a virtual machine.

Restore and Import Data from the Source Appliance

Once the target appliance has been deployed and configured for use in your environment, you must restore the backup of the source appliance on the target appliance.

Time estimate: 10 minutes (assuming 600MB U-Series Appliance backup file)

1. Log in to the U-Series Appliance and navigate to **Maintenance > Backup and Restore**.
2. Copy the U-Series Appliance backup file created from the source to **C:\LocalBackups** on the target, or create a backup location that points to where the backup file exists.



Note: RDP must be enabled to access C:\LocalBackups.

3. If the backup file is not displayed, click **Import Backups** to scan available folders.
4. Start a restore from the premigration backup.
5. Wait until the restore completes.

Perform Postmigration Configuration and Verification

Once the restore is complete on the target appliance, you can create a backup schedule, configure BeyondInsight Analytics & Reporting, and set up high availability. We also recommend you verify the appliance settings, and that the BeyondInsight and Password Safe applications are set up and functioning the same as they were prior to migration.

Time estimate: 3 minutes

We recommend that you verify and configure, where necessary, the following items to confirm functionality of your newly migrated U-Series Appliance:

U-Series Appliance Settings

- Navigate to **Maintenance > Backup and Restore** and schedule a new backup and confirm that it runs.
- From the **Roles Editor** page:
 - Verify the configured roles match the roles configuration of the source appliance. Specifically, the **BeyondInsight Database Access** role settings must match what was configured on the source appliance, as indicated above when collecting additional information from the source for [Roles Configuration](#).
 - Toggle specific roles on or off as necessary and verify the changes are applied successfully.

BeyondInsight and Password Safe

- Confirm the database upgraded successfully:
 - Run **C:\Program Files (x86)\BeyondTrust\BeyondInsight\REMEmconfig.exe** as administrator to open the BeyondInsight Configuration tool.
 - Click the **Test Connection** link.
 - If the **Verify Database schema version** field indicates that an upgrade to the database is required, click **OK**.
 - Click the **Upgrade Database** link.
 - When the database upgrade completes, close the BeyondInsight Configuration tool.
- Log in to BeyondInsight and confirm the following:
 - Verify all assets are listed as expected on the **Assets** page and that the migrated U-Series Appliance is listed as a discovery scanner.
 - Run a discovery scan to verify database writes.
 - Confirm **Analytics & Reporting** is configured by clicking the **Analytics & Reporting** tile.
 - If you are prompted with a warning stating *Updates are available for server reporting components*, navigate to **Configuration > Analytics & Reporting > Configuration** and follow the wizard to completion.
 - Verify you can access your saved credentials from **Configuration > Discovery Management > Credentials**.
 - From the homepage, click the **Password Safe** tile, and ensure you can access your archived sessions and that you can record new admin sessions.